



**U.S. Army  
Tank-automotive  
and Armaments  
Command**

**TEAM TIRE  
CATALOG**  
of Available Products

With Select Vehicle Applications

January 2005

## **SEND COMMENTS TO:**

U.S. Army Tank-automotive and Armaments Command  
6501 E. Eleven Mile Rd. Warren, Michigan 48397-5000  
ATTN: Team Tire  
AMSTA-LC-CJT      Mail Stop #326

## **OR E-MAIL US AT:**

*tires @tacom.army.mil*

### **TEAM TIRE CATALOG REQUEST FORM**

Requestor: \_\_\_\_\_

Address: \_\_\_\_\_  
(street)

(city)

(state) (Zip)

Office Symbol: \_\_\_\_\_

DSN: \_\_\_\_\_ FAX \_\_\_\_\_

E-Mail: \_\_\_\_\_

Comments \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

FROM:

---

---

---

Place  
Postage  
Stamp  
Here

TO:

U.S Army Tank-automotive and Armaments Command  
6501 E. Eleven Mile Rd.Warren, Michigan 48397-5000  
ATTN: Team Tire  
AMSTA-LC-CJT

**AMSTA-LC-CJT**

**Jan. 2005**

**MEMORANDUM FOR Tire Catalog Recipients**

**SUBJECT:** Team Tire Catalog

- 1.** Welcome to the 2005 edition of the Team Tire Catalog. This catalog was produced in response to numerous requests from our customers, who desired an easy cross-reference to the items managed by Team Tire. The catalog has a lot of useful tire, inner tube, valve and flap listings, as well as some general tire guidance. Your proper use of this information will help ensure safe operation of your vehicles and maximize the performance of our products. Updates to this edition include: several corrections to item descriptions, the normal addition of new NSNs and deletion of obsolete NSNs, as well as a listing of Tire and Wheel Assemblies.
- 2.** Every effort has been made by Team Tire to ensure the accuracy of the information printed in this catalog but we insist you always verify this information with your Technical Manuals/Orders. Use this catalog as a secondary reference or as a starting point and always verify that what you are ordering is the right application for your system. If you have any questions or concerns, please call Team Tire for assistance (phone numbers are listed in the catalog).
- 3.** As always, you can expect some changes in future editions, to reflect changes in the items we manage. As the Team Tire Catalog has been designed for our customers' ease of use, we welcome any comments from you. Please feel free to contact any of the points of contact listed on page one and/or mail in the preprinted card on the back cover.

**Anthony Warrior  
Act. Chief, Team Tire  
TACOM**

## **TABLE OF CONTENTS**

|  |           |
|--|-----------|
| <b>1. Points of Contact.....</b>                                     | <b>1</b>  |
|  |           |
| <b>2. Tire Tips</b>  |           |
| <b>General Tire Maintenance.....</b>                                 | <b>2</b>  |
| <b>Operational Tips.....</b>   | <b>4</b>  |
| <b>Tire Chains.....</b>  | <b>8</b>  |
| <b>Common Tire Tools &amp; Equipment.....</b>                        | <b>10</b> |
| <b>How to Determine the Age of Off-Road &amp; Highway Tires.....</b> | <b>13</b> |
|  |           |
| <b>3. Tire Listings</b>  |           |
| <b>NSN Sequence.....</b>   | <b>15</b> |
| <b>Bias by Size.....</b>   | <b>42</b> |
| <b>Radial by Size.....</b>   | <b>62</b> |
|  |           |
| <b>4. Inner Tubes.....</b>   | <b>70</b> |
|  |           |
| <b>5. Tire Valves.....</b>   | <b>80</b> |
|  |           |
| <b>6. Solid Tires.....</b>   | <b>88</b> |
|  |           |
| <b>6. Flap Listing.....</b>  | <b>91</b> |
|  |           |
| <b>7. Wheel Assemblies Listing.....</b>                              | <b>92</b> |
|  |           |
| <b>8. Ply to Load Range Conversion Chart.....</b>                    | <b>93</b> |
|  |           |
| <b>9. Catalog Request Form.....</b>                                  | <b>94</b> |

## POINTS OF CONTACT

DSN PREFIX – 786-4293  
COMMERCIAL - (586) 574-4293

E-MAIL: [teamtire@tacom.army.mil](mailto:teamtire@tacom.army.mil)

|   |      |
|---|------|
| ANTHONY WARRIOR<br><i>Act. Chief, Team Tire</i>   | 4293 |
| Dave Epskamp<br><i>Contracting Officer</i>  | 4295 |
| Larry Hudson<br><i>Act. Supply Group Leader</i>   | 4287 |
| Anderson Coleman<br><i>Senior Maintenance Rep<br/>Retread Coordinator</i>                             | 4258 |
| Bob Lada<br><i>Senior Engineer</i>  | 6326 |
| Walt Howard<br><i>Quality Assurance Rep</i>   | 5465 |
| Brian McCutcheon<br><i>Catalog Coordinator<br/>Logistics Group Leader<br/>mccutchb@tacom.army.mil</i> | 4294 |
| TEAM TIRE FAX   | 6385 |
| SUPPLY STATUS   | 6245 |
| CALL IN REQUISITIONS  | 6558 |

## TIRE TIPS

**INTRODUCTION:** The tires on U.S. military tactical vehicles are the best in the world. They are designed to exceed mission requirements and function well in all climates and terrain. The following information will help you get the best performance and longest life from these tires.

**GENERAL TIRE MAINTENANCE:** Tire maintenance is very important. Team Tire recommends taking a few minutes to check and maintain the correct air pressures and to visually inspect tires for cuts and tread depth. These techniques will help extend the life and performance of your tires and assist you in accomplishing your mission. In addition, we recommend not overloading (exceeding the Gross Vehicle Weight) any vehicle. Overloading affects a vehicle's handling and stability and definitely affects the tires and braking. The following provides some general tire maintenance tips:

1. Do not mix radial and bias-type tires on the same vehicle. Doing so will lead to poor handling, decreased traction and braking and a possible loss of vehicle control.
2. Use the appropriate tire lubricant (indicated below) to mount and demount tires'. Do not use engine oil or any other petroleum based oils as this can cause rapid decay of the tires rubber compounds.
3. When reinflating a tire which has been removed for service or replaced, always use a tire safety cage, clip-on chuck, 10-foot hose with in-line air gage, and stand at least 10 feet out of the danger zone (danger zone is anywhere in front or back of the rim or outward from the sidewall area of the tire). Inflate tires to only 40 psi to seat bead on rim and carefully check to ensure that the bead and all wheel components have seated properly before inflating to maximum air pressure. Furthermore, we recommend the tire inflation cage not be bolted down. Bolting down the tire inflation cage reduces its ability to absorb the impact of a catastrophic tire failure.
4. When reinflating a tire that is on a vehicle that has been operated at lower off-road pressures, it is still very important to stay out of the trajectory of flying tire components, because a rim/wheel separation may occur. This can happen even when the tire is mounted on the vehicle. Use a 10-foot hose with clip-on chuck and in-line gage. No one should stand

within 10 feet of the possible trajectory of wheel and tire components. We also recommend the use of a safety cage.

5. Sometimes tire sizes are similar and can get mixed up while in local storage. To make sure you have the right tire, always check your vehicle TM and the size imprinted on the sidewall of the tire before mounting the tire.

6. When changing a tire, do not use sledgehammers, truck outriggers or any other unauthorized methods to break the bead. Hydraulic bead breakers are available. They are easy to use and make tire changing quicker. See the list of tools below for the NSN of this bead breaker.

7. Bead constrictors were designed for mounting only bias tires and should not be used for mounting radial tires. A bead constrictor is a tool, which has a belt that wraps around the tires' circumference and squeezes it until the bead is seated. If bead constrictors are used on radials, the squeezing can cause the sidewall to buckle and to kink or break the radial sidewall cords. Unfortunately many times the damage to radial sidewall cords can go unnoticed until a catastrophic tire failure occurs. Don't forget to remove the constrictor before inflating a bias tire.

8. Out-of-balance tire/wheel assemblies reduce tire mileage by causing cupping and other irregular tread wear patterns, vibration and poor vehicle handling.

9. Check and correct alignment per TM intervals. Total vehicle alignment refers to the tracking of all axles, to include trailers. It encompasses the various angles of steer axle geometry, caster, camber and toe. A properly aligned vehicle allows tires to roll without needlessly scrubbing off tread rubber.

10. Tires on vehicles that travel at excessive speeds (over 65 mph) for long periods of time, are subject to tire casing failure, if they are not designed to handle the loads and speeds they are subjected to. If you have a high-speed operation, select tires that are approved by the tire manufacturer to operate at high speeds.

---

**WARNING**

---

IMPROPERLY SEATED SIDE RING FLANGES OR LOCKRINGS MAY FLY OFF DURING INFLATION. NEVER ATTEMPT TO SEAT A SIDE RING FLANGE OR LOCKRING DURING OR AFTER INFLATION.

---

**TIRE INFLATION PRESSURES.** By far, the single most important step a user can take to maximize the performance and life of a tire is to maintain the appropriate air pressure. This is also the quickest and most economical remedy to increase traction in the mud and snow.

## **OPERATIONAL TIPS:**

### ***TIRE BLOWOUTS:***

Vehicle operators seldom get a warning before a tire blows out. After a blowout, the vehicle immediately swerves to one side or sways dangerously. If that happens, keep the vehicle going straight ahead; ***DO NOT IMMEDIATELY APPLY THE BRAKES!*** Make sure you have the vehicle under control before braking.

### ***SKIDS:***

To avoid skids, always stop, start, drive and turn the vehicle slowly when on slippery roads. If you do skid, ease up on the accelerator, ***DO NOT APPLY BRAKES*** and keep the vehicle in gear. Always turn your wheels in the direction of a skid. If the rear of the vehicle is skidding to the right, then turn to the right. If the rear is skidding towards the left, then turn to the left. Ease the steering wheel back to center position as the vehicle recovers and let the engine slow down the vehicle gradually.

### ***DOWNHILL BRAKING:***

To maintain control of a vehicle while descending downhill, follow braking procedures in applicable -10 Technical Manual. The rule of thumb is to go downhill in one lower gear than used to go up the hill. While descending, brakes are used along with the engine and transmission to keep the vehicle under control.

### ***BRAKE FAILURE:***

If hydraulic brakes fail, pump the brake pedal rapidly to restore braking action just long enough to get off the highway. If this does not work, apply steady pressure to the parking brake controlling the rear wheels. ***DO NOT LOCK UP THE REAR WHEELS!*** Down shifting also serves as braking force.

#### *RUNNING OFF THE PAVEMENT:*

If the vehicle you are driving drifts off the road, don't panic. Ease off the accelerator and avoid braking, other than a gentle squeeze, if necessary, to control the steering. Also, keep the vehicle headed in a straight line and resist the urge to immediately steer the vehicle back onto the pavement. Instead, when the vehicle is under control and approximately 1 ½ to 2 feet from the pavement, turn the steering wheel quickly about ¼ of a turn. As soon as the front tires are on the road, counter steer and quickly return to your lane.

#### *VEHICLE INSPECTION:*

Include a visual walk around inspection checking for proper inflation pressure, tread depth and condition of tires before and after vehicle operation.

#### *OFF ROAD:*

Cross shallow ditches slowly in low gear. Enter the ditch so one wheel leaves as the other on the same side enters it, never at the same time. Crossing ditches with very steep sides may require cutting away the top of banks before trying to cross.

Avoid straddling high tree stumps. They can seriously damage vehicle axles and suspension parts. Check ground clearance and drive with caution.

#### *ROCKY TERRAIN:*

Do not straddle large boulders. Move very slowly. Remove stones from dual tires as often as possible to prevent sidewall damage.

#### *MUD AND SWAMP:*

Pull out of mud and swampy areas slowly and in low gear. If necessary, place brush, boards or similar material under wheels to increase traction. Roll onto the soft area at medium speed for the selected gear and maintain a steady speed until you reach solid ground.

When stopped by mud rolling up on your wheels, stop and go again to regain momentum. This requires prompt action; otherwise mud will fill the tracks behind your wheels and slow or stop the vehicle.

When in a vehicle with an automatic transmission, try to pull out slowly in low gear. If necessary, get another vehicle to pull you out. If the vehicle is equipped with a winch, attach

the winch cable to a tree or solid object and pull out with winch power. Do not rock the vehicle. It will only dig in more.

#### *SAND:*

First, estimate whether or not your vehicle has a sufficient amount of traction to drive through the sandy area. If not, adjust/lower tire pressure to meet changing sand conditions and then accelerate slowly while maintaining a steady rate of movement. If possible, follow in tracks of preceding vehicles. Make wide turns, because sharp turns can stall or overturn the vehicle.

Let your vehicle roll to a halt when stopping in sand if practical. This prevents tires from digging in when brakes are used. Try to stop on a downhill slope to give you an advantage when driving is resumed.

If the vehicle bogs down, use a lower gear. If that doesn't work, stop the power to the driving wheels. Continuing will only sink the vehicle deeper and make it more difficult to get out. Shovel a clear path ahead of the wheels, if necessary. Lay boards, brush,channels, canvas wire netting, rope ladders or similar material under and in front of the tires, for better floatation and traction. Use a winch or tow the vehicle, since continued operation, under it's own power, will only cause it to sink deeper.

#### *TIRE PRESSURE:*

Reduce tire pressure to drive over soft sand. This increases the amount of tire surface in contact with the san, thereby providing better floatation (support). However, never reduce tire pressure so much that the tire slips on the rim. As soon as the need for low pressure ceases, stop and reinflate tire to the appropriate pressure. Always keep valve caps on tires.

Carry a tire gauge and equipment to reinflate tires and keep spare valve cores and readily available material for use under wheels in extremely soft areas. We also recommend that you carry shovels and tow chains or cables.

#### *WINTER DRIVING:*

Carbon monoxide poisoning is one of the hazards of winter driving. This poison comes from inhaling vehicle exhaust fumes and can result in death. Never sleep in the cab with the engine or heater running, nor leave the engine running while working on a vehicle in a closed building. While driving with the heater on, leave the window open slightly. Also, inspect the vehicle exhaust manifold, muffler and tailpipe for serviceability, per the vehicle TM.

The preferred method of parking is to keep vehicles from resting directly on ice, snow, or frozen mud for extended periods of time. Initial thawing may occur and subsequently the

ground may freeze around the tires. The best way to keep tires from freezing to the ground is to park on a hard surface or on any other available material such as planks and logs. If hard-surface parking is not possible, and then the vehicle should be moved periodically so that the tires rotate approximately 180 degrees.

Synthetic rubber tubes can become brittle when temperatures fall below -40 F. If you are expecting operations in temperatures below -40 F, you can minimize the effects of these extreme temperatures by lubricating the inside of the tire, tube, flap, bead, bead lock, and rim flanges. Use concentrated lubricant, NSN 2640-00-256-5526 (quart can) or 2640-00-256-5527 (gallon can) without adding water. We recommend this lubrication be done when you are performing other tire maintenance.

Air pressure should be adjusted for the terrain and surface in which the vehicles operate, not for extremes in temperatures. Technical manuals provide guidelines for pressure versus surface type. Always ensure, when lowering air pressures to increase mobility in snow, that tires are reinflated before the vehicle returns to improved or highway road surfaces.

To prevent tire valves from icing up, freezing or getting clogged with mud and debris, make sure all tire valve stems have valve caps installed.

Tire chains should only be used in severe snow and icy conditions and should be removed immediately upon returning to improved road surfaces. Tire and vehicle damage can occur if you leave the chains on over improved roads or for extended periods of time.

If using tire chains, apply them to all tire positions on the vehicle, if possible. This will provide the maximum amount of braking and traction.

Correct tire pressure is critical for vehicle mobility in snow, ice or mud and provides better vehicle braking and stability. Check your tire pressures regularly and as indicated in your vehicle technical manuals.

#### ***MUD & SNOW TIRES:***

Vehicles equipped with mud/snow tires will slide on icy road surfaces more so than those with an all season tread . Mud/snow tires are more effective on roads covered with loosely packed snow.

All-wheel-drive vehicles without chains usually perform better than two-wheel-drive vehicles with chains on rear wheels.

Avoid quick acceleration and sudden braking on slick roads to minimize skidding of the vehicle. Better traction is gained when the vehicle load is evenly distributed on all wheels. Sand, cinders or dirt also improve traction.

Drivers of large vehicles should be aware that the shoulder of the road might give way due to vehicle weight.

Fresh snow may conceal an icy road surface.

Even when snow and ice may have melted on most surfaces, it may remain solidly packed or frozen on bridges. Also, isolated patches of ice may be on an otherwise clear road, especially in shaded areas.

Three to 11 times greater distance is required to stop a vehicle on pavement covered with ice or snow.

#### ***MIRED VEHICLE:***

Check the chain's condition and eliminate twist. To install chains on a vehicle that is bogged and stuck, drape the chain over the tire with open ends of cross chain hooks away from the tire and then fasten it on the trailing end of the side chains.

If using dual chains, fold the inner half of the chain over the top of the outer half. This makes a double chain on the outer wheel. Secure one end of each side chain to the wheel by a strong wire, cord or chain passed through the opening in the wheel and fasten to the inner and outer side chains adjacent to the first cross chain. Pull the chain back to take up slack and align with tire. Revolve wheels slowly to draw the chain around tires. Stop when fasteners are at the top of the tire. Pull side chains tight. Hook inner side chain first.

When a vehicle is moved to solid ground, loosen and remove the temporary wires, cords or chains. Adjust the chain to their proper position.

**TIRE CHAINS.** Tire chains can improve traction on ice and packed snow. However, in order to perform their function, they must be installed properly and cleaned regularly, since chains packed with ice will lose their effectiveness.

Tire chains are designed to fit snugly, however, you should allow for some "creep" or movement of the chain of the tire. We also recommend tightening chains by hand, rather than with tools. This reduces the possibility of over tightening the chains and thereby gouging the tires. If additional measures need to be taken to make the chains fit properly, use the appropriate straps from those listed below.

Some vehicles require chains on all drive wheels. Check the vehicle operator's manual to determine the correct procedure for your particular vehicle.

When installing chains on dual wheels, first fasten chains between the wheels, and then fasten the inner wheel chain and finally, the outer chain. When installing on a single wheel, fasten the inner chain before the outer chain. Straighten and center and check to eliminate twisting.

*STRAPS TO SNUG TIRE CHAINS*

15" LONG, STRETCHES 20" TO 30" NSN 5340-01-029-9084  
21" LONG, STRETCHES 26" TO 42" NSN 5340-01-231 6015  
31" LONG, STRETCHES 36" TO 42" NSN 5340-01-029-9085

**NOTE: The Defense Supply Center Columbus manages Tire Chains. Call DSN 850-1094 for assistance.**

*CHAIN SIZE BY STOCK NUMBER:*

|                   |             |                   |             |
|-------------------|-------------|-------------------|-------------|
| 8.25 X 20 .....   | 00-933-9025 | 9.00 X 16 .....   | 00-933-9026 |
| 9.00 X 20 .....   | 00-933-9024 | 9.50 X 16.5 ..... | 00-057-0204 |
| 10.00 X 20 .....  | 00-933-9034 | 11.00 X 18 .....  | 00-933-6933 |
| 11.00 X 20 .....  | 00-933-9022 | 11.00 X 24 .....  | 00-933-6935 |
| 12.00 X 20 .....  | 00-933-6922 | 14.00 X 20 .....  | 00-933-9033 |
| 14.00 X 24 .....  | 00-933-9023 | 16.00 X 20 .....  | 01-152-7813 |
| 18.00 X 22.5..... | 01-024-4440 |                   |             |

*TIRE CHAINS BY VEHICLE MODEL TO STOCK NUMBER:*

|        |              |                  |
|--------|--------------|------------------|
| M915   | TRK, TRACTOR | 2540-00-933-9034 |
| M543A2 | TRK, CARGO   | 2540-00-933-9022 |
| M818   | TRK, TRACTOR | 2540-00-933-9022 |
| M939   | 5 TON TRK    | 2540-00-933-9022 |
| M915A1 | TRK, TRACTOR | 2540-00-933-6935 |
| M915A2 | TRK, TRACTOR | 2540-01-024-4440 |

|        |                 |                  |
|--------|-----------------|------------------|
| M911   | PRIME MOVER HET | 2540-00-933-9023 |
| M998   | HMMWV           | 2540-01-214-1264 |
| M1009  | CUCV            | 2540-01-185-8306 |
| M44    | 2 1/2 TON TRK   | 2540-00-933-9024 |
| M35A2  | 2 1/2 WRECKER   | 2540-00-933-9024 |
| R048   | S.E.E.          | 2540-00-933-6922 |
| M977   | HEMTT           | 2540-01-152-7813 |
| M939A1 | 5 TON TRK       | 2540-00-933-9033 |
| M809   | 5 TON           | 2540-00-933-6917 |

**SNOW TIRES.** We do not supply snow tires for tactical vehicles. The tires currently on our tactical vehicles are all-weather tires and provide good traction in both mud and snow.

#### **COMMON TIRE TOOLS AND EQUIPMENT:**

A. Tools available in Shop Equipment, Automotive Maintenance and Repair: Organizational Maintenance Common No. 1, Less Power, NSN 4910-00-754-0654, SC 4910-95-A74:

1. Gage, Depth, Tire Tread, 1" Depth, 3" Tread contact,  
NSN 5210-00-019-3050
2. Chuck, Air, Inflating, dual Face, NSN 4730-00-174-4584
3. Inflator-Gage & hose, Pneu Tire 10' long, NSN 4910-00-441-8685
4. Injector Tool for plugs, Tubeless, NSN 2640-00-922-6922
5. Inserter and Remover: Pneu Tire Valve Core, NSN 5120-00-541-4687
6. Repair Kit, Inner Tube, NSN 2640-00-052-6724
7. Repair Material, Tubeless Tire, NSN 2640-00-922-6921
8. Repair Tool, Pneu Tire, Standard Tire Valve, NSN 5120-00-308-3809
9. Tire Iron: Curved Spoon Type, 24" long, NSN 5120-00-277-4071
10. Tire Iron: Curved Spoon Type, 18" long, NSN 5120-00-422-8558
11. Tire Iron: Hooked Spoon-Drop CTR Type, 18" long,  
NSN 5120-00-449-7073
12. Tire Iron: Lock Ring, 37" long, NSN 5120-00-765-8536

B. Tools available in Shop Equipment, Automotive Maintenance and Repair: Organizational Maintenance Common No. 2, Less Power,

NSN 4910-00-754-0650, SC 4910-95-A72:

1. Compressor, Gas driven, 5 CFM, 175 PSI, NSN 4310-00-752-9633
2. Gage, Depth 1" Depth, 3" Tread Contact, NSN 5120-00-019-3050
3. Gage, Tire 10-50 PSI, NSN 4910-01-117-2994
4. Inflator Gage Indicator with deflating position, Calibrated to 10-120 lb,

NSN 4910-00-204-2547

5. Repair, Kit, Tire & Tube, NSN 2640-00-102-0978
6. Repair, Kit, Puncture, Pneumatic, NSN 2640-00-102-0978
7. Repair, Tool Pneumatic Valve, NSN 5120-00-308-3809

C. Tools available in Shop Equipment, Automotive Maintenance and Repair: Field Maintenance Supplemental No.1, NSN 4910-00-754-0706, SC 4910-95-A62:

1. Compressor Unit, Gas driven, 15 CFM, 175 PSI, NSN 4310-00-542-4566

D. Tools indicated in TM 9-2610-200-14, Tire Maintenance Manual include:

1. Bead Breaker, NSN 4910-01-325-2974
2. Bead Seater (15" whl), NSN 4910-01-022-9721
3. Bead Seater (16" whl), NSN 4910-00-437-7215
4. Constrictor, Bead, Bias Tire (Hvy Constr Veh), NSN 4910-00-138-1819
5. Constrictor, Bead, Bias Tire, NSN 4910-01-132-4933
6. Tire Iron (30.5" L), NSN 5120-00-545-4370
7. Tire Iron (33" L), NSN 5120-00-580- 8924
8. Tire Iron (10" L), NSN 51200-0-313-3036
9. Tire Mounter/Demount, HIT/Coats 5000M, NSN 4910-01-370-9855
10. Lubricant, Tire & Rim, 1 Qt Can, NSN 2640-00-256-5526
11. Lubricant, Tire & Rim, 1 Gal Can, NSN 2640-00-256-5527
12. Tire Servicing Tool Kit, NSN 5180-01-355-2166
13. Tire Inflation Safety Cage, Length 40 3/4", Width 25", Height 56", 315 lbs., NSN 4910-01-373-0267
14. Tire Inflation Safety Cage, Length 78 3/4", Width 35 1/2", Height 86 1/4", 1,600 lbs., NSN 4910-00-025-0623 – **Tire Cages are managed by Robins Air Force Base, Georgia and are purchased only once per year. The DSN for the Item Manager is 468-7603, ext. 260.**

E. Tire Changer (Replaces the Bishman), NSN 4910-01-370-9855

**RADIAL TIRES.** Replacing bias ply tires with radials may be a very effective method of improving traction on snow and ice, but it is also the most costly approach and may involve the

longest leadtimes. Radials also have the advantage of improving traction on other surfaces including mud and increasing treadlife. Replacing bias ply tires with radials can be a simple procedure using few items (like on the 5 tons) or it can be complex and require many new parts (like on the HMMWV).

----- **WARNING** -----DO NOT  
MIX BIAS AND RADIAL TIRES ON THE SAME VEHICLE. MIXING BIAS AND  
RADIAL TIRES MAY RESULT IN DAMAGE TO EQUIPMENT AND PERSONNEL  
INJURY. -----

Remember that some radial tires use tubes because not all wheels are designed for tubeless tires. We also recommend using ONLY radial tubes on radial tires. The use of other tubes (such as bias) not designed for radial tires could result in tube failure causing tire damage.

----- **WARNING** -----  
AGAIN, DO NOT MIX BIAS PLY TIRES WITH RADIAL TIRES ON THE SAME  
VEHICLE. MIXING TIRES MAY RESULT IN DAMAGE TO EQUIPMENT, LOSS OF  
VEHICLE CONTROL AND PERSONNEL INJURY.  
-----

**FOREIGN MANUFACTURED TIRES.** These are tires without Department of Transportation (DOT) codes stamped on the side. They are usually purchased from a local supplier and may not comply with our strict standards for performance and quality. Foreign-manufactured tires are not approved for use on our vehicles and will not be accepted for turn-in to the wholesale logistics system.

We hope the above information will help to you. Please call us if you have any questions or comments.

## **TEAM TIRE CATALOG**

### **How to Determine the Date of Manufacture of Off – Road and Highway Tires**

The following is a guide to reading the date of manufacture of off-road and highway tires sold by our major suppliers: Denman, Bridgestone/Firestone, Goodyear, Cooper, General and Michelin. Each manufacturer, with the exception of Michelin, has molded a serial number into the sidewall of each tire. However, there are some differences among them, which are noted below:

**DENMAN:** Denman uses a serial number, the last 3 digits of which constitute the date of manufacture. These last 3 digits are to be read just as a DOT Code, i.e., 1<sup>st</sup> 2 digits = week of manufacture and the last digit = the year of manufacture. For example, serial number 1234527 = a date of manufacture of the 52<sup>nd</sup> week of 1997.

**BRIDGESTONE/FIRESTONE:** Bridgestone/Firestone serial numbers are normally 9 characters in length and usually begin with a letter (usually the letter Y). The second position of the serial number indicates the year of manufacture. For example, a tire with serial number Y61234567 was manufactured in 1996.

**GOODYEAR:** Each Goodyear off – road tire has a serial number beginning with the letters MJ or MC. The last 3 numbers of the serial number indicate the week and year of manufacture. For example, a tire with serial number MJ1234567236 was manufactured during the 23<sup>rd</sup> week of 1996.

**COOPER:** Cooper brand off – road tires, have a ten-digit serial number. The last 3 digits of the serial number indicate the week and year of manufacture. For example, a Cooper tire with serial number 1234567205, was manufactured during the 20<sup>th</sup> week of 1995.

**GENERAL:** General uses a 9 position alphanumeric code, with the last three characters representing the month and year of manufacture. General is different from the other manufacturers in that the seventh character, representing the month of manufacture, is a letter, rather than a number. Using this code, the first letter of the Alphabet represents the first month of the year and the second letter of the Alphabet represents the second month, etc.. The last two characters are numbers representing the year of manufacture. For example, a General tire with the code 01479BK96, was manufactured in the 11<sup>th</sup> month, since the letter K is the 11<sup>th</sup> letter of the Alphabet and the year of manufacture is 1996, since the last 2 numbers are 96.

**MICHELIN:** Michelin has no serial numbers on it's off – road tires that would indicate the date of manufacture. **SUGGESTION:** Look for a DOT Code.

**TITAN:** Titan uses the DOT Code system for all of its tires. Therefore, prior to 1 January 2000, the last three digits of their code for both off and on road tires indicate the week and year of manufacture. For example, a tire with the DOT Code DOT CH EV HU4 501 was manufactured during the 50th week of 1991. All Titan tires produced since 1 January 2000 reflect the new DOT coding system. Therefore, the last 4 digits for those tires reflect the week, year and decade of manufacture. For example, a tire with DOT Code DOT V5 2J EFT 4600 was manufactured during the 46<sup>th</sup> week of the year 2000.

**DOT CODES:** All highway type tires sold in the United States must have a DOT (Dept. of Transportation) Code molded into their sidewalls. The DOT code is alphanumeric, is composed of 13 characters and always begins with the letters DOT. The last 3 positions of this code indicate the week and year of manufacture. For example, a tire with the DOT Code DOT CH EV HU4 501 was manufactured during the 50th week of 1991.

#### **DOT CODE UPDATE:**

Starting with year 2000 production tires, an additional number was added to DOT Codes. As a result DOT Codes are now 14 characters in length instead of 13. This change has enabled tire manufacturers to show the decade of manufacture. For example, a tire with DOT Code DOT V5 2J EFT 4600 was manufactured during the 46<sup>th</sup> week of the year 2000.

U. S. Army TACOM  
AMSTA-LC-CJT  
Warren, MI 48397-5000  
Retread Project Manager: Anderson Coleman  
(810) 574-4258  
DSN 786-4258  
FAX (810) 574-6385

JUN. 02 Update

# U. S. Army Tank-Automotive and Armaments Command

# Tire Retread Program Implementation Guide

## Table of Contents

1. Introduction.....Page 1
2. Execution.....Page 2
3. Quality Concerns.....Page 4
4. National Stock Numbers  
and approved Sources   Page 5
5. Points of Contact.....Page 7
6. CTIS Vehicles.....Page 8

## Section 1

# Introduction

Team Tire, U.S. Army Tank-automotive Command (TACOM), has been designated the Department of Defense tire manager for all ground vehicles. As such, we have developed an innovative Retread Program all DOD customers should utilize in order to achieve Operations and Support cost savings related to tire purchases. This is a direct return program; i.e. tires retreaded will be returned directly back to the customer by the retreader.

Listed within this guide are instructions on how to utilize this program. We strongly encourage full participation from all customers and will be monitoring retread usage versus new tire demands. Retreaders are required to report to TACOM from which installations they receive orders and on what tires. This information will be forwarded to the Office of the Secretary of Defense in accordance with yearly retread reporting requirements as well as to MACOMs indicating where potential savings may be found if retreading was utilized.

Only the approved retreaders from within this listing may be utilized for retread services. These retreaders have undergone intense product testing and plant certifications to ensure our customers receive a quality product. Their retreads are certified to perform as well as new tires. Restrictions as to the use of these retreads are listed in AR 750-1, paragraph 4-45. However, TACOM test results will change these restrictions in the near future. Tests revealed that TACOM APPROVED retreads can be used on the steering axles of M915, M916 and M916A1 vehicles but that retreads SHOULD NOT BE used on any vehicle equipped with Central Tire Inflation Systems (CTIS), i.e. Palletized Loading System (PLS), M939A2 Series, etc. A list of known CTIS equipped vehicle systems on which retreads should not be used is enclosed. Other than aforementioned, all other restrictions listed in AR 750-1 still apply. A change to AR 750-1 has been forwarded to Headquarters DA and these new restrictions will be reflected in the next published change.

There are no surcharges included in the quoted retread prices in section 4. These are bottom-line prices passed right on to our customers to encourage maximum participation and savings. The use of retreads could decrease your tire procurement costs by as much as 40%. The list of approved National Stock Numbers and retreaders will be updated, as more tires/retreaders are qualified.

Any questions should be brought to the attention of Team Tire, TACOM. Points of Contact are listed in section 5. We sincerely believe this Retread Program to be customer focused providing the services you desire without non-value added bureaucracy. Your enthusiasm and participation will make it a success especially in these days of austere budgets.

# Section 2

## Execution

The National Retread Program has been designed with ease of use for our customers providing a quality retread at an economical price. It ensures a quality retreaded tire through Team Tire oversight, yet places execution of the program at the user level. To utilize this service:

- 1. Identify quantity of condition code "F" tires you have on-hand** (Tire TM 9-2610-200-14, Care, Maintenance, Repair and Inspection of Pneumatic Tires and Inner Tubes may assist you or contact Team Tire for scheduled Tire Maintenance classes.)
- 2. Locate qualified retreaders for your National Stock Numbers listed in Section 4.** Review each retreader's price and location. Transportation costs both to and from the retreader are to be negotiated by you and the retreader. Each order may be set differently and there are no limitations as to how transportation may be handled.
- 3. Once you have identified the retreader you will use for this order, call them and reference the Team Tire Basic Ordering Agreement (BOA) Number assigned to each retreader and negotiate for transportation.** This BOA number identifies the agreed upon quality standards and pricing negotiated by Team Tire and the Retreaders. Execute a purchase order or whatever method your installation deems least cumbersome (this has deliberately been left unspecified to allow for greater contracting latitude by our customers).
- 4. Standard retreading time (not including transportation) allowed is 14 days or as negotiated by the user.** Obviously large quantities of tires may take longer, while smaller quantities will be turned-around much quicker. Again, this is a negotiable item between the user and the retreader if the standard retreading time of 14 days is not adequate.
- 5. Payment options have also been left as flexible as possible.** Retreaders may be paid via normal purchase order payment methods or may be paid by utilizing the government credit card. Please use whichever methods are most convenient for you.

**See Next Page for the Legal Aspects**

**Orders and Ordering General Information:**

1. Orders under this BOA may be issued by the Principal Contracting Officers (PCO) of the Department of Defense. The Contractor is not authorized to commence work or acquire material until a written order is executed by the Contracting Officer as herinafter provided.
2. Orders shall be issued to the Contractor on DD Form 1155. Each order shall be numbered by the Contracting Officer in accordance with DFARS 4.7103, and as a minimum, shall include the items ordered, the delivery schedule, the allotments to be charged, packaging and shipping instructions and MILSTRIP Document Number.
3. All Orders and Order Modifications issued or executed under this BOA shall refer to this BOA and shall be subject to the terms and conditions hereof.
4. The Contractor shall complete performance of an Order or Order Modification even though the time for performance extends beyond the period of this BOA.
5. F.O.B. Point shall be as negotiated by the Contracting Officer and Contractor on an order by order basis.

# Section 3

## Quality Concerns

Retreads under this program have been tested to perform as good or better than new manufactured tires. A strict quality control program is in place to ensure the retreads you receive will meet agreed upon standards. This program is monitored by Team Tire.

Should you have a quality concern with a retread received under this program please contact the undersigned immediately for resolution. The program will also utilize the standard Quality Deficiency Reporting (QDR) system like any other items of supply. As required by DA PAM 738-750, QDRs for Federal Supply Class 2610 (which includes pneumatic tires and retreads) should be submitted to TACOM for assistance in resolving the problem. As TACOM is responsible for monitoring quality consistency of all approved retreaders in CONUS, installations should not attempt to resolve quality issues on their own.

Quality Manager

Blaine Gray  
Team Trucks, TACOM  
DSN 786-6358  
COM (810) 574-6358  
FAX (810) 574-7611

# Section 4

## National Stock Number

## Approved Sources

**(Effective through OCT 02)**

| <b>NSN/SIZE</b>                    | <b>APPLICATION</b> | <b>RETREADER</b>       | <b>PRICE</b>                                 | <b>QUANTITY</b>                   |
|------------------------------------|--------------------|------------------------|--|-----------------------------------|
| 2610-01-171-4746<br>(36x12.5-16.5) | HMMWV Bias         | Becker Tire & Treading | \$66.92                                      | Any                               |
|                                    |                    | Bray's Recapping       | \$77.50                                      | 1-10                              |
|                                    |                    |                        | \$75.00                                      | 11-50                             |
|                                    |                    |                        | \$72.50                                      | 51-100                            |
|                                    |                    |                        | \$69.70                                      | 101-UP                            |
| 2610-01-126-1576<br>(16.00R20)     | HEMTT Radial       | Bray's Recapping       | \$370.00<br>\$360.00<br>\$345.00<br>\$325.00 | 1-10<br>11-50<br>51-100<br>101-UP |
| 2610-00-060-9960<br>(10.00x20)     | M872 Trailer       | Bandag Inc.            | \$87.70                                      | Any                               |
| 2610-01-045-3688<br>(11.00R22.5)   | M915A2 Tractor     | Bandag Inc.            | \$115.67                                     | Any                               |
| 2610-01-311-6853<br>(315/80R22.5)  | M916A1 Tractor     | Bandag Inc.            | \$113.68                                     | Any                               |
| 2610-01-325-1934<br>(10.00R15)     | M870 Trailer       | Bandag Inc.            | \$81.61                                      | Any                               |

Prices do not include packaging, marking or transportation to or from contractor's facility. Contracting Officers are authorized to negotiate such terms into individual orders as they deem necessary.

**CONTRACTOR POCS ON NEXT PAGE**

# RETREADERS POINTS OF CONTACT

**Only use the following POCs to initiate orders, not all locations of a retread company may be certified to perform to this level of quality.**

| RETREADER/POC  | PIIN             | CAGE CODE |
|--|------------------|-----------|
| <b>Bandag Inc.</b><br>Bandag Center<br>Bandag World Headquarters<br>Muscatine, Iowa 52761-5887   | DAAE07-97-G-T011 | 1A351     |
| Steve DeFranco (Outside Field Sales)<br>Phone (800) 548-9721 ext. 5076<br>Email: sdefranco@bandag.com<br>Barbara Johnson (Admin./Program Issues)<br>Phone (563) 262-1216<br>Email: bjohnson@bandag.com<br>Payment Address: Bandag Inc.<br>P.O. Box 73418<br>Chicago, Illinois 60673-7418 |                  |           |
| <b>Becker Tire &amp; Treading Inc.</b><br>904 Washington<br>P.O. Box 268<br>Great Bend, Kansas 67530   | DAAE07-97-G-T010 | 0M114     |
| Mark Louck (Accounts Manager)<br>Phone (800) 657-6001<br>FAX (800) 365-7406  |                  |           |
| <b>Bray's Recapping Services</b><br>1219 N South Street<br>P.O. Box 804<br>Mt. Airy, North Carolina 27030  | DAAE07-97-G-T012 | 2X535     |
| E. Dean Bray III<br>Phone (336) 786-6182<br>FAX (336) 789-7881   |                  |           |

# Section 5

## TEAM TIRE

### Points of Contact

U.S. Army Tank-automotive and Armaments Command (TACOM)  
Warren, Michigan 48397-5000  
Team Tire (AMSTA-LC-CJT)

DSN 786-4258  
Commercial (810) 574-4258

FAX (810) 574-6385  
e-mail [teamtire@cc.tacom.army.mil](mailto:teamtire@cc.tacom.army.mil)

|                      |                  |       |
|----------------------|------------------|-------|
| Maintenance Managers | Anderson Coleman | -4258 |
| Quality Manager      | Blaine Gray      | -6358 |
| Logistics Manager    | Brian McCutcheon | -4294 |
| Procurement Manager  | Bill Vantrease   | -4272 |
| Engineering Manager  | Dan Jeska        | -8379 |

# Section 6

## CTIS Vehicles

### DO NOT USE RETREADS

| <u>TIRE TYPE/SIZE</u> | <u>APPLICATION</u>                                | <u>NSN</u>       |
|-----------------------|---|------------------|
| 14.00R20 XL           | M939A2 Trucks                                     | 2610-01-214-1344 |
| 395/85R20XZL          | PLS Trailers                                      | 2610-01-357-8333 |
| 395/80R20             | FMTV  | 2610-01-356-9098 |
| 325/85R16             | LAV   | 2610-01-160-9934 |
| 16.00R20XZL           | PLS/HET and some HEMTTs                           | 2610-01-334-2694 |
| 9.00X20 NDCC          | 2.5 Ton *<br>NDCC (Non-Directional Cross Country) | 2610-00-262-8677 |
| 11.00X20 NDCC         | 5 Ton *   | 2610-00-262-8653 |

\* Vehicles are not CTIS but retread testing has shown these NDCC tires are not conducive for retreading.

## LISTING BY NSN

## TEAM TIRE CATALOG

Jan. 05

| NSN              | SIZE     | TIRE DESCRIPTION                   | AIR   | LOAD   | PLY  | KNOWN END ITEM APPLICATIONS   |
|------------------|----------|------------------------------------|-------|--------|------|---|
|                  |          |                                    | REten | RANGE  |      |   |
| 2610-00-000-0182 | 7.50-16  |                                    | TT    | E L/R  | BIAS | 750DP COMPRESSOR, ROTARY, TRLR MT<br>M720 DOLLY SET, SHELTER  |
| 2610-00-021-1961 | 14.00-24 | OFF THE ROAD ROAD GRADER GRIP REG  | TL    | 16 PLY | BIAS |   |
| 2610-00-050-9510 | 3.40-5   | INDUSTRIAL MATERIAL HANDLING HREG  | TT    | B L/R  | BIAS | M1022 DOLLY SET, LIFT TRANS   |
| 2610-00-050-9560 | 4.10-6   | INDUSTRIAL IMPLEMENT RIB           | TT    | 4 PLY  | BIAS |   |
| 2610-00-050-9730 | 4.80-8   | INDUSTRIAL FORKLIFT RIB            | TT    | 6 PLY  | BIAS | 1000-50 WATER DISTRIB, 1KG<br>W15B DISTRIB, WATER TRUC<br>W15A4112 WATER DISTRIB, 1KG<br>W15A WATER DISTRIB, 1KG<br>AF MD-1 TOWBAR                            |
| 2610-00-050-9840 | 6.00-9   | INDUSTRIAL IMPLEMENT RIB (DUAL SZ) | TT    | C L/R  | BIAS | CTA-40 TRACTOR WHEELED<br>MT40 TRACTOR WAREHOUSE<br>MT40MA-RS TRACTOR WAREHOUSE<br>G40 TRUCK, FORK LIFT 4K<br>G40C TRACTOR WHEELED<br>G40A TRUCK, FORKLIFT 4K |
| 2610-00-050-9870 | 6.90-9   | INDUSTRIAL IMPLEMENT HREG          | TT    | D L/R  | BIAS | FF-8 SPREADER AGGREGATE<br>SPREADER AGGREGATE   |
| 2610-00-050-9880 | 6.00-9   | INDUSTRIAL UTILITY TRAILER HREG    | TT    | E L/R  | BIAS | 1696C366F RAMP, MOBILE LOADING<br>FJF040 TRUCK, FORKLIFT, 4K  |
| 2610-00-051-0060 | 9.00-10  | INDUSTRIAL MATERIAL HANDLING RIB   | TT    | 10 PLY | BIAS |   |
| 2610-00-051-0210 | 6.50-10  | INDUSTRIAL FORKLIFT RIB            | TT    | E L/R  | BIAS | 950BS LOADER, SCOOP, 2-1/2 YD<br>950BSCE LOADER, SCOOP TYPE 2, SE   |
| 2610-00-051-1270 | 6.00-16  | AGRICULTURAL IMPLEMENT RIB MULT    | TT    | 6 PLY  | BIAS |   |
| 2610-00-051-1580 | 7.50-16  | AGRICULTURAL IMPLEMENT RIB MULT    | TT    | 6 PLY  | BIAS |   |
| 2610-00-060-8873 | 23.10-26 |                                    |       | E L/R  | BIAS | RS28 ROLLER VIBRATOR  |
| 2610-00-060-8875 | 26.50-25 | OFF THE ROAD LOAD DOZER ROCK REG   | TT    | 12 PLY | BIAS |   |
| 2610-00-060-8887 | 12.00-24 | OFF THE ROAD ROAD GRADER GRIP REG  | TL    | 12 PLY | BIAS |   |
| 2610-00-060-8905 | 20.50-25 | OFF THE ROAD EARTHMOVER REGULAR    | TL    | 12 PLY | BIAS |   |
| 2610-00-060-8906 | 20.50-25 | OFF THE ROAD EARTHMOVER REGULAR    | TL    | 16 PLY | BIAS |   |
| 2610-00-060-9959 | 8.25-20  | OVER THE ROAD TRUCK-BUS HREG       | TT    | F L/R  | BIAS |   |
| 2610-00-060-9960 | 10.00-20 | OVER THE ROAD TRUCK-BUS HREG       | TT    | G L/R  | BIAS | M872 TRAILER, FLATBED, 34 TON   |

**LISTING BY NSN****TEAM TIRE CATALOG****Jan. 05**

| NSN              | SIZE          | TIRE DESCRIPTION                   | AIR RETEN | LOAD RANGE | PLY  | KNOWN END ITEM APPLICATIONS  |
|------------------|---------------|------------------------------------|-----------|------------|------|--|
| 2610-00-060-9960 | 10.00-20      | OVER THE ROAD TRUCK-BUS HREG       | TT        | G L/R      | BIAS | TRAILER, VAN,12 TON<br>M872A1 TRAILER,FLATBED,34 TON<br>M872A3 TRAILER,FLATBED,34 TON<br>M872A2 TRAILER,FLATBED,34 TON |
| 2610-00-061-0544 | 13.00-24      | OFF THE ROAD EARTHMOVER GRIP REG   | TL        | 8 PLY      | BIAS |  |
| 2610-00-061-0550 | 4.10-4        | INDUSTRIAL FORKLIFT HREG           | TT        | A L/R      | BIAS |  |
| 2610-00-061-1123 | 7.50-15       | INDUSTRIAL FORKLIFT TRACTION       | TT        | 12 PLY     | BIAS | FP60-24PS TRUCK,FORKLIFT,6K  |
| 2610-00-102-0968 | 18.00/8.50-8  | AGRICULTURAL GRDN TRCTR GRIP XDEEP | TL        | 4 PLY      | BIAS | MC-130 and MD-1 AF Towbar  |
| 2610-00-115-2564 | 18.00-22.50   | OVER THE ROAD TRUCK-BUS TRACTION   | TL        | H L/R      | BIAS | RC2-64 TRUCK,TOPO 10 TON<br>RC2-64A TRUCK TOPO, 10 TON<br>RC2-64B TRUCK TOPO, 10 TON                                   |
| 2610-00-139-3701 | 15.00-22.50   | OVER THE ROAD TRUCK-BUS H MS       | TL        | H L/R      | BIAS |  |
| 2610-00-139-3706 | 7.50-16       | OVER THE ROAD LIGHT TRUCK HREG     | TT        | E L/R      | BIAS |  |
| 2610-00-139-4597 | 17.50-25      | OFF THE ROAD LOAD DOZER ROCK REG   | TL        | 16 PLY     | BIAS | TRUCK FORKLIFT 10K AT  |
| 2610-00-142-5135 | 5.00-8        | MILITARY TRUCK-BUS RIB             | TT        | D L/R      | BIAS |  |
| 2610-00-142-5160 | 23.00/8.50-12 |                                    | TT        | F L/R      | BIAS | AF MHU83/MJ40 BOMB LOADER (rear axle)  |
| 2610-00-142-5389 | 6.50-16       | OVER THE ROAD LIGHT TRUCK HREG     | TT        | C L/R      | BIAS | CTA-40 TRACTOR,WHEELED<br>CTA-40 TRACTOR WHEELED WHSE<br>G40C TRACTOR,WHEELED<br>GC340-4 TRACTOR,WHEELED               |

## LISTING BY NSN

## TEAM TIRE CATALOG

Jan. 05

| NSN              | SIZE         | TIRE DESCRIPTION                  | AIR RETEN | LOAD RANGE | PLY    | KNOWN END ITEM APPLICATIONS   |
|------------------|--------------|-----------------------------------|-----------|------------|--------|---|
| 2610-00-142-5389 | 6.50-16      | OVER THE ROAD LIGHT TRUCK HREG    | TT        | C L/R      | BIAS   | G40 TRUCK,FORKLIFT,4K<br>G40A TRUCK,FORKLIFT,4K<br>JG40PT TRACTOR,WAREHOUSE   |
| 2610-00-150-5748 | 26.00/6.60-6 | INDUSTRIAL TOW TRCTR HREG (RECAP) | TL        | G L/R      | BIAS   |   |
| 2610-00-159-0020 | 33.25-35     | OFF THE ROAD EARTHMOVER REG       | TL        | 32 PLY     | BIAS   |   |
| 2610-00-163-0416 | 8.25R15      | OVER THE ROAD TRUCK-BUS HREG      | TT        | G L/R      | RADIAL |   |
| 2610-00-163-0418 | 8.25R20      | OVER THE ROAD TRUCK-BUS HREG      | TT        | F L/R      | RADIAL |   |
| 2610-00-163-0419 | 9.00R20      | OVER THE ROAD TRUCK-BUS HREG      | TT        | F L/R      | RADIAL |   |
| 2610-00-163-0420 | 10.00R20     | OVER THE ROAD TRUCK-BUS HREG      | TT        | G L/R      | RADIAL | M915 TRUCK PRIME, MOVER 5T6X4   |
| 2610-00-163-0429 | 9.00R20      | OVER THE ROAD TRUCK-BUS H MS      | TT        | F L/R      | RADIAL |   |
| 2610-00-177-6877 | 8.00-16.50   | OVER THE ROAD LIGHT TRUCK HREG    | TT        | C L/R      | BIAS   |   |
| 2610-00-177-6878 | 8.00-16.50   | OVER THE ROAD LIGHT TRUCK HREG    | TL        | D L/R      | BIAS   | AF BOBTAIL TOW TRACTOR  |
| 2610-00-191-1023 | 14.00-17.50  | OVER THE ROAD LIGHT TRUCK HREG    | TL        | E L/R      | BIAS   |   |
| 2610-00-203-2089 | 8.00-19.50   | OVER THE ROAD TRUCK-BUS HREG      | TL        | D L/R      | BIAS   |   |
| 2610-00-204-2545 | 14.00-20     | MILITARY TRUCK-BUS CROSS COUNTRY  | TT        | F L/R      | BIAS   | M126A2C CHASSIS SEMITRAILER<br>M126A1 TRAILER,CARGO<br>M129 TRAILER,VAN,12 TON<br>M129A2C TRAILER,VAN,12 TON  |
| 2610-00-204-2545 | 14.00-20     | MILITARY TRUCK-BUS CROSS COUNTRY  | TT        | F L/R      | BIAS   | M128A1C TRAILER,VAN,12 TON<br>M41 TRUCK CARGO<br>M128A2C TRAILER,VAN,12 TON<br>M129A1C TRAILER,VAN,12 TON<br>M812A1 TRUCK,CARGO,5 TON,6X6<br>M127A2C TRAILER,STAKE,12 TON<br>M945 TRUCK,CARGO,5TON,W/W<br>M127A1 TRAILER,STAKE,12 TON<br>M821 TRUCK,CARGO,5 TON,6X6<br>M320T2 CRANE,TRUCK,MTD,GAS<br>M127A1C TRAILER,STAKE,12 TON<br>M128 TRAILER,VAN |
| 2610-00-204-3914 | 7.50-20      | OVER THE ROAD TRUCK-BUS HREG      | TT        | E L/R      | BIAS   |   |
| 2610-00-204-3939 | 8.25-20      | OVER THE ROAD TRUCK-BUS HREG      | TT        | E L/R      | BIAS   | TRAILER,BOLSTER,2 1/2 T   |

## LISTING BY NSN

## TEAM TIRE CATALOG

Jan. 05

| NSN              | SIZE        | TIRE DESCRIPTION                 | AIR RETEN | LOAD RANGE | PLY  | KNOWN END ITEM APPLICATIONS   |
|------------------|-------------|----------------------------------|-----------|------------|------|---|
| 2610-00-204-4016 | 9.00-20     | OVER THE ROAD TRUCK-BUS HREG     | TT        | F L/R      | BIAS | CRUSHER,SCREEN PLANT<br>PG70 BELT,CONVEYOR<br>10FM CRANE, TRK, WAREHOUSE  |
| 2610-00-204-4026 | 10.00-20    | OVER THE ROAD TRUCK-BUS HREG     | TT        | F L/R      | BIAS | M1063 TRAILER, VAN,ELECT,TAC  |
| 2610-00-204-4029 | 10.00-20    | OVER THE ROAD TRUCK-BUS H MS     | TT        | G L/R      | BIAS |   |
| 2610-00-204-4033 | 10.00-22    | OVER THE ROAD TRUCK-BUS HREG     | TT        | F L/R      | BIAS |   |
| 2610-00-204-4060 | 11.00-20    | OVER THE ROAD TRUCK-BUS HREG     | TT        | G L/R      | BIAS |   |
| 2610-00-204-4091 | 11.00-20    | OVER THE ROAD TRUCK-BUS HREG     | TT        | F L/R      | BIAS | M131 TRAILER TANKER,FUEL,5KG<br>M871 TRAILER,FLATBED,22 1/2TON<br>M871A1 TRAILER,TAC,22 1/2 TON<br>M131A3C TRAILER TANKER,FUEL,5KG<br>M131A2 TRAILER TANKER,FUEL,5KG  |
| 2610-00-204-4098 | 11.00-22    | OVER THE ROAD TRUCK-BUS HREG     | TT        | F L/R      | BIAS |   |
| 2610-00-227-0353 | 10.00-20    | OFF THE ROAD MINING-LOG GRIP REG | TT        | 14 PLY     | BIAS |   |
| 2610-00-233-8611 | 11.00-16    | AGRICULTURAL IMPLEMENT RIB       | TT        | 10 PLY     | BIAS |   |
| 2610-00-237-3045 | 4.00/4.80-8 | INDUSTRIAL STEERING WHEEL RIB    | TL        | C L/R      | BIAS |   |
| 2610-00-237-3141 | 5.30-6      | INDUSTRIAL STEERING WHEEL RIB    | TT        | B L/R      | BIAS |   |
| 2610-00-246-2829 | 6.50-10     | INDUSTRIAL FORKLIFT TRACTION     | TT        | E L/R      | BIAS | FG30N7 TRUCK,FORKLIFT,4K#,GED<br>H30XM Hyster Forklift Drive Axle   |
| 2610-00-262-8653 | 11.00-20    | MILITARY TRUCK-BUS CROSS COUNTRY | TT        | F L/R      | BIAS | M127A1C TRAILER,STAKE,12 TON<br>TRAILER,BOLSTER,2 1/2 T<br>M820 TRUCK,VAN,EXPANDABLE<br>M106 TRAILER, WATER,400 GALLON<br>M815 TRUCK,BOLSTER,5 TON,6X6<br>M818 TRUCK,PRIME MOVER,5 TON<br>M923 TRUCK,CARGO,DROPSIDE,5T<br>M925 TRUCK,CARGO,DROPSIDE,5T<br>M810 TRUCK,CARGO,5 TON,6X6<br>M820A1 TRUCK,EXPANDABLE5T<br>M924 TRUCK,CARGO,5TON,6X6<br>M55A2 TRUCK,CARGO,5 TON,6X6<br>M52A2 TRUCK,PRIME MOVER,5 TON<br>M54A2 TRUCK,CARGO,5 TON,6X6 |

**LISTING BY NSN****TEAM TIRE CATALOG****Jan. 05**

| NSN              | SIZE     | TIRE DESCRIPTION                 | AIR RETEN | LOAD RANGE | PLY  | KNOWN END ITEM APPLICATIONS   |
|------------------|----------|----------------------------------|-----------|------------|------|---|
| 2610-00-262-8653 | 11.00-20 | MILITARY TRUCK-BUS CROSS COUNTRY | TT        | F L/R      | BIAS | M820A2 TRUCK,EXPANDABLE<br>M814 TRUCK,CARGO,5 TON,6X6<br>M813A1 TRUCK,CARGO,5TDRPSIDE<br>M817 TRUCK,DUMP,5 TON,6X6<br>M813 TRUCK,CARGO,5 TON,6X6<br>M536 TRAILER,LAUNDRY<br>M812A1 TRUCK,CARGO,5 TON,6X6<br>M970A1 TRAILER,TANKER,FUEL,5K<br>MT250 CRANE,25 TON<br>M969A1 TRAILER,TANKER,FUEL,5K<br>M941 TRUCK,CARGO,5 TON,W/O<br>M967A1 TRAILER,TANKER,FUEL,5K<br>M969 TRAILER,TANKER,FUEL,5K<br>M970 TRAILER, TANKER,FUEL,5K<br>M967 TRAILER,TANKER,FUEL 5TON<br>M1022 DOLLY SET, LIFT TRANS<br>M1098 TRAILER,TANKER,WATER 5TON<br>M929 TRUCK,DUMP,5 TON,WO/W<br>M930C TRUCK,DUMP,5 TON,W/W<br>M928 TRUCK,CARGO,XLWB,5TON<br>M926 TRUCK,CARGO,5TON,6X6<br>M927 TRUCK,CARGO,XLWB,5TON<br>M935 TRUCK,VAN,EXP,HYD,6TON<br>M936 TRUCK,WRECKER,5 TON,W<br>M931 TRUCK,PRIME MOVER.WO<br>M129A1 TRAILER,VAN 12TON<br>M51A2 TRUCK,DUMP,5 TON,6X6<br>M934 TRK, VAN, EXPAND, WO/W<br>M129 TRAILER,VAN 12TON<br>M128A2C TRAILER,VAN 12TON<br>M127A1 TRAILER,STAKE,12 TON<br>M129A2C TRAILER,VAN 12TON<br>M129A1C TRAILER,VAN 12TON |

**LISTING BY NSN****TEAM TIRE CATALOG****Jan. 05**

| NSN              | SIZE     | TIRE DESCRIPTION                 | AIR RETEN | LOAD RANGE | PLY  | KNOWN END ITEM APPLICATIONS  |
|------------------|----------|----------------------------------|-----------|------------|------|--|
| 2610-00-262-8653 | 11.00-20 | MILITARY TRUCK-BUS CROSS COUNTRY | TT        | F L/R      | BIAS | M131A4C TRAILER,TANKER,FUEL,5KG<br>M131A5 TRAILER,TANKER,FUEL,5KG<br>M129A3 TRAILER,VAN 12TON<br>M131A4 TRAILER,TANKER,FUEL,5KG<br>M127 TRAILER,STAKE,12 TON<br>M126A2C CHASSIS SEMITRAILER<br>M932 TRUCK,PRIME MOVER.W/W<br>M126A1 TRAILER,CARGO<br>M128A1C TRAILER,VAN 12TON<br>M310 TRAILER, REEL,CABLE<br>M128A1 TRAILER,VAN 12TON<br>M818 TRUCK,PRIME MOVER,5 TON<br>M127A2C TRAILER,STAKE,12 TON<br>M128 TRAILER,VAN<br>M816 TRUCK,WRECKER, 5 TON, 6X6<br>M271 TRAILER,HAULING,POLE<br>M61A2 CHASSIS,TRUCK<br>M271A1 TRAILER,HAULING,POLE<br>M345 TRAILER,FLATBED,10 TON<br>M131A5C TRAILER,TANKER,FUEL,5KG<br>M353 TRAILER,CARGO,3 1/2 TON<br>M198A1 TRLR, DOLLY, CONVERTER |
| 2610-00-262-8663 | 11.20-24 | AGRIC. TRACT DR WH GRIP REG      | TT        | 6 PLY      | BIAS | HTD-A-67 DRIER MIXER, BIT,CNCRETE  |
| 2610-00-262-8677 | 9.00-20  | OVER THE ROAD T-B C COUNTRY      | TT        | D L/R      | BIAS | M373A3 TRAILER,VAN,ELECTR,6TON<br>M373A4 TRAILER,VAN,6TON<br>M373A5 TRAILER,VAN,6TON<br>M447C TRAILER,VAN,SHOP,6TON<br>M44A2 TRUCK,CARGO,2 1/2TON W/W<br>M348A2K TRAILER,VAN,ELECT,6TON<br>M447 TRAILER,VAN,SHOP,6TON<br>M390 TRAILER,CARGO,2 TON<br>M35A2C TRUCK,CARGO,DS,2 1/2T,WO/W   |

**LISTING BY NSN****TEAM TIRE CATALOG****Jan. 05**

| NSN              | SIZE    | TIRE DESCRIPTION                | AIR RETEN | LOAD RANGE | PLY  | KNOWN END ITEM APPLICATIONS  |
|------------------|---------|---------------------------------|-----------|------------|------|--|
| 2610-00-262-8677 | 9.00-20 | OVER THE ROAD T-B CROSS COUNTRY | TT        | D L/R      | BIAS | M395 TRAILER,VAN,ELECT,<br>M394 TRAILER,VAN,ELECT,3 TON<br>M44A2 TRUCK,CARGO,2 1/2TON WO/W<br>M35A2C TRUCK,CARGO,DS,2 1/2T,W/W<br>M349A2 TRAILER,VAN,REFER,7 1/2<br>M373A2 TRAILER,VAN,6TON<br>M35A2 TRUCK,CARGO,2 1/2T,WO/W<br>M1065 TRAILER,VAN,1 1/2 TON<br>M991 TRAILER,VAN 10 TON<br>M995 TRAILER, VAN,10 TON<br>M991E2 TRAILER, VAN,10 TON<br>M995E2 TRAILER, VAN,10 TON<br>M991E1 TRAILER, VAN,10 TON<br>M995E1 TRAILER, VAN, 10 TON<br>M971E1 TRAILER,VAN,10 TON<br>M971E2 TRAILER, VAN, 10 TON<br>M971E3 TRAILER, VAN, 10 TON<br>PSM-50M HEATER,BITUMINOUS<br>M463 TRAILER, CONDITIONING,AIR<br>M536 TRAILER,LAUNDRY<br>M537 TRAILER,BAKERY<br>M538 TRAILER,MIXER,DOUGH<br>M794 TRAILER,CARGO,4 TON<br>M795 TRAILER,FLATBED,4 TON<br>PM-415-MIL DRIER-MIXER,BITUMINOUS<br>M332 TRAILER,AMMO<br>M35A2 TRUCK,CARGO,2 1/2T,W/W<br>M36A2 TRUCK,CARGO,2 1/2T, W/O<br>M49A2C TRUCK,TANK,FUEL,WO/W<br>M50 TRUCK,TANK,WATER,WO/W<br>M49A2C TRUCK,TANK,FUEL,W/W<br>M109A3 TRUCK,VAN,SHOP,6X6 WO/W<br>M109A3 TRUCK,VAN,SHOP,W/W,6X6 |

**LISTING BY NSN****TEAM TIRE CATALOG****Jan. 05**

| NSN              | SIZE    | TIRE DESCRIPTION                | AIR RETEN | LOAD RANGE | PLY  | KNOWN END ITEM APPLICATIONS   |
|------------------|---------|---------------------------------|-----------|------------|------|---|
| 2610-00-262-8677 | 9.00-20 | OVER THE ROAD T-B CROSS COUNTRY | TT        | D L/R      | BIAS | M185A3 TRUCK,INST. REPAIR<br>M50A3 TRUCK,TANK,WATER,W/W<br>M50A3 TRUCK,TANK,WATER,6X6 W/W<br>M119 TRAILER,VAN,6 TON<br>M119A1 TRAILER,VAN,6 TON<br>M118A1 TRAILER,STAKE,6 TON<br>M457 TRAILER,MAINTENANCE<br>M458 TRAILER,MAINTENANCE<br>M459 TRAILER,MAINTENANCE<br>M164 TRAILER,VAN<br>M164E1 TRAILER,VAN<br>M508C TRAILER,VAN<br>M105A2 TRAILER,CARGO,1 1/2 TON<br>M448 TRAILER,VAN,SHOP,1 1/2 TON<br>M103A1 TRAILER,CARGO,1 1/2 TON<br>M105A1 TRAILER,CARGO,1 1/2 TON<br>M107A1 TRAILER,WATER,400 GAL.<br>M105A2 TRAILER,CARGO,1 1/2 TON<br>M107A2 TRAILER,WATER,400 GAL<br>M107A2C TRAILER,WATER,400 GAL<br>M103A3 TRAILER,CARGO,1 1/2 TON<br>M200 TRAILER,GENERATOR<br>M200A1 TRAILER,GENERATOR<br>M197A1 TRAILER,DOLLY,CONVERTER<br>M295 TRAILER,VAN,6 TON<br>M295A1 TRAILER,VAN,6 TON<br>M313 TRAILER,VAN,EXPANDABLE<br>M749 TRAILER,VAN,PARTS,6 TON<br>M750 TRAILER,VAN,PARTS,6 TON<br>M349A1 TRAILER,VAN,REFER,7 1/2 TON<br>M349A3 TRAILER,VAN,REFER,7 1/2 TON<br>M349A4 TRAILER,VAN,7 1/2 TON<br>M146 TRAILER,VAN,SHOP,6 TON |

**LISTING BY NSN****TEAM TIRE CATALOG****Jan. 05**

| NSN              | SIZE     | TIRE DESCRIPTION                | AIR RETEN | LOAD RANGE | PLY  | KNOWN END ITEM APPLICATIONS  |
|------------------|----------|---------------------------------|-----------|------------|------|--|
| 2610-00-262-8677 | 9.00-20  | OVER THE ROAD T-B CROSS COUNTRY | TT        | D L/R      | BIAS | M146C SEMITRAILER VANSHOP<br>M146F SEMITRAILER VAN 6T2W<br>M373A1 TRAILER,VAN,ELECT,3 TON<br>M333A1 TRAILER,VAN,SHOP,3 TON<br>M333A1C TRAINER,TRAILER,3 TON<br>M333 TRAILER,VAN,SHOP,3 TON<br>M373 TRAILER,VAN,ELECT,3 TON<br>M348A2C TRAILER,VAN,ELECT,6 TON<br>M348A2D TRAILER,VAN,ELECT,6 TON<br>M348A2F TRAILER,VAN,ELECT,6 TON<br>M348A2H TRAILER,VAN,ELECT,6 TON<br>M373A2D TRAILER,VAN,6 TON<br>M348A2 TRAILER,VAN,6 TON<br>M348A2G TRAILER,VAN,ELECT,6 TON<br>M373A2C TRAILER,VAN,6 TON<br>M348A2N TRAILER,VAN,ELECT,6 TON<br>M1007 TRAILER, VAN,ELECT,6 TON<br>M1005 TRAILER, VAN, ELECT, 6 TON<br>M832 DOLLY SET,TRANSFER,LIFT<br>M840 DOLLY SET,TRANSFER,LIFT<br>M555 TRAILER, VAN, 6 TON<br>M556 TRAILER,VAN, 6 TON<br>M558 TRAILER, VAN, 10 TON<br>M149A2 TRAILER,WATER,400 GAL<br>M822E1 TRAILER, VAN, LUBE, PETRO |
| 2610-00-262-8686 | 12.00-24 | OVER THE ROAD TRUCK-BUS H MS    | TT        | H L/R      | BIAS |  |
| 2610-00-262-8769 | 7.00-15  | OVER THE ROAD LIGHT TRUCK H MS  | TT        | D L/R      | BIAS |  |
| 2610-00-262-8809 | 8.25-20  | MILITARY TRUCK-BUS H MS         | TT        | F L/R      | BIAS | B2-1171 MIXER,TILLER,ROTARY<br>CY1508 TRUCK,FORKLIFT,15K   |
| 2610-00-262-8817 | 11.00-22 | OVER THE ROAD TRUCK-BUS HREG    | TT        | G L/R      | BIAS | 60MCNRS TRUCK,FORKLIFT,6K  |
| 2610-00-269-7524 | 7.50-10  | INDUSTRIAL STEERING WHEEL RIB   | TT        | E L/R      | BIAS | FJF060 TRUCK,FORKLIFT,6K   |

## LISTING BY NSN

## TEAM TIRE CATALOG

Jan. 05

| NSN              | SIZE           | TIRE DESCRIPTION                   | AIR RETEN | LOAD RANGE | PLY  | KNOWN END ITEM APPLICATIONS  |
|------------------|----------------|------------------------------------|-----------|------------|------|--|
| 2610-00-269-7524 | 7.50-10        | INDUSTRIAL STEERING WHEEL RIB      | TT        | E L/R      | BIAS | FP60-24PS TRUCK,FORKLIFT,6K<br>GPA51AT60 TRUCK,FORKLIFT,6K<br>M709 TRAILER,PLATFORM,3/4 TON<br>60MCRS TRUCK,FORKLIFT,6K<br>M0M02 TRUCK,FORKLIFT,6K                           |
| 2610-00-269-7750 | 12.40-24       | AGRICULTURAL TRACTOR DR WH GRIPREG | TT        | 4 PLY      | BIAS |  |
| 2610-00-269-9501 | 14.00/16.90-24 | OFF THE ROAD MINING-LOG ROCK REG   | TT        | 20 PLY     | BIAS | HC-238A CRANE,TRUCK MTD,140 TON<br>6250CT CRANE,MOBILE,250TON<br>GPA51AT60 TRUCK, FORKLIFT,6K  |
| 2610-00-269-9501 | 14.00/16.90    | OFF THE ROAD MINING-LOG ROCK REG   | TT        | 20 PLY     | BIAS | FP60-24PS TRUCK,FORKLIFT,6K<br>FJF060 TRUCK,FORKLIFT,6K<br>M0M02 TRUCK,FORKLIFT,6K<br>60MCNRs TRUCK,FORKLIFT,6K<br>60MCRS TRUCK,FORKLIFT,6K<br>M709 TRAILER,PLATFORM,3/4 TON |
| 2610-00-269-9516 | 15.00-28       | AGRICULTURAL TRCTR DR WH GRIP REG  | TT        | 6 PLY      | BIAS |  |
| 2610-00-269-9541 | 9.75/10.00-20  |                                    | TT        | 14 PLY     | BIAS |  |
| 2610-00-269-9561 | 14.90-24       | AGRICULTURAL TRACTOR DR WH GRIPREG | TT        | 6 PLY      | BIAS |  |
| 2610-00-275-7995 | 9.00-20        | OVER THE ROAD TRUCK-BUS HREG       | TT        | E L/R      | BIAS | PNEU TOOL,600CFM<br>M1006 TRAILER, VAN, NBC, 6 TON<br>PH70 BELT,CONVEYOR<br>DR600 COMPRESSOR,ROTARY,AIR<br>200STM HEATER,OIL&ELEC,TRL MT                                     |
| 2610-00-294-4799 | 8.25-15        | OVER THE ROAD TRUCK-BUS HREG       | TT        | F L/R      | BIAS | H150C TRUCK,FORKLIFT,15K<br>MHE178B TRUCK,FORKLIFT,15K<br>H150F TRUCK,FORKLIFT,15K<br>MHE178C TRUCK,FORKLIFT,15K<br>MHE170A TRUCK,FORKLIFT,15K                               |
| 2610-00-294-4800 | 8.25-15        | OVER THE ROAD LOW PLTFM TRLR HREG  | TT        | G L/R      | BIAS |  |
| 2610-00-294-4801 | 9.00-15        | OVER THE ROAD TRUCK-BUS HREG       | TT        | F L/R      | BIAS | AIR FORCE 25K LOADER   |
| 2610-00-294-4927 | 7.50-20        | OVER THE ROAD TRUCK-BUS H MS       | TT        | E L/R      | BIAS | 29690 TRUCK,CRANE,WAREHOUSE  |

## LISTING BY NSN

## TEAM TIRE CATALOG

Jan. 05

| NSN              | SIZE          | TIRE DESCRIPTION                      | AIR RETEN | LOAD RANGE | PLY  | KNOWN END ITEM APPLICATIONS  |
|------------------|---------------|---------------------------------------|-----------|------------|------|--|
| 2610-00-294-4943 | 7.50-18       | OVER THE ROAD TRK-BUS ALL SEASON      | TT        | G L/R      | BIAS | MHU-7/M BOMB TRAILER   |
| 2610-00-294-4944 | 7.50-15       | OVER THE ROAD TRUCK-BUS HREG          | TT        | F L/R      | BIAS | M789 TRAILER,FLATBED, 6 TON  |
| 2610-00-294-4970 | 10.00-22      | OVER THE ROAD TRUCK-BUS H MS          | TT        | F L/R      | BIAS |  |
| 2610-00-294-5344 | 8.25-20       | OFF THE ROAD ROAD GRADER RIB          | TT        | 6 PLY      | BIAS |  |
| 2610-00-294-5392 | 8.25-15       | OFF THE ROAD LOAD DOZER ROCK REG      | TT        | 12 PLY     | BIAS | MHE178C TRUCK,FORKLIFT,15K   |
| 2610-00-294-5437 | 4.00/4.80-12  | OFF THE ROAD IMPLEMENT RIB            | TT        | 4 PLY      | BIAS |  |
| 2610-00-294-5458 | 7.50-18       | AGRICULTURAL IMPLEMENT GRIP REG       | TT        | 4PLY       | BIAS |  |
| 2610-00-294-6398 | 11.00-20      | OVER THE ROAD TRUCK-BUS H MS          | TT        | G L/R      | BIAS | TMS300-5 CRANE,TRUCK,MTD,HYD,2T  |
| 2610-00-294-9250 | 18.40-34      | AGRICULTURAL TRCTR DR WH GRIP REG     | TT        | 6 PLY      | BIAS | HDS-E MIXER,TILLER,ROTARY  |
| 2610-00-294-9253 | 16.90-24      | AGRICULTURAL TRACTOR DR WH GRIPREG    | TT        | 6 PLY      | BIAS |  |
| 2610-00-294-9257 | 18.40-16      | AGRICULTURAL TRCTR DR WH GRIP DEEP    | TT        | 6 PLY      | BIAS |  |
| 2610-00-294-9293 | 5.00-15       | AGRICULTURAL STEERING WHEEL RIBD/T    | TT        | 4 PLY      | BIAS |  |
| 2610-00-294-9311 | 6.50-16       | AGRICULTURAL STEERING WHEEL RIB       | TT        | 6 PLY      | BIAS |  |
| 2610-00-294-9317 | 7.50-10       | INDUSTRIAL STEERING WHEEL RIB         | TT        | C L/R      | BIAS |  |
| 2610-00-294-9416 | 16.90-24      | INDUSTRIAL TRACTOR DR WH GRIP REG     | TT        | 6 PLY      | BIAS |  |
| 2610-00-294-9428 | 14.90-38      | AGRICULTURAL TRACT DR WH GRIP DEEP    | TT        | 6 PLY      | BIAS |  |
| 2610-00-294-9485 | 12.00-20      | OFF THE ROAD MINING-LOG ROCK REG      | TT        | 16 PLY     | BIAS | F5070 TRUCK,DUMP,20TON   |
| 2610-00-294-9488 | 14.00-24      | OFF THE ROAD MINING-LOG ROCK REG      | TT        | 24 PLY     | BIAS |  |
| 2610-00-294-9493 | 16.00-24      | OFF THE ROAD ROAD GRADER ROCK REG     | TT        | 24 PLY     | BIAS |  |
| 2610-00-294-9495 | 16.00-25      | OFF THE ROAD EARTHMOVER REGULAR       | TT        | 24 PLY     | BIAS |  |
| 2610-00-349-9169 | 27.00/8.50-15 | INDUSTRIAL GARDEN TRACTOR GRIP REG TL | TL        | B L/R      | BIAS |  |
| 2610-00-350-9961 | 2.125-26      | OVER THE ROAD BICYCLE HREG            | TT        | A L/R      | BIAS |  |
| 2610-00-350-9965 | 6.50-10       | INDUSTRIAL MATERIAL HANDLING RIB      | TT        | C L/R      | BIAS | GS4P4024 TRUCK,FORKLIFT,4K   |
| 2610-00-350-9970 | 7.50-20       | OVER THE ROAD TRUCK-BUS HREG          | TT        | D L/R      | BIAS |  |
| 2610-00-402-9553 | 11.00-16      | AGRICULTURAL TRACT DR WH GRIP REG     | TT        | 8 PLY      | BIAS |  |
| 2610-00-403-5538 | 17.50-25      | OFF THE ROAD LOAD DOZER ROCK REG      | TL        | 12 PLY     | BIAS |  |
| 2610-00-433-2496 | 5.30-6        | INDUSTRIAL MATERIAL HANDLING GRO      | TT        | 2 PLY      | BIAS |  |
| 2610-00-455-7106 | 6.90/6.00-9   | INDUSTRIAL & UNDERGROUND MINING RIB   | TT        | E L/R      | BIAS |  |
| 2610-00-455-7138 | 7.00-12       | INDUSTRIAL FORKLIFT ROCK REGULAR      | TT        | F L/R      | BIAS | 502PG40-24 TRUCK,FORKLIFT,4K<br>613BSS1 SCRAPER,TYPE 2<br>613BSS SCRAPER,TRK,ELV,SP,9 YD |

## LISTING BY NSN

## TEAM TIRE CATALOG

Jan. 05

| NSN              | SIZE        | TIRE DESCRIPTION                   | AIR RETEN | LOAD RANGE | PLY  | KNOWN END ITEM APPLICATIONS  |
|------------------|-------------|------------------------------------|-----------|------------|------|--|
| 2610-00-455-7138 | 7.00-12     | INDUSTRIAL FORKLIFT ROCK REGULAR   | TT        | F L/R      | BIAS | FJF040 TRUCK,FORKLIFT,4K<br>MHE190B TRUCK,FORKLIFT,4K<br>613BSNS1 SCRAPER,TYPE 1<br>MHE190A TRUCK,FORKLIFT,4K<br>502PG402414 TRUCK,FORKLIFT,4K,RT<br>502PG402410 TRUCK,FORKLIFT,4K,RT<br>613BSNS SCRAPER,TRK,ELV,SP,9 YD |
| 2610-00-455-7247 | 7.50-15     | INDUSTRIAL FORKLIFT ROCK REG       | TT        | F L/R      | BIAS |  |
| 2610-00-472-1400 | 7.50-10     | INDUSTRIAL UTILITY TRAILER HREG    | TT        | E L/R      | BIAS |  |
| 2610-00-472-1404 | 4.00/4.80-8 | OVER THE ROAD UTILITY TRAILER HREG | TL        | C L/R      | BIAS |  |
| 2610-00-489-8013 | 7.00-15     | OVER THE ROAD LIGHT TRUCK HREG     | TL        | D L/R      | BIAS |  |
| 2610-00-489-8043 | 12.00-24    | OFF/OVER THE ROAD T-B TRACTION     | TT        | H L/R      | BIAS |  |
| 2610-00-489-8079 | 8.75-16.50  | OVER THE ROAD LIGHT TRUCK RIB      | TL        | D L/R      | BIAS |  |
| 2610-00-489-8085 | 9.50-16.50  | OVER THE ROAD LIGHT TRUCK HREG     | TL        | E L/R      | BIAS | P250WDM COMPRESSOR,AIS,250CFM  |
| 2610-00-489-8087 | 9.50-16.50  | OVER THE ROAD LIGHT TRUCK H MS     | TL        | D L/R      | BIAS | M880 TRUCK,CARGO,1 1/4 TON   |
| 2610-00-489-8088 | 9.50-16.50  | OVER THE ROAD LIGHT TRUCK H MS     | TL        | E L/R      | BIAS |  |
| 2610-00-489-8092 | 10.00-16.50 | OVER THE ROAD LIGHT TRUCK HREG     | TL        | D L/R      | BIAS |  |
| 2610-00-528-7138 | 14.00-24    | OFF THE ROAD LOAD DOZER GRIP REG   | TL        | 12 PLY     | BIAS |  |
| 2610-00-528-7578 | 2.50/2.80-4 | INDUSTRIAL FORKLIFT GRIP REGULAR   | TT        | B L/R      | BIAS |  |
| 2610-00-528-7593 | 4.00/4.80-8 | INDUSTRIAL STEERING WHEEL RIB      | TT        | 4 PLY      | BIAS | AF, Centerline Stores Loader - F16   |
| 2610-00-528-9536 | 11.00-22.50 | OVER THE ROAD TRUCK-BUS HREG       | TL        | F L/R      | BIAS | R036 TRAILER, WATER,TANKER 6KG<br>MacLeod 6K Water Distributor, Model WD6S-D   |
| 2610-00-528-9537 | 9.00-22.50  | OVER THE ROAD TRUCK-BUS HREG       | TL        | E L/R      | BIAS |  |
| 2610-00-528-9571 | 6.70-15     | OVER THE ROAD LIGHT TRUCK HREG     | TL        | C L/R      | BIAS |  |
| 2610-00-528-9620 | 7.50-10     | INDUSTRIAL MATERIAL HANDLING HREG  | TT        | H L/R      | BIAS |  |
| 2610-00-528-9631 | 5.00-8      | INDUSTRIAL FORKLIFT RIB            | TT        | C L/R      | BIAS |  |
| 2610-00-528-9633 | 5.00/5.70-8 | INDUSTRIAL FORKLIFT RIB            | TT        | D L/R      | BIAS |  |
| 2610-00-528-9651 | 7.00-15     | OFF THE ROAD MINING-LOG ROCK REG   | TT        | 12 PLY     | BIAS | H60XL-MIL TRUCK,FORKLIFT,6K,DB   |
| 2610-00-528-9673 | 16.00-25    | OFF THE ROAD MINING-LOG ROCK REG   | TL        | 24 PLY     | BIAS |  |
| 2610-00-528-9684 | 23.50-25    | OFF THE ROAD EARTHMOVER REGULAR    | TL        | 16 PLY     | BIAS |  |
| 2610-00-528-9691 | 29.50-29    | OFF THE ROAD EARTHMOVER ROCK DEEP  | TL        | 34 PLY     | BIAS | 621B TRACTOR,SCRAPER,WHEEL   |
| 2610-00-528-9701 | 4.00/4.80-8 | INDUSTRIAL STEERING WHEEL HREG     | TT        | B L/R      | BIAS | MSE DISTRIBUTOR,WATER,1KG  |
| 2610-00-528-9705 | 5.00/5.70-8 | INDUSTRIAL UTILITY TRAILER RIB     | TL        | C L/R      | BIAS |  |
| 2610-00-540-4719 | 9.00-16     | OVER THE ROAD LIGHT TRUCK H MS     | TT        | D L/R      | BIAS | SPREADER,AGGREGATE<br>DR600W COMPRESSOR,ROTARY,WHL<br>DR600 COMPRESSOR,ROTARY,WHL  |

**LISTING BY NSN****TEAM TIRE CATALOG****Jan. 05**

| NSN              | SIZE       | TIRE DESCRIPTION                  | AIR RETEN | LOAD RANGE | PLY  | KNOWN END ITEM APPLICATIONS   |
|------------------|------------|-----------------------------------|-----------|------------|------|---|
| 2610-00-540-4719 | 9.00-16    | OVER THE ROAD LIGHT TRUCK H MS    | TT        | D L/R      | BIAS | FF-8 SPREADER,AGGREGATE<br>M119 105MM HOWITZER<br>M116A2 3/4 TON TRAILER  |
| 2610-00-540-4725 | 12.00-20   | MILITARY TRUCK-BUS H MS           | TT        | G L/R      | BIAS | M246A2 TRUCK,PRIME MOVER,5 TON<br>857 DUST COLLECTING MACHINE<br>AF R9 REFUELER   |
| 2610-00-540-5551 | 8.00-22.50 | OVER THE ROAD TRUCK-BUS H MS      | TL        | E L/R      | BIAS |   |
| 2610-00-540-5561 | 7.00-22.50 | OVER THE ROAD TRUCK-BUS H MS      | TL        | D L/R      | BIAS |   |
| 2610-00-541-9738 | 9.00-24    | AGRICULTURAL IMPLEMENT RIB        | TT        | 6 PLY      | BIAS |   |
| 2610-00-554-6222 | 29.50-29   | OFF THE ROAD EARTHMOVER GRIP DEEP | TL        | 28 PLY     | BIAS | 830MBWR TRACTOR,WHEELED<br>621B TRACTOR,SCRAPER,WHEEL<br>830MB/ROPS TRACTR,WH,IND,DIESEL<br>830MB TRACTOR,SH,IND,DED<br>58SHG SCRAPER,EARTHMOVER<br>CTY SCRAPER,EARTHMOVER<br>830M TRACTOR,WH,W/B DOZER<br>CWT18M SCRAPER,EARTHMOVING |
| 2610-00-554-6228 | 18.00-24   | OFF THE ROAD EARTHMOVER GRIP REG  | TT        | 24PLY      | BIAS |   |
| 2610-00-554-6230 | 18.00-25   | OFF THE ROAD EARTHMOVER GRIP REG  | TL        | 28 PLY     | BIAS | A/F U-30 Tow Tractor  |

## LISTING BY NSN

## TEAM TIRE CATALOG

Jan. 05

| NSN              | SIZE           | TIRE DESCRIPTION                   | AIR RETEN | LOAD RANGE | PLY  | KNOWN END ITEM APPLICATIONS  |
|------------------|----------------|------------------------------------|-----------|------------|------|--|
| 2610-00-555-0305 | 4.00/4.80-8    | AGRICULTURAL IMPLEMENT SMOOTH      | TL        | 4 PLY      | BIAS |  |
| 2610-00-555-0331 | 9.00-24        | AGRICULTURAL IMPLEMENT RIB         | TT        | 8 PLY      | BIAS | HDS-E MIXER,TILLER,ROTARY  |
| 2610-00-555-0333 | 7.60-15        | AGRICULTURAL IMPLEMENT RIB         | TT        | 6 PLY      | BIAS |  |
| 2610-00-555-2508 | 18.00-25       | OFF THE ROAD EARTHMOVER GRIP REG   | TL        | H L/R      | BIAS | 613BSNS SCRAPER,TRK,ELV,SP,9YD<br>613BSS SCRAPER,TRK,ELV,SP,9YD<br>613BWDS DIS.WATER,TK.SP.TYPE 2<br>613BWDNS DIS.WATER,TK.SP.TYPE 1<br>613BSN1 SCRAPER,TYPE 1<br>624VL DITCHING MACHINE,DIESEL<br>613BSS1 SCRAPER,TYPE II                         |
| 2610-00-555-2518 | 12.00/11.25-24 | OFF THE ROAD ROAD GRADER ROCK DEEP | TT        | 8 PLY      | BIAS |  |
| 2610-00-555-5726 | 14.90-24       | AGRICULTURAL TRACTOR DR WH GRIPREG | TT        | 6 PLY      | BIAS |  |
| 2610-00-555-5728 | 13.60-28       | AGRICULTURAL TRACTOR DR WH GRIPREG | TT        | 4 PLY      | BIAS |  |
| 2610-00-555-5743 | 5.30-12        | INDUSTRIAL MINNING HWY REGULAR     | TL        | B L/R      | BIAS | AF MHE TOW TRACTOR   |
| 2610-00-555-7292 | 29.50-29       | OFF THE ROAD EARTHMOVER ROCK REG   | TL        | 28 PLY     | BIAS |  |
| 2610-00-556-5084 | 8.00-6         | INDUSTRIAL STEERING WHEEL RIB      | TT        | B L/R      | BIAS |  |
| 2610-00-580-3187 | 23.50-25       | OFF THE ROAD EARTHMOVER REGULAR    | TL        | 12 PLY     | BIAS | H446 CRANE WHEEL MOUNTED<br>H446A CRANE WHEEL MOUNTED  |
| 2610-00-580-3221 | 13.00-24       | OFF THE ROAD ROAD GRADER GRIP REG  | TL        | 10 PLY     | BIAS | 120 GRADER,ROAD,DED,ROPS<br>M120 GRADER,ROAD,MOTORIZE<br>130GNS GRADER,ROAD,HVY,SEC-N<br>130G GRADER,ROAD,MOTOR,6W,A<br>440HA GRADER,ROAD,DIESEL<br>130GS GRADER,ROAD,HVY,SEC<br>130GNSCE Grader, Road Motorized<br>130GSCE Grader, Road Motorized |
| 2610-00-618-5676 | 7.50-16        | AGRICULTURAL IMPLEMENT RIB         | TT        | 10 PLY     | BIAS |  |
| 2610-00-640-2067 | 13.00-24       | OFF THE ROAD ROAD GRADER GRIP DEEP | TT        | E L/R      | BIAS |  |
| 2610-00-640-2071 | 13.00-24       | OFF THE ROAD ROAD GRADER GRIP REG  | TT        | 12 PLY     | BIAS |  |
| 2610-00-640-2084 | 14.00-24       | OFF THE ROAD ROAD GRADER GRIP REG  | TT        | 10 PLY     | BIAS |  |
| 2610-00-640-2099 | 16.00-24       | OFF THE ROAD ROAD GRADER GRIP REG  | TT        | 12 PLY     | BIAS |  |

**LISTING BY NSN****TEAM TIRE CATALOG****Jan. 05**

| NSN              | SIZE        | TIRE DESCRIPTION                  | AIR RETEN | LOAD RANGE | PLY  | KNOWN END ITEM APPLICATIONS   |
|------------------|-------------|-----------------------------------|-----------|------------|------|---|
| 2610-00-640-2111 | 10.00-22.50 | OVER THE ROAD TURCK-BUS HREG      | TL        | F L/R      | BIAS | 16SM MIXER,CONCRETE,TM,16 CU  |
| 2610-00-678-1363 | 7.00-16     | MILITARY LIGHT TRUCK CC           | TT        | C L/R      | BIAS | HBG MIXER CONCRETE,TM,16 CU<br>M416A1 TRAILER,CARGO,14 TON<br>M416 TRAILER,CARGO,14 TON<br>M367 TRAILER,,MAINTENANCE<br>M416B1 TRAILER,CARGO,14 TON<br>M716 TRAILER, MAINT, TELEPHONE<br>M569E1 TRAILER,CARGO,34 TON<br>M100 TRLR, AMPHIBIOUS, 1 1/2 TON<br>M569 TRAILER,CARGO,14 TON   |
| 2610-00-684-1849 | 13.00-24    | OFF THE ROAD ROAD GRADER GRIP REG | TL        | 8 PLY      | BIAS | 130GNS GRADER,ROAD,HVY,SEC-N<br>130GS GRADER,ROAD,HVY,SEC   |
| 2610-00-684-1896 | 6.70-15     | AGRICULTURAL IMPLEMENT RIB        | TL        | 4PLY       | BIAS |   |
| 2610-00-717-6409 | 16.50-22.50 | OVER THE ROAD TRUCK-BUS HREG      | TL        | H L/R      | BIAS | F5070 TRUCKL,DUMP,20 TON<br>RC2-64 TRUCK, TOPOGRAPHICAL 10 TON<br>RC2-64B TRUCK, TOPOGRAPHICAL 10TON<br>RC2-64A TRUCK, TOPOGRAPHICAL 10 TON   |
| 2610-00-725-2777 | 12.00-20    | OVER THE ROAD TRUCK-BUS HREG      | TT        | H L/R      | BIAS |   |
| 2610-00-726-5147 | 13.00-24    | OFF THE ROAD EARTHMOVER GRIP REG  | TL        | 12 PLY     | BIAS | 120 GRADER,ROAD,DED,ROPS  |
| 2610-00-726-5164 | 17.50-25    | OFF THE ROAD LOAD DOZER GRIP REG  | TL        | 12 PLY     | BIAS | ARTFT6 TRUCK,FORKLIFT,6K<br>MLT6CH ROPS TRUCK,FORKLIFT,6K<br>MW24B LOADER,SCOOP,2 1\2 YD<br>MW-24 LOADER,SCOOP,2 1\2 YD<br>MW24ROPS LOADER,SCOOP,W/ROPS<br>MLT6CH TRUCK,FORKLIFT,6K<br>TL645 LOADER,SCOOP,2 1\2 YD<br>MLT6 TRUCK,FORKLIFT,6K<br>MLT6ROPS TRUCK,FORKLIFT,6K<br>VRRTFL TRUCK,FORKLIFT,6K,RT<br>MLT6-2 TRUCK,FORKLIFT,6K |

## LISTING BY NSN

## TEAM TIRE CATALOG

Jan. 05

| NSN              | SIZE         | TIRE DESCRIPTION                   | AIR RETEN | LOAD RANGE | PLY  | KNOWN END ITEM APPLICATIONS   |
|------------------|--------------|------------------------------------|-----------|------------|------|---|
| 2610-00-726-5164 | 17.50-25     | OFF THE ROAD LOAD DOZER GRIP REG   | TL        | 12 PLY     | BIAS | RTFT6 ROPS TRUCK,FORKLIFT,6K  |
| 2610-00-726-5165 | 20.50-25     | OFF THE ROAD EARTHMOVER GRIP REG   | TL        | 12 PLY     | BIAS | 950BNS LOADER,SCOOP,2 1/2 YD<br>MS100NS SCRAPER,EARTHMOVING<br>MS100SEC SCRAPER,EARTHMOVING<br>MW24C LOADER,SCOOP,ART,2 1/2Y<br>950BS LOADER,SCOOP,2 1/2 YD<br>950BNSCE LOADER,SCOOP,NON-SEC<br>MS100M-64 SCRAPER,EARTHMOVING<br>950BSCE LOADER,SCOOP,SEC                                       |
| 2610-00-726-5168 | 20.50-25     | OFF THE ROAD EARTHMOVER GRIP REG   | TL        | 16 PLY     | BIAS | M10A TRUCK,FORKLIFT,10K<br>RTL10-1 TRUCK,FORKLIFT,10K,RT<br>RTL10 TRUCK,FORKLIFT,10K,RT<br>RTL10-1-ROP TRUCK,FORKLIFT,10K,<br>RTL10 ROPS TRUCK,FORKLIFT,10K   |
| 2610-00-726-7646 | 5.00-8       | INDUSTRIAL FORKLIFT TRACTION       | TT        | D L/R      | BIAS |   |
| 2610-00-726-7647 | 6.90/6.00-9  | INDUSTRIAL FORKLIFT TRACTION LUG   | TT        | E L/R      | BIAS | H40XL-MIL TRUCK,FORKLIFT,4K,BB  |
| 2610-00-726-7648 | 6.50-10      | INDUSTRIAL FORKLIFT GRIP REGULAR   | TT        | E L/R      | BIAS | 502PG40-24 TRUCK,FORKLIFT,4K<br>502PG402410 TRUCK,FORKLIFT,4K,RT<br>MHE190B TRUCK,FORKLIFT,4K<br>H60XL-MIL TRUCK,FORKLIFT,6K,DB<br>ACP-40PS14 TRUCK,FORKLIFT,4K,SR<br>MHE190A TRUCK,FORKLIFT,4K<br>CTA40 TRACTOR,WHD,WAREHOUSE<br>C500Y45 TRUCK,FORKLIFT,4K<br>502PG402414 TRUCK,FORKLIFT,4K,RT |
| 2610-00-726-7650 | 7.50-10      | INDUSTRIAL MATERIAL HANDL TRACTION | TT        | 12 PLY     | BIAS | 613BWDS DIS.WATER,TK,SP.TYPE 2  |
| 2610-00-728-0151 | 8.25-15      | INDUSTRIAL MATERIAL HANDL TRACTION | TT        | 12 PLY     | BIAS |   |
| 2610-00-729-6654 | 12.00-20     | OVER THE ROAD TRUCK-BUS HREG       | TT        | G L/R      | BIAS |   |
| 2610-00-733-1930 | 18.00/9.50-8 | AGRICULTURAL GARDEN TRACTOR RIB    | TL        | 4 PLY      | BIAS | Air Force, MJ3 Weapons Trailer  |

## LISTING BY NSN

## TEAM TIRE CATALOG

Jan. 05

| NSN              | SIZE         | TIRE DESCRIPTION                   | AIR RETEN | LOAD RANGE | PLY  | KNOWN END ITEM APPLICATIONS   |
|------------------|--------------|------------------------------------|-----------|------------|------|---|
| 2610-00-752-7610 | 6.00-16      | OVER THE ROAD LIGHT TRUCK H MS     | TT        | C L/R      | BIAS | M416 TRAILER,CARGO 1/4 TON<br>M416B1 TRAILER,CARGO 1/4 TON                                |
| 2610-00-755-6993 | 6.90/6.00-9  | INDUSTRIAL UTILITY TRAILER HREG    | TL        | C L/R      | BIAS |   |
| 2610-00-756-1268 | 6.00-16      | AGRICULTURAL IMPLEMENT RIB MULT    | TT        | 4 PLY      | BIAS |   |
| 2610-00-766-0210 | 4.80-8       | INDUST MATERIAL HANDLING MUD       | TL        | 4 PLY      | BIAS |   |
| 2610-00-792-1662 | 18.00-25     | OFF THE ROAD RD GRDR DESERT TREAD  | TL        | 12 PLY     | BIAS | 613BSS SCRAPER,TRK,ELV,SP,9YD   |
| 2610-00-840-9270 | 15.00-19.50  | OVER THE ROAD TRUCK-BUS HREG       | TL        | G L/R      | BIAS | M747 TRAILER,LOWBED,52 TON<br>M989 TRLR, AMMO,HVY,EXP,11TON                               |
| 2610-00-944-6995 | 8.25-20      | OVER THE ROAD TRUCK-BUS H MS       | TT        | E L/R      | BIAS | M876 TRUCK,TELEPHONE,MAINT  |
| 2610-00-944-6999 | 9.00-20      | OFF THE ROAD TRACTION TRUCK-BUS    | TT        | E L/R      | BIAS | DISTRIBUTOR,BIT,TRL MTD   |
| 2610-00-944-7000 | 9.00-20      | OVER THE ROAD TRUCK-BUS H MS       | TT        | F L/R      | BIAS | 29690 TRUCK,CRANE,WAREHOUSE<br>10F CRANE,TRUCK,WAREHOUSE<br>PHILIPPINE M35<br>AF GMC DUMP |
| 2610-00-944-7002 | 10.00-20     | OVER THE ROAD TRUCK-BUS H MS       | TT        | F L/R      | BIAS | FP60-24PS TRUCK,FORKLIFT,6K   |
| 2610-00-944-7003 | 11.00-20     | OVER THE ROAD TRUCK-BUS H MS       | TT        | F L/R      | BIAS |   |
| 2610-00-944-7004 | 12.00-20     | OVER THE ROAD TRUCK-BUS H MS       | TT        | G L/R      | BIAS | M819 TRUCK,WRECKER,5TON   |
| 2610-00-945-3320 | 8.00-14.50   | OVER THE ROAD LIGHT TRUCK HREG     | TL        | F L/R      | BIAS | 1696C366F RAMP,MOBILE LOADING<br>SSASYR1692 RAMP,MOBILE LOADING,                          |
| 2610-00-999-3900 | 18.00/9.50-8 | INDUSTRIAL TOW TRACTOR RIB         | TT        | E L/R      | BIAS | AF MHU83/MJ40 BOMB LOADER (front axle)  |
| 2610-01-008-4694 | 11.00-16     | Agric. Steering Wheel Rib Multiple | TL        | 12 PLY     | BIAS | JD410 TRACTOR,UTILITY,LOADER  |
| 2610-01-010-0194 | 15.50-25     | OFF THE ROAD LOAD DOZER GRIP DEEP  | TL        | 12 PLY     | BIAS | ARTFT6 TRUCK,FORKLIFT,6K<br>RTFT6 ROPS TRUCK,FORKLIFT,6K                                  |

## LISTING BY NSN

## TEAM TIRE CATALOG

Jan. 05

| NSN              | SIZE          | TIRE DESCRIPTION                                | AIR RETEN | LOAD RANGE | PLY    | KNOWN END ITEM APPLICATIONS  |
|------------------|---------------|---|-----------|------------|--------|--|
| 2610-01-011-8216 | 9.50R16.50    | OVER THE ROAD LIGHT TRUCK H MS                  | TL        | D L/R      | RADIAL | M888 TRUCK,TELEPHONE MAINT   |
| 2610-01-020-7401 | 23.50-25      | OFF THE ROAD, LOADER DOZER, ROCK DEEP TREATMENT | TT        | 16 PLY     | BIAS   |  |
| 2610-01-027-5941 | 11.00-15      | AGRICULTURAL IMPLEMENT GROOVED                  | TL        | 8 PLY      | BIAS   |  |
| 2610-01-045-3688 | 11.00R22.50   | OVER THE ROAD TRUCK-BUS HREG                    | TL        | G L/R      | RADIAL | M1062 TRAILER,TANKER,FUEL,7KG<br>M915A1 TRUCK,PRIME MOVER,6X4<br>M915A2 TRUCK,LINE,HAUL,6X4<br>AF 4900 TRACTOR   |
| 2610-01-049-2796 | 11.00-16      | AGRICULTURAL IMPLEMENT HREG                     | TL        | E L/R      | BIAS   | JD410 TRACTOR,UTILITY,LOADER   |
| 2610-01-054-0338 | 18.40-24      | AGRICULTURAL TRCTR DR WH GRIP REG               | TL        | 8 PLY      | BIAS   | JD410 TRACTOR,UTILITY,LOADER   |
| 2610-01-056-8756 | 16/6.50-8     | IND GARDEN TRTR GRIP REG SUPR TERA              | TL        | 4 PLY      | BIAS   |  |
| 2610-01-063-7947 | 10.00R22.50   | OVER THE ROAD TRUCK-BUS HREG                    | TL        | F L/R      | RADIAL | AF AT FORKLIFT   |
| 2610-01-076-9413 | 12.50-16      | AGRICULTURAL IMPLEMENT RIB                      | TL        | 12 PLY     | BIAS   |  |
| 2610-01-076-9414 | 26.50-25      | OFF THE ROAD LOAD DOZER ROCK DEEP               | TL        | 20 PLY     | BIAS   | 175B LOADER,SCOOP,4 1/2 YD<br>H100C GBP LOADER,SCOOP,5 YD<br>H100C RB LOADER,SCOOP,4 1/2 YD<br>175B LOADER,SCOOP,5 YD  |
| 2610-01-078-1558 | 9.00R22.50    | OVER THE ROAD TRUCK-BUS HREG                    | TL        | F L/R      | RADIAL |  |
| 2610-01-079-6687 | 29.00/8.00-15 | INDUSTRIAL FORKLIFT TRACTION                    | TT        | F L/R      | BIAS   |  |
| 2610-01-080-4237 | 7.50-10       | OFF THE ROAD FORKLIFT HREG                      | TT        | 12 PLY     | BIAS   |  |
| 2610-01-082-1336 | 16.90-24      | AGRI/IND TRCTR DR WH GRIP REG                   | TT        | 10 PLY     | BIAS   |  |
| 2610-01-082-3875 | 14.00-16.10   | AGRICULTURAL IMPLEMENT RIB                      | TL        | 6 PLY      | BIAS   |  |
| 2610-01-090-0449 | 8.75R16.50    | OVER THE ROAD LIGHT TRUCK HREG                  | TL        | E L/R      | RADIAL |  |
| 2610-01-100-0599 | 10.00R22.50   | OVER THE ROAD TRUCK-BUS H MS                    | TL        | F L/R      | RADIAL |  |
| 2610-01-114-3732 | 35.00/65R33   | OFF THE ROAD MTL HND ROCK REG                   | TL        | 36 PLY     | RADIAL | DV43 TRUCK,FORKLIFT,50K  |
| 2610-01-124-9331 | 15.50-25      | OFF THE ROAD LOAD DOZER ROCK XDEEP              | TL        | 12 PLY     | BIAS   |  |
| 2610-01-126-1576 | 16.00R20      | OFF/OVER THE ROAD T-B TRACTION                  | TT        | J L/R      | RADIAL | M985, TRUCK,CRGO,TAC,10T,8X8<br>M985,TRUCK,CRGO,GSRS,W/OW<br>M978,TRUCK,TANKER,TAC,W/OW<br>M977,TRUCK,CRGO,TAC,W/OW<br>M977,TRUCK,CRGO,TAC,10T,8X8<br>M984,TRUCK,WRECKER,TAC,10T<br>M983,TRACTOR,PRIME MOVER,10T<br>M978,TRUCK,TANKER,FUEL, 8X8<br>M984A1,TRK,WRECKER,TAC,10TON<br>M985E1,TRK,CRGO,W/CRANE,W/OW<br>M985E2,TRK,CRGO,W/CRANE,W/W |

## LISTING BY NSN

## TEAM TIRE CATALOG

Jan. 05

| NSN              | SIZE           | TIRE DESCRIPTION                  | AIR RETEN | LOAD RANGE | PLY    | KNOWN END ITEM APPLICATIONS  |
|------------------|----------------|-----------------------------------|-----------|------------|--------|--|
| 2610-01-148-1634 | 31.00/10.50R15 | OVER THE ROAD LIGHT TRK CC        | TL        | C L/R      | RADIAL | M1009 TRUCK,UTIL,TAC,3/4 TON   |
| 2610-01-148-1635 | LT235/85R16    | OVER THE ROAD TRAILER AS          | TL        | E L/R      | RADIAL | M1008 TRUCK,CARGO,TAC,1/4,4X4W<br>M1008A1 TRUCK,CARGO,TAC,1 1/4,4<br>M1028 TRUCK,CARGO,SHELT.CO<br>M101A2 TRAILER,CARGO,3/4 TON<br>M1010 TRUCK,AMBL,1 1/4T,4X4<br>M1031 TRK, CARGO,COMM CHASS<br>M116A2 TRAILER,CARGO,3/4 TON<br>M1028A3 TRUCK,UTILITY CARR,4X4<br>M1028A2 TRUCK,UTILITY CARR,4X4<br>M116A2E1 TRAILER,CARGO,3/4 TON<br>M1028A1 TRUCK,UTILITY CARR,4X4<br>SP-848 ROLLER,VIBRATORY,SP<br>RS-28 ROLLER, VIBRATORY |
| 2610-01-148-1636 | 7.50R16        | OVER THE ROAD LIGHT TRUCK AW      | TL        | D L/R      | RADIAL | M087 HEATER, OIL,HOT   |
| 2610-01-154-1445 | P185/75R14     | OVER THE ROAD PASSENGER CAR AS/MS | TL        | B L/R      | RADIAL |  |
| 2610-01-154-1446 | P195/75R14     | OVER THE ROAD PASSENGER CAR AS/MS | TL        | B L/R      | RADIAL |  |
| 2610-01-154-1447 | P205/75R14     | OVER THE ROAD PASSENGER CAR AS/MS | TL        | B L/R      | RADIAL |  |
| 2610-01-154-1448 | P215/75R14     | OVER THE ROAD PASSENGER CAR AS/MS | TL        | B L/R      | RADIAL |  |
| 2610-01-154-1452 | P205/75R15     | OVER THE ROAD PASSENGER CAR AW    | TL        | B L/R      | RADIAL |  |
| 2610-01-154-3984 | P215/75R15     | OVER THE ROAD PASSENGER CAR AS/MS | TL        | B L/R      | RADIAL |  |
| 2610-01-154-3985 | P225/75R15     | OVER THE ROAD TRAILER AS          | TL        | B L/R      | RADIAL |  |
| 2610-01-154-3986 | P235/75R15     | OVER THE ROAD TRAILER AS          | TL        | B L/R      | RADIAL |  |
| 2610-01-155-6506 | P175/80R13     | OVER THE ROAD PASSENGER CAR AS/MS | TL        | B L/R      | RADIAL |  |
| 2610-01-155-6507 | P185/80R13     | OVER THE ROAD PASSENGER CAR AS/MS | TL        | B L/R      | RADIAL |  |
| 2610-01-156-9461 | 11.00-20       | OVER THE ROAD TRUCK-BUS TRACTION  | TT        | G L/R      | BIAS   | TMS300-5 CRANE,TRUCK,MTD,HYD 2   |
| 2610-01-156-9462 | P165/80R13     | OVER THE ROAD PASSENGER CAR AS/MS | TL        | B L/R      | RADIAL |  |
| 2610-01-158-9260 | 12.00R22.50    | OVER THE ROAD TRUCK-BUS HREG      | TL        | H L/R      | RADIAL |  |
| 2610-01-160-9934 | 11.00R16       | OFF/ON THE ROAD TRACTION          | TL        | E L/R      | RADIAL | USMC ASSAULTVEH,LT,W,TURRET<br>USMC CONTROL,CMD,BN LEVEL   |

## LISTING BY NSN

## TEAM TIRE CATALOG

Jan. 05

| NSN              | SIZE              | TIRE DESCRIPTION                   | AIR RETEN | LOAD RANGE | PLY    | KNOWN END ITEM APPLICATIONS   |
|------------------|-------------------|------------------------------------|-----------|------------|--------|---|
| 2610-01-160-9934 | 11.00R16          | OFF/ON THE ROAD TRACTION           | TL        | E L/R      | RADIAL | USMC VEHICLE,MAINT,RECOVERY<br>USMC LOGISTICS,VEHICLE,WHEELED<br>USMC CARRIER,MOTAR,WHEELED<br>USMC GUN,PROTECTED,MOBIL<br>USMC GUN,ANTI TANK,WHEELED   |
| 2610-01-161-7774 | P175/75R14        | OVER THE ROAD PASSENGER CAR AS/MS  | TL        | B L/R      | RADIAL |   |
| 2610-01-162-5719 | P155/80R13        | OVER THE ROAD PASSENGER CAR AS/MS  | TL        | B L/R      | RADIAL |   |
| 2610-01-164-3458 | 9.50R16.50        | OVER THE ROAD LIGHT TRUCK AW       | TL        | D L/R      | RADIAL |   |
| 2610-01-171-4746 | 36.00/12.50-16.50 | OFF/OVER THE ROAD LT TRACTION      | TL        | C L/R      | BIAS   | M1025 TRUCK,UTIL,ARM,4X4,W/E<br>M1044 TRUCK,UTILITY,1 1/4 TON   |
| 2610-01-171-4746 | 36.00/12.50       | OFF/OVER THE ROAD LT TRACTION      | TL        | C L/R      | BIAS   | M1042 TRUCK,UTILITY,1 1/4 TON<br>M1035 TRUCK, AMBULANCE,4X4 W/E<br>M1038 TRUCK,UTILITY,1 1/4 TON<br>M1026 TRUCK,UTIL,ARM,4X4,W/E<br>M1043 TRUCK,UTILITY,ARM,W/SA<br>M1037 TRUCK,UTILITY,W/E,4X4<br>M966 TRUCK,WEAPON,CARR,1 1/4<br>M1046 TRUCK,UTILITY,TOW,/SA W<br>M1045 TRUCK,UTILITY,TOW,W/SA<br>M996 TRUCK,AMBL,1 1/4,2LITWE<br>M998 TRUCK,UTIL,1 1/4 TON 4X4<br>M997 TRUCK,AMBULANCE,1 1/4,T |
| 2610-01-175-0611 | 28.00/9.00-15     | INDUSTRIAL FORKLIFT ROCK REG       | TT        | F L/R      | BIAS   | FG30N7 TRUCKFORKLIFT 4K GED   |
| 2610-01-179-9145 | 23.00/8.50-12     | INDUSTRIAL GARDEN TRACTOR TRACTION | TL        | B L/R      | BIAS   |   |
| 2610-01-179-9146 | 23.00/8.50-12     | INDUSTRIAL GARDEN TRACTOR GRIP REG | TL        | B L/R      | BIAS   |   |
| 2610-01-182-4165 | 16.00R21          | OFF/OVER THE ROAD T-B TRACTION     | TL        | M L/R      | RADIAL | M1048 TRAILER, FLATBED, 6 TON<br>All Terrain (ATEC) AT422 22T Crane   |
| 2610-01-182-7558 | 23.00/10.50-12    | INDUSTRIAL GARDEN TRACTOR GRIPREG  | TL        | B L/R      | BIAS   |   |
| 2610-01-182-7559 | 13.00/5.00-6      | INDUSTRIAL GARDEN TRACTOR RIB      | TL        | A L/R      | BIAS   |   |
| 2610-01-188-5171 | 23.10-26          | AGRICULTURAL TRCTR DR WH DIAMOND   | TL        | D L/R      | BIAS   |   |
| 2610-01-190-5784 | 26.50R25          | ON/OFF THE ROAD FIRE TRUCK USAFP15 | TL        | 32 PLY     | RADIAL | AF P15 FIRE TRUCK   |
| 2610-01-193-8293 | P185/75R14        | OVER THE ROAD PASSENGER CAR H REG  | TL        | B L/R      | RADIAL |   |
| 2610-01-193-8294 | P195/75R14        | OVER THE ROAD PASSENGER CAR H REG  | TL        | B L/R      | RADIAL |   |

## LISTING BY NSN

## TEAM TIRE CATALOG

Jan. 05

| NSN              | SIZE          | TIRE DESCRIPTION                  | AIR   | LOAD   | PLY    | KNOWN END ITEM APPLICATIONS   |
|------------------|---------------|-----------------------------------|-------|--------|--------|---|
|                  |               |                                   | REten | RANGE  |        |   |
| 2610-01-193-8295 | P225/75R14    |                                   | TL    | B L/R  | RADIAL |   |
| 2610-01-193-9800 | P225/75R14    | OVER THE ROAD PASSENGER CAR AS/MS | TL    | B L/R  | RADIAL |   |
| 2610-01-194-6213 | 9.75/10.00R20 | OVER THE ROAD TRUCK AND BUS       | TT    | G L/R  | RADIAL | TRUCK PRIME MOVER CHETPM  |
| 2610-01-194-6215 | 11.00R20      | OVER THE ROAD TRK/BUS HWY REG     | TT    | H L/R  | RADIAL |   |
| 2610-01-194-6220 | 11.00R22.5    | OVER THE ROAD TRK/BUS AS/M&S      | TL    | G L/R  | RADIAL |   |
| 2610-01-194-7063 | 18.00-25      | OFF THE ROAD EARTHMOVER GRIP REG  | TL    | 12 PLY | BIAS   | 613BSNS SCRAPER,TRK,ELV,SP,9YD<br>613BSS SCRAPER,TRK,ELV,SP,9 YD<br>613BSNS1 SCRAPER,TYPE 1<br>613BWDNS DIS.WATER,TK,SP,TYPE 1<br>613BSS1 SCRAPER,TYPE II<br>613BWDS DIS.WATER,TK,SP,TYPE 2   |
| 2610-01-203-9355 | P235/75R15    | OVER THE ROAD TRAILER AS          | TL    | B L/R  | RADIAL |   |
| 2610-01-203-9358 | P185/70R14    | OVER THE ROAD PASSENGER CAR       | TL    | B L/R  | RADIAL | MID SIZE PASS. CAR  |
| 2610-01-204-4488 | 12.00-16.50   | OVER THE ROAD TRUCK-BUS HREG      | TL    | F L/R  | BIAS   | M1048 TRAILER,FLATBED, 6 TON<br>M979 TRAILER, CARGO, 5 TON<br>M1061 TRAILER,FLATBED, 5 TON<br>M1061E1, TRAILER, FLATBED, 5 TON<br>M794 TRAILER,CARGO,4 TON<br>M795 TRAILER,FLATBED,4 TON<br>M796 TRAILER,BOLSTER,4 TON<br>M796A1 TRAILER, BOLSTER,4 TON   |
| 2610-01-205-6047 | 9.50R16.50    | OFF/OVER THE ROAD TRUCK-BUS AW    | TL    | E L/R  | RADIAL |   |
| 2610-01-214-1344 | 14.00R20      | OFF/OVER THE ROAD TRUCK-BUS CC    | TL    | J L/R  | RADIAL | M923A1 TRUCK,CARGO,DROPSIDE,5   |
| 2610-01-214-1344 | 14.00R20      | OFF/OVER THE ROAD TRUCK-BUS CC    | TL    | J L/R  | RADIAL | M935A1 TRUCK,VAN,EXPANDABLE,5<br>M935A2 TRUCK,VAN,W/HDLG,WO/W<br>M925A2 TRUCK,DRPSCRG<br>M927A1 TRUCK,CARGO,5TON,6X6<br>M927A2 TRUCK,CARG,XLWB,CRG,W<br>M924A1 TRUCK,CARGO,5TON,6X6<br>M930A2 TRUCK,DUMP,5TON,W/W<br>M928A2 TRUCK,DUMP,5TON,W/W,W<br>M928A2 TRUCK,CARG,CLWB,VRG,W<br>M931A1 TRUCK,PRIME MOVER,5T,6X |

## LISTING BY NSN

## TEAM TIRE CATALOG

Jan. 05

| NSN              | SIZE           | TIRE DESCRIPTION                         | AIR RETEN | LOAD RANGE | PLY    | KNOWN END ITEM APPLICATIONS   |
|------------------|----------------|--|-----------|------------|--------|---|
| 2610-01-214-1344 | 14.00R20       | OFF/OVER THE ROAD TRUCK-BUS CC           | TL        | J L/R      | RADIAL | M926A1 TRUCK,CARGO,5TON,6X6<br>M928A1 TRUCK,CARGO,5TON,6X6<br>M923A2 TRUCK,CARGO,DRPSCRG,W<br>M925A1 TRUCK,CARGO,DROPPIDE,5<br>M936A1 TRUCK,WRECKER,5T,6X<br>M931A2 TRUCK,PRIME MOVER,5TWO<br>M934A2 TRUCK,VAN,5TON,6X6<br>M932A2 TRUCK,PRIME MOVER,5TON<br>M932A1 TRUCK,PRIME MOVER,5T,6X<br>M929A1 TRUCK,DUMP,5TON,6X6<br>M934A1 TRUCK,VAN,EXPANDABLE,5 |
| 2610-01-214-1344 | 14.00R20       | OFF/OVER THE ROAD TRUCK-BUS CC           | TL        | J L/R      | RADIAL | M930A1 TRUCK,DUMP,5TON,6X6  |
| 2610-01-218-4516 | 16.90-30       | AGRICULTURAL TRCTR DR WH GRIP REG        | TT        | 6 PLY      | BIAS   |   |
| 2610-01-220-6413 | 12.50R20       | OFF THE ROAD LOAD DOZER TRACTION         | TL        | 12 PLY     | RADIAL | FLU 10344 TRACTOR,WH,F.LIFT,CRA (SEE)<br>FLU 419 TRACTOR,WH,WX,FR LOADE (SEE)   |
| 2610-01-229-3457 | 17.50R25       | OFF/OVER ROAD T-B TRACTION P19 F         | TL        | 18 PLY     | RADIAL | AF P19 FIRE TRUCK   |
| 2610-01-230-0298 | 29.50-25       | OFF THE ROAD MINING-LOGGING ROCK REGULAR | TL        | 28 PLY     | BIAS   | RT875CC CRANE, WHEEL MOUNTED  |
| 2610-01-238-9684 | 6.00-9         | INDUSTRIAL FORKLIFT GRIP DEEP            | TT        | 12 PLY     | BIAS   |   |
| 2610-01-256-0080 | 11.00R17.50    | OVER THE ROAD UTILITY TRLR HREG          | TL        | H L/R      | RADIAL | M1073 TRAILER, CARGO, 7 1/2 TON   |
| 2610-01-262-6038 | 7.00-12        | INDUSTRIAL FORKLIFT TRACTION             | TT        | F L/R      | BIAS   | H40XL-MIL TRUCK,FORKLIFT,4K,BB<br>H60XL-MIL TRUCK,FORKLIFT,6,DBK  |
| 2610-01-269-1243 | 8.00-16        | INDUSTRIAL TRACTOR WH DRIVE RIB MULT     | TL        | 10 PLY     | BIAS   |   |
| 2610-01-281-0675 | 11.00R20       | ON/OFF THE ROAD LT (5 TON) NO MOE        | TT        | H L/R      | RADIAL | M871A2 TRAILER, TAC, 22.5 TON<br>M872A2 TRAILER,FLATBED,34TON<br>M871 TRAILER, FLATBED, 22.5 TON<br>M198 HOWITZER   |
| 2610-01-286-5798 | 445/65R22.5    | OVER THE ROAD T-B HREG P18 FTK           | TL        | L L/R      | RADIAL | AF P18 FIRE TRUCK<br>M860/A1 Trailer, Missile Patriot<br>M861, Trailer Van Radar, 15 Ton<br>M682/683, Trailer Van, Radar, 15 Ton<br>M684, Trailer Van, Exchg Heat<br>M986, Trailer, Launcher<br>M999, Trailer, Center Control   |
| 2610-01-289-9045 | 26.00/12.00-12 | AGRICULTURAL LOAD DZR GRIP REG           | TL        | 8 PLY      | BIAS   |   |
| 2610-01-292-3009 | 12.00R22.50    | ON/OFF THE ROAD, RIB                     | TL        | H L/R      | RADIAL |   |

**LISTING BY NSN****TEAM TIRE CATALOG****Jan. 05**

| NSN              | SIZE           | TIRE DESCRIPTION                     | AIR   | LOAD  | PLY    | KNOWN END ITEM APPLICATIONS  |
|------------------|----------------|--------------------------------------|-------|-------|--------|--|
|                  |                |                                      | REten | RANGE |        |  |
| 2610-01-302-1063 | 18.00-19.50    | OFF THE ROAD TRUCK-BUS HREG          | TL    | H L/R | BIAS   |  |
| 2610-01-307-8527 | LT225/75R16    | OVER THE ROAD LT TRACTION            | TL    | E L/R | RADIAL |  |
| 2610-01-311-6853 | LT315/80R22.5  | OVER THE ROAD TRAILER AS             | TL    | J L/R | RADIAL | AF R11 REFUELER  |
| 2610-01-320-0460 | 15.00-19.50    | MILITARY FORKLIFT TRACTION           | TL    | D L/R | BIAS   | 8909-3 ROUGH TERRAIN FORKLIFT<br>M4K TRUCK,FORKLIFT,4K,RT<br>TRUCK,FORKLIFT,4K   |
| 2610-01-323-4813 | 215/75R17.50   | OVER/OFF THE ROAD LT HR              | TL    | H L/R | RADIAL | M1000 TRAILER,TRASPT,H.E,70 T  |
| 2610-01-325-1934 | 10.00R15       | OVER THE ROAD LIGHT TRUCK RIB        | TT    | J L/R | RADIAL | 5230B CRUSHER,ROLLER<br>M870A1 SEMITRAILER,LOWBED<br>5230D CRUSHER,ROLLER<br>5157 CRUSHER,JAWS   |
| 2610-01-325-1934 | 10.00R15       | OVER THE ROAD LIGHT TRUCK RIB        | TT    | J L/R | RADIAL | 5157B CRUSHER,JAWS<br>M870 TRAILER, LOWBED,40 TON<br>M870MC TRAILER, LOWBED,40 TON<br>M172 TRAILER, LOWBED,25 TON<br>M172A1 TRAILER, LOWBED,25 TON<br>HP15T TRAILER, TILTBED |
| 2610-01-332-1564 | 11.00R24       | OVER THE ROAD TRUCK-BUS HREG         | TT    | H L/R | RADIAL | M916 TRACTOR, TRUCK, 20 TON, 6X6<br>M917 TRUCK, DUMP, 5 TON<br>M918 TRUCK, DISTRIBUT, BITUM, 6X6<br>M919 TRUCK, CONCRETE, MOBIL, 8X6<br>M920 TRUCK, PRIME MOVER, 5 TON, 6X4  |
| 2610-01-332-8985 | 445/65R19.50   | OFF THE ROAD LOW PLATFORM TRLR, HREG | TL    | J L/R | RADIAL | M747 TRAILER,LOWBED,52 TON   |
| 2610-01-333-7632 | 37.0/12.5R16.5 | OFF THE ROAD LIGHT TRUCK TRACTION    | TL    | D L/R | RADIAL | M1097 TRUCK,UTIL,HV,10K<br>M966 TRUCK,WEAPON,CARR,1.25TON<br>M998 TRUCK,UTIL,1.25TON,4X4<br>M1038 TRUCK,UTIL,1.25TON<br>M997 TRUCK,AMBL,1.25,4 LIT ARMOR                     |

**LISTING BY NSN****TEAM TIRE CATALOG****Jan. 05**

| NSN              | SIZE           | TIRE DESCRIPTION                  | AIR RETEN | LOAD RANGE | PLY    | KNOWN END ITEM APPLICATIONS  |
|------------------|----------------|-----------------------------------|-----------|------------|--------|--|
| 2610-01-333-7632 | 37.0/12.5R16.5 | OFF THE ROAD LIGHT TRUCK TRACTION | TL        | D L/R      | RADIAL | M996 TRUCK,AMBL,1.25,2 LIT ARMOR<br>M1025 TRUCK,UTIL,ARM,4X4,W/E<br>M1026 TRUCK,UTIL,ARM,4X4,W/E<br>M1035 TRUCK,AMBL,4X4,W/E<br>M1037 TRUCK,UTIL,W/E,4X4<br>M1045 TRUCK,UTIL,TOW,W/SA<br>M1043 TRUCK,UTIL,ARM,W/SA<br>M1044 TRUCK,UTIL,1.25TON<br>M1046 TRUCK,UTIL,TOW,SA WW<br>M1042 TRUCK,UTIL,1.25TON<br>M966A1 TRUCK,UTIL,TOW C,ARMD,1.25T<br>M998A1 TRUCK,UTIL,CARGO/T C,1.25T<br>M1038A1 TRUCK,UTIL,CARGO/TRP C, 1.25T<br>M997A1 TRUCK,AMBL,4LIT,ARMD,W/E<br>M1035A1 TRUCK,AMBL,2LIT,SOFT TOP<br>M1045A1 TRUCK,UTIL,TOW C, W/SA, 1.25T<br>M1043A1 TRUCK,UTIL,ARMT C,W/SA,1.25T<br>M1044A1 TRUCK,UTIL,ARMT C,W/SA 1.25T<br>M1046A1 TRUCK,UTIL,TOW C,W/SA,1.25T<br>M1097A2 TRUCK,UTIL,GVW,4X4,W/E<br>M996A1 TRUCK,AMBL,2LIT,ARMD,W/E<br>M1025A1 TRUCK,UTIL,ARMT C, ARMD,1.25T<br>M1026A1 TRUCK,UTIL,ARMT C, ARMD,1.25T<br>M1035A2 TRUCK,AMBL,4X4,2LIT W/E<br>M1045A2 TRUCK,UTIL,TOW,W/SA<br>M1043A2 TRUCK,UTIL,ARM 4X4,W/E<br>M1025A2 TRUCK,UTIL,1.25TON<br>M1113 TRUCK,UTIL,4X4, W/E<br>M1102 TRAILER, CARGO 1.25 TON<br>M1101 TRAILER, CARGO 3/4 TON<br>M116A3 TRAILER,CHASSIS,1 TON<br>M101A3 TRAILER,CARGO,1 TON |

**LISTING BY NSN****TEAM TIRE CATALOG****Jan. 05**

| NSN              | SIZE        | TIRE DESCRIPTION                   | AIR RETEN | LOAD RANGE | PLY    | KNOWN END ITEM APPLICATIONS  |
|------------------|-------------|------------------------------------|-----------|------------|--------|--|
| 2610-01-334-2694 | 16.00R20    | OVER/OFF THE ROAD T-B TRACTION     | TL        | M L/R      | RADIAL | M1070 TRUCK,TRACTOR<br>M1074 TRUCK,PALLETIZED,LOADING<br>M1075 TRUCK,PALLETIZED,LOADING<br>M977 TRUCK, CRGO,TAC,10 TON,8X8<br>M977 TRUCK CARGO, TAC, W/OW<br>M978 TRUCK, TANKER, FUEL, 8X8<br>M978 TRUCK, TANKER,TAC, W/OW<br>M983 TRACTOR, PRIME MOVER,10 TON<br>M984 TRUCK, WRECKER,TAC,10 TON<br>M984A1 TRUCK,WRECKER,10 TON<br>M985 TRUCK,CARGO,GSRS W/OW<br>M985 TRUCK, CARGO,TAC,10T 8X8<br>M985E1 TRUCK,CRGO,W/CRANE,W/OW<br>M985E2 TRUCK,CRGO,W/CRANE, W/W |
| 2610-01-336-8828 | ST225/75R15 | OVER THE ROAD TRAILER AS           | TL        | D L/R      | RADIAL | 53MH SWEEPER,ROTARY,TOWED  |
| 2610-01-340-3929 | 9.50-20     | AGRICULTURAL TRCTR RIB MULT CCMARY | TT        | D L/R      | BIAS   | T0730H-KEG MIXER,ROTARY,TILLER   |
| 2610-01-347-9730 | LT215/75R15 | OVER THE ROAD LIGHT TRUCK AT/CC    | TL        | C L/R      | RADIAL | M1078 TRUCK,CARGO, 2 1/2TON<br>M1088 TRUCK,TRACTOR,6X6<br>M1086 TRUCK,TANKER,5 TON<br>M1085 TRUCK,CHASSIS,5 TON,6X6<br>M1080 TRUCK,CHASSIS,2 1/2 TON<br>M1081 TRUCK,CHASSIS,2 1/2 TON<br>M1083 TRUCK,CHASSIS,5 TON,6X6<br>M1089 TRUCK,WRECKER,5TON,6X<br>M1079 TRUCK,VAN,2 1/2<br>M1094 TRUCK,DUMP,5 TON<br>M1090 TRUCK,DUMP,5 TON,6X6<br>M1092 CHASSIS 5T 6X6<br>M1093 TRUCK,CARGO,5TON<br>M1084 TRUCK,CARGO,5 TON,6X6  |
| 2610-01-356-9098 | LT395/85R20 | OVER THE ROAD TRAILER AS           | TL        | G L/R      | RADIAL |  |

## LISTING BY NSN

## TEAM TIRE CATALOG

Jan. 05

| NSN              | SIZE         | TIRE DESCRIPTION                     | AIR RETEN | LOAD RANGE | PLY    | KNOWN END ITEM APPLICATIONS  |
|------------------|--------------|--------------------------------------|-----------|------------|--------|--|
| 2610-01-356-9098 | LT395/85R20  | OVER THE ROAD TRAILER AS             | TL        | G L/R      | RADIAL | M1096 CHASSIS TRUCK 5T LWB<br>M1083 TRUCK,CARGO,5 TON,W/SR W<br>M1093 TRUCK,CARGO,LA 5 TON W/SR W<br>M1088 TRUCK,TRACTOR, 5 TON W/SR W<br>M1090 TRUCK,DUMP,5 TON W/SR W<br>M1094 TRUCK,DUMP,L 5 TON, W/SR W<br>M1085 TRUCK,CARGO,5 TON, W/SR W |
| 2610-01-357-8333 | 15.50/80R20  | OVER THE ROAD TRUCK/BUS CC           | TL        | J L/R      | RADIAL | M1076 TRAILER,PALLETIZED LOAD  |
| 2610-01-364-5044 | 14.00R24     | OFF THE ROAD TRUCK BUS CC            | TT        | N L/R      | RADIAL | M911 TRUCK,PRIME MOVER,8X6   |
| 2610-01-367-0975 | 10.00R17.50  |                                      | TL        | H L/R      | RADIAL |  |
| 2610-01-372-1648 | 16.00-25.00  | OFF HIGHWAY                          | TT        | 28 PLY     | BIAS   | AF P2 FIRE TRUCK   |
| 2610-01-372-6705 | 22.00/65R25  | OFF THE ROAD                         | TL        | 24 PLY     | RADIAL |  |
| 2610-01-373-7294 | 11.00R20     | ON/OFF THE ROAD                      | TT        | H L/R      | RADIAL | M969A2 TRAILER,TANKER,FUEL 5KG<br>M809 CHASSIS TRUCK, 5 TON  |
| 2610-01-374-1276 | 18.00-7      | FORKLIFT                             | TL        | 12 PLY     | BIAS   | AIR FORCE MOLT   |
| 2610-01-376-8538 | 5.70-8       | FORKLIFT                             | TT        | 6 PLY      | BIAS   | AIR FORCE MOLT   |
| 2610-01-388-6679 | 365/85/R20   | OFF THE ROAD T-B TRACTION            | TL        | J L/R      | RADIAL | AF P24 FIRE TRUCK<br>AMERTEK 2500L 1,000 GPM Firetruck   |
| 2610-01-397-1385 | 10.00R20     | OVER THE ROAD TRUCK-BUS HREG         | TT        | H L/R      | RADIAL | AF P22 FIRE TRUCK  |
| 2610-01-397-6972 | 245/75R22.5  |                                      | TL        | G L/R      | RADIAL |  |
| 2610-01-397-6976 | 14.50R20     | OFF THE ROAD TRUCK-BUS               | TL        | G L/R      | RADIAL | M35A3 TRUCK,CARGO,FIXED SIDE 2.5T<br>M35A3C TRUCK,CARGO,DP SIDE 1.5T<br>M35A3C TRUCK,CARGO,DP SIDE 2.5T<br>M36A3 TRUCK,CARGO,LG BED,2.5T   |
| 2610-01-431-5119 | 255/70R22.5  | OVER THE ROAD MATERIAL HDLG HREG     | TL        | H L/R      | RADIAL | AF 60K AIRCRAFT LDR A/S32H-23  |
| 2610-01-434-3363 | LT215/85R16  | OVER THE ROAD UTILITY TRLR HREG      | TL        | D L/R      | RADIAL | M1112 TRAILER,WATER,400 GAL  |
| 2610-01-434-8732 | 285/70R19.5  | OVER THE ROAD MATERIAL HDLG HWY/MS   | TL        | J L/R      | RADIAL | AF 25K AIRCRAFT LOADER   |
| 2610-01-436-3332 | 385/65R22.50 | OVER THE ROAD TRUCK-BUS CC           | TL        | J L/R      | RADIAL | M917A1/E1 (front axle only)  |
| 2610-01-436-3334 | 315/80R22.50 | OVER THE ROAD TRUCK-BUS CC           | TL        | L L/R      | RADIAL | M917A1/E1 (rear axle)<br>M916A1/A2   |
| 2610-01-438-4808 | 12.00R20     | OFF THE ROAD LOW PLATFORM TRLR RIB   | TT        | J L/R      | RADIAL | SAUDI COML HET   |
| 2610-01-439-2943 | P215/70R14   | ALL SEASON                           | TL        | B L/R      | RADIAL | FORD RANGER  |
| 2610-01-439-5195 | 10.00R20     | OVER THE ROAD TRK BUS HWY M & S      | TT        | G L/R      | RADIAL | NAVY NAVSTAR   |
| 2610-01-439-6214 | P205/70R15   | OVER THE ROAD PASS CAR HWY REG       | TL        | B L/R      | RADIAL |  |
| 2610-01-439-6216 | P225/75R16   | OVER THE ROAD PASS CAR AS M&S        | TL        | B L/R      | RADIAL |  |
| 2610-01-439-6220 | P195/70R14   | OVER THE ROAD PASS CAR HWY REG       | TL        | B L/R      | RADIAL |  |
| 2610-01-439-6222 | LT215/85R16  | OVER THE ROAD LT TRK HWY REG         | TL        | D L/R      | RADIAL |  |
| 2610-01-439-6224 | LT245/75R16  | OVER THE ROAD LT TRK M & S           | TL        | E L/R      | RADIAL |  |
| 2610-01-440-4948 | 235/80R22.50 | OVER THE ROAD TRK-BUS ALL SEASON M&S | TL        | G L/R      | RADIAL |  |

## LISTING BY NSN

## TEAM TIRE CATALOG

Jan. 05

| NSN              | SIZE            | TIRE DESCRIPTION                              | AIR RETEN | LOAD RANGE | PLY    | KNOWN END ITEM APPLICATIONS                                   |
|------------------|-----------------|---|-----------|------------|--------|---|
| 2610-01-441-3739 | 8.00-16         | OVER THE ROAD RIB                             | TL        | D L/R      | BIAS   | TOW TRACTOR   |
| 2610-01-443-3473 | 225/70R19.50    | LOW PROFILE                                   | TL        | F L/R      | RADIAL | TRUCK/BUS   |
| 2610-01-443-3477 | 295/75R22.50    | ALL SEASON                                    | TL        | G L/R      | RADIAL | 15T STAKE TRUCK 6X6 / 25T WRECKER 6X6                         |
| 2610-01-443-7040 | 24.00R21.00     | FLIGHT LINE                                   | TL        | H L/R      | RADIAL | AF P23 FIRETRUCK  |
| 2610-01-449-9962 | 20.5-8.00       | CROSS COUNTRY                                 | TL        | C L/R      | BIAS   | AF 400 GALLON FUEL BOWSER                                     |
| 2610-01-451-0214 | 18-8.50         | INDUSTRIAL RIB                                | TL        | B L/R      | BIAS   | AIRCRAFT TOWBAR   |
| 2610-01-452-0605 | 385/65R22.50    | CROSS COUNTRY                                 | TL        | J L/R      | RADIAL | TOW TRACTOR / M989 Trlr, Ammo, Hvy Exp Mob                    |
| 2610-01-452-2933 | 4.80-8.0        | FLIGHT LINE                                   | TT        | C L/R      | BIAS   | TRAILER, LOW PLATFORM   |
| 2610-01-459-0440 | 17.50-25        | OFF THE ROAD LOAD DOZER GRIP                  | TL        | H L/R      | BIAS   | ATLAS   |
| 2610-01-465-5823 | 12.00R22.5      | INDUSTRIAL TRK-BUS, ALL SEASON M&S            | TL        | H L/R      | RADIAL | LRT 110 CRANE/M1022A1 CRANE                                   |
| 2610-01-470-4615 | 14.9-24         | AG TRACTOR DRIVE WHEEL DIAMOND                | TL        | C L/R      | BIAS   | CONST. EQUIP VIBRATORY ROLLERS                                |
| 2610-01-470-4616 | LT265/75R16     | OTR LIGHT TRUCK ALL SEASON M&S                | TL        | C L/R      | RADIAL | NAVY TRUCK UTILITY 4X4  |
| 2610-01-470-9034 | 14.9-24         | AG DRIVE WHEEL DIAMOND                        | TL        | C L/R      | BIAS   | CONST. EQUIP VIBRATORY ROLLERS                                |
| 2610-01-470-9035 | 9R17.50         | OTR UTIL TRAILER CROSS COUNTRY                | TL        | H L/R      | RADIAL | NAVY 40TON SEMI-LOWBED  |
| 2610-01-473-3997 | 11.00R20        | MIOL TRK-BUS CROSS COUNTRY                    | TT        | H L/R      | RADIAL | 5 TON BASIC W/ABS   |
| 2610-01-473-8252 | LT245/70R19.5   | INDUST LOW PLAT TRLR HWY REG                  | TL        | G L/R      | RADIAL | M1048A1 TRAILER   |
| 2610-01-479-4200 | 14.00R20        | MIL.TRK/BUS, AS M&S (Michelin XZL)            | TL        | J L/R      | RADIAL | M117 ARMORED SECURITY VEH. (ASV)                              |
| 2610-01-481-5378 | 11.00R22.5      | RIB (MICHELIN XZE)                            | TL        | G L/R      | RADIAL | M915A3/A4 / M872A4 34 Ton Flatbed Trailer                     |
| 2610-01-481-7816 | 8.00-17         | INDUSTRIAL LIGHT TRUCK RIB                    | TT        | J L/R      | BIAS   | NAVY TOW TRACTOR  |
| 2610-01-492-5541 | ST 165/80       | OFF ROAD FORK GRIP REGULAR                    | TL        | J L/R      | BIAS   | M48 WAREHOUSE TRACTOR   |
| 2610-01-496-0712 | LT195/75R15     | OVER THE ROAD LT TRK HWY REG                  | TL        | C L/R      | RADIAL | AGAV G AF POWER UNIT, AIRCRAFT                                |
| 2610-01-497-0182 | 9.00-15         | Over The Road Trk/Bus Hwy Reg.                | TT        | G L/R      | BIAS   | AF 25K LOADER   |
| 2610-01-500-4505 | 445/65R22.5     | ON/OFF ROAD                                   | TL        | L L/R      | RADIAL | M860A1 PATRIOT MISSILE TRAILER                                |
| 2610-01-503-5618 | LT265/75R16     | OVER THE ROAD RIBBED                          | TL        | E L/R      | RADIAL | AF STINAR AR FLIGHT LINE TOW TRACTOR                          |
| 2610-01-504-5340 | AT25X11-10      | RUNFLAT DIRECTIONAL TIRE                      | TL        |            |        | M-GATOR (REAR)  |
| 2610-01-504-5345 | AT22X11-10      | RUNFLAT DIRECTIONAL TIRE                      | TL        |            |        | M-GATOR (FRONT)   |
| 2610-01-504-6566 | AT25X13-9       | IND. GARDEN TRAC. CROSS COUNTRY               | TL        |            | BIAS   | GATOR (REAR)  |
| 2610-01-504-6590 | AT22.5X10-8     | IND. GARDEN TRAC. CROSS COUNTRY               | TL        |            | BIAS   | GATOR (Front)   |
| 2610-01-506-0388 | 11.00R22.5      | OFF THE ROAD TRUCK AND BUS                    | TL        | H L/R      | RADIAL | M915A2/A3/A4  |
| 2610-01-506-0391 | 375/75R20       | AGRICULTURAL FORKLIFT TRACTION                | TL        |            | RADIAL | TEREX ROUGH TERRAIN FORKLIFT 5K                               |
| 2610-01-510-4874 | ST205/75D15     | OVER THE ROAD UTILITY TRAILER                 | TL        | C L/R      | RADIAL |   |
| 2610-01-512-1944 | 10.00R22.5      | OVER THE ROAD TRUCK-BUS                       | TT        | G L/R      | RADIAL | TCFE3204 BUS, BLUE BIRD                                       |
| 2610-01-514-3999 | 315/80R22.5 XDY | OFF THE ROAD                                  | TL        | L L/R      | RADIAL | M916A3  |
| 2610-01-514-8641 | 23.5-25         | OFF THE ROAD TRACTION                         | TL        | 16 PLY     | BIAS   | 613CS SCRAPER, 11YD / 613CWD DISTRIB. WATER                   |
| 2610-01-517-1881 | 355/65R15       | IND. Material Handling Cross Country Traction | TL        | L L/R      | RADIAL | AF 25K HALVERSON LOADER                                       |
| 2610-01-517-5835 | 14.00R24        | OFF THE ROAD TRACTOR ,DRIVE WHEEL TRACTION    | TL        | N L/R      | RADIAL | IHMEE Tire  |
| 2610-01-518-5292 | 275/70R22.5     | ON/OFF ROAD TIRE HIGHWAY REGULAR              | TL        | J L/R      | RADIAL | M870A3 Trailer  |
| 2610-01-519-0940 | 255/70R22.5 XZE | Over The Road Materiel Handling, HWY Reg      | TL        | H L/R      | RADIAL | M871A3 Trailer  |
| 2610-01-525-6667 | ST205/75R14     | Over The Road Special Trailer HWY Reg         | TL        | C L/R      | RADIAL | M1100 Mortar Trailer  |
| 2610-01-527-8260 | 325/85R16       | MILITARY,TRK/BUS AS M&S                       | TL        | D L/R      | RADIAL | USMC LAV:25, Anit-Tank, Mortar Logistics, C2, Recovery, MEWSS |

**BIAS Listing by Size****TEAM TIRE CATALOG****Jan. 05**

| SIZE         | TIRE DESCRIPTION                   | AIR   | LOAD   | KNOWN END ITEM APPLICATIONS |                  |  |
|--------------|------------------------------------|-------|--------|-----------------------------|------------------|--|
|              |                                    | RETEN | RANGE  | PLY                         | NSN              |  |
| 2.125-26     | OVER THE ROAD BICYCLE HREG         | TT    | A L/R  | BIAS                        | 2610-00-350-9961 |  |
| 2.50/2.80-4  | INDUSTRIAL FORKLIFT GRIP REGULAR   | TT    | B L/R  | BIAS                        | 2610-00-528-7578 |  |
| 3.40-5       | INDUSTRIAL MATERIAL HANDLING HREG  | TT    | B L/R  | BIAS                        | 2610-00-050-9510 | M1022 DOLLY SET, LIFT TRANS  |
| 4.00/4.80-8  | AGRICULTURAL IMPLEMENT SMOOTH      | TL    | 4 PLY  | BIAS                        | 2610-00-555-0305 |  |
| 4.00/4.80-8  | INDUSTRIAL STEERING WHEEL HREG     | TT    | B L/R  | BIAS                        | 2610-00-528-9701 | MSE DISTRIBUTOR,WATER,1KG  |
| 4.00/4.80-8  | INDUSTRIAL STEERING WHEEL RIB      | TT    | 4 PLY  | BIAS                        | 2610-00-528-7593 | AF, Centerline Stores Loader - F16   |
| 4.00/4.80-8  | INDUSTRIAL STEERING WHEEL RIB      | TL    | C L/R  | BIAS                        | 2610-00-237-3045 | INDUSTRIAL STEERING WHEEL RIB  |
| 4.00/4.80-8  | OVER THE ROAD UTILITY TRAILER HREG | TL    | C L/R  | BIAS                        | 2610-00-472-1404 |  |
| 4.00/4.80-12 | OFF THE ROAD IMPLEMENT RIB         | TT    | 4 PLY  | BIAS                        | 2610-00-294-5437 |  |
| 4.10-4       | INDUSTRIAL FORKLIFT HREG           | TT    | A L/R  | BIAS                        | 2610-00-061-0550 |  |
| 4.10-6       | INDUSTRIAL IMPLEMENT RIB           | TT    | 4 PLY  | BIAS                        | 2610-00-050-9560 |  |
| 4.80-8.0     | FLIGHT LINE                        | TT    | C L/R  | BIAS                        | 2610-01-452-2933 | TRAILER, LOW PLATFORM  |
| 4.80-8.0     | INDUSTRIAL FORKLIFT RIB            | TT    | 6 PLY  | BIAS                        | 2610-00-050-9730 | 1000-50 WATER DISTRIB,1KG<br>W15A4112 WATER DISTRIB,1KG<br>W15A WATER DISTRIB,1KG<br>W15B DISTRIBUTOR, WATER TRUCK<br>AF MD-1 TOWBAR |
| 4.80-8       | INDUSTRIAL MATERIAL HANDLING RIBMU | TL    | 4 PLY  | BIAS                        | 2610-00-766-0210 |  |
| 5.00-8       | INDUSTRIAL FORKLIFT TRACTION       | TT    | D L/R  | BIAS                        | 2610-00-726-7646 |  |
| 5.00-8       | INDUSTRIAL FORKLIFT RIB            | TT    | C L/R  | BIAS                        | 2610-00-528-9631 |  |
| 5.00/5.70-8  | INDUSTRIAL FORKLIFT HWY REG        | TT    | D L/R  | BIAS                        | 2610-00-142-5135 |  |
| 5.00/5.70-8  | INDUSTRIAL UTILITY TRAILER RIB     | TL    | C L/R  | BIAS                        | 2610-00-528-9705 |  |
| 5.00/5.70-8  | INDUSTRIAL FORKLIFT RIB            | TT    | D L/R  | BIAS                        | 2610-00-528-9633 |  |
| 5.00-15      | AGRICULTURAL STEERING WHEEL RIBD/T | TT    | 4 PLY  | BIAS                        | 2610-00-294-9293 |  |
| 5.30-6       | INDUSTRIAL MATERIAL HANDLING GRO   | TT    | 2 PLY  | BIAS                        | 2610-00-433-2496 |  |
| 5.30-6       | INDUSTRIAL STEERING WHEEL RIB      | TT    | B L/R  | BIAS                        | 2610-00-237-3141 |  |
| 5.30-12      | INDUSTRIAL MINNING HWY REGULAR     | TL    | B L/R  | BIAS                        | 2610-00-555-5743 | AF MHE TOW TRACTOR   |
| 5.70-8       | FORKLIFT                           | TT    | 6 PLY  | BIAS                        | 2610-01-376-8538 | AIR FORCE MOLT   |
| 6.00-16      | AGRICULTURAL IMPLEMENT RIB MULT    | TT    | 4 PLY  | BIAS                        | 2610-00-756-1268 |  |
| 6.00-9       | INDUSTRIAL UTILITY TRAILER HREG    | TT    | E L/R  | BIAS                        | 2610-00-050-9880 | 1696C366F RAMP,MOBILE LOADING<br>FJF040 TRUCK,FORKLIFT,4K  |
| 6.00-9       | INDUSTRIAL FORKLIFT GRIP DEEP      | TT    | 12 PLY | BIAS                        | 2610-01-238-9684 |  |
| 6.00-9       | INDUSTRIAL IMPLEMENT HREG          | TT    | D L/R  | BIAS                        | 2610-00-050-9870 | SPREADER AGGREGATE   |

**BIAS Listing by Size****TEAM TIRE CATALOG****Jan. 05**

| SIZE    | TIRE DESCRIPTION                   | AIR LOAD |       |      | NSN              | KNOWN END ITEM APPLICATIONS   |
|---------|------------------------------------|----------|-------|------|------------------|---|
|         |                                    | REten    | RANGE | PLY  |                  |   |
| 6.00-9  | INDUSTRIAL IMPLEMENT RIB (DUAL SZ) | TT       | C L/R | BIAS | 2610-00-050-9840 | CTA-40 TRACTOR WHEELED<br>MT40MA-RS TRACTOR WAREHOUSE<br>MT40 TRACTOR WAREHOUSE<br>G40 TRUCK,FORK LIFT 4K<br>G40A TRUCK,FORKLIFT 4K<br>G40C TRACTOR WHEELED   |
| 6.00-9  | Indust. & Underground Mining Rib   | TT       | E L/R | BIAS | 2610-00-455-7106 |   |
| 6.00-16 | OVER THE ROAD LIGHT TRUCK H MS     | TT       | C L/R | BIAS | 2610-00-752-7610 | M416 TRAILER,CARGO 1/4 TON<br>M416B1 TRAILER,CARGO 1/4 TON  |
| 6.00-16 | AGRICULTURAL IMPLEMENT RIB MULT    | TT       | 6 PLY | BIAS | 2610-00-051-1270 |   |
| 6.50-10 | INDUSTRIAL FORKLIFT GRIP REGULAR   | TT       | E L/R | BIAS | 2610-00-726-7648 | 502PG40-24 TRUCK,FORKLIFT,4K<br>CTA40 TRACTOR,WHD,WAREHOUSE<br>MHE190A TRUCK,FORKLIFT,4K<br>502PG402414 TRUCK,FORKLIFT,4K,RT<br>C500Y45 TRUCK,FORKLIFT,4K<br>ACP-40PS14 TRUCK,FORKLIFT,4K,SR<br>502PG402410 TRUCK,FORKLIFT,4K,RT<br>MHE190B TRUCK,FORKLIFT,4K<br>H60XL-MIL TRUCK,FORKLIFT,6K,DB |
| 6.50-10 | INDUSTRIAL MATERIAL HANDLING RIB   | TT       | C L/R | BIAS | 2610-00-350-9965 | GS4P4024 TRUCK,FORKLIFT,4K  |
| 6.50-10 | INDUSTRIAL FORKLIFT TRACTION       | TT       | E L/R | BIAS | 2610-00-246-2829 | FG30N7 TRUCK,FORKLIFT,4K#,GED<br>HYSTER H30XM FORK,DRIVE AXLE   |
| 6.50-10 | INDUSTRIAL FORKLIFT RIB            | TT       | E L/R | BIAS | 2610-00-051-0210 | 950BS LOADER, SCOOP,2-1\2YD<br>950BSCE LOADER, SCOOP TYPE 2,SE  |
| 6.50-16 | AGRICULTURAL STEERING WHEEL RIB    | TT       | 6 PLY | BIAS | 2610-00-294-9311 |   |
| 6.50-16 | OVER THE ROAD LIGHT TRUCK HREG     | TT       | C L/R | BIAS | 2610-00-142-5389 | CTA-40 TRACTOR,WHEELED<br>GC340-4 TRACTOR,WHEELED<br>G40C TRACTOR,WHEELED<br>JG40PT TRACTOR,WAREHOUSE   |

**BIAS Listing by Size****TEAM TIRE CATALOG****Jan. 05**

| SIZE        | TIRE DESCRIPTION                  | AIR LOAD |        |      |                  | KNOWN END ITEM APPLICATIONS  |
|-------------|-----------------------------------|----------|--------|------|------------------|--|
|             |                                   | REten    | RANGE  | PLY  | NSN              |  |
| 6.50-16     | OVER THE ROAD LIGHT TRUCK HREG    | TT       | C L/R  | BIAS | 2610-00-142-5389 | G40A TRUCK,FORKLIFT,4K<br>G40 TRUCK,FORKLIFT,4K<br>CTA-40 TRACTOR WHEELED,Warehouse  |
| 6.70-15     | AGRICULTURAL IMPLEMENT RIB        | TL       | 4PLY   | BIAS | 2610-00-684-1896 |  |
| 6.70-15     | OVER THE ROAD LIGHT TRUCK HREG    | TL       | C L/R  | BIAS | 2610-00-528-9571 |  |
| 6.90-9      | INDUSTRIAL IMPLEMENT HREG         | TT       | D L/R  | BIAS | 2610-00-050-9870 | FF-8 SPREADER AGGREGATE  |
| 6.90/6.00-9 | INDUSTRIAL UTILITY TRAILER HREG   | TL       | C L/R  | BIAS | 2610-00-755-6993 |  |
| 6.90/6.00-9 | INDUSTRIAL FORKLIFT TRACTION LUG  | TT       | E L/R  | BIAS | 2610-00-726-7647 | H40XL-MIL TRUCK,FORKLIFT,4K,BB   |
| 6.90/6.00-9 | INDUSTRIAL TRACTOR DR WH TRACTION | TT       | E L/R  | BIAS | 2610-00-455-7106 |  |
| 7.00-12     | INDUSTRIAL FORKLIFT TRACTION      | TT       | F L/R  | BIAS | 2610-01-262-6038 | H40XL-MIL TRUCK,FORKLIFT,4K,BB<br>H60XL-MIL TRUCK,FORKLIFT,6,DBK   |
| 7.00-12     | INDUSTRIAL FORKLIFT ROCK REGULAR  | TT       | F L/R  | BIAS | 2610-00-455-7138 | 502PG40-24 TRUCK,FORKLIFT,4K<br>502PG402414 TRUCK,FORKLIFT,4K,RT<br>MHE190A TRUCK,FORKLIFT,4K<br>MHE190B TRUCK,FORKLIFT,4K<br>613BSNS1 SCRAPER,TYPE 1<br>502PG402410 TRUCK,FORKLIFT,4K,RT<br>613BSS1 SCRAPER,TYPE 2<br>613BSS SCRAPER,TRK,ELV,SP,9 YD<br>613BSNS SCRAPER,TRK,ELV,SP,9 YD<br>FJF040 TRUCK,FORKLIFT,4K |
| 7.00-15     | OFF THE ROAD MINING-LOG ROCK REG  | TT       | 12 PLY | BIAS | 2610-00-528-9651 | H60XL-MIL TRUCK,FORKLIFT,6K,DB   |
| 7.00-15     | OVER THE ROAD LIGHT TRUCK HREG    | TL       | D L/R  | BIAS | 2610-00-489-8013 |  |
| 7.00-15     | OVER THE ROAD LIGHT TRUCK HREG    | TT       | C L/R  | BIAS | 2610-00-269-7756 |  |
| 7.00-15     | OVER THE ROAD LIGHT TRUCK H MS    | TT       | C L/R  | BIAS | 2610-00-262-8772 |  |
| 7.00-15     | OVER THE ROAD LIGHT TRUCK H MS    | TT       | D L/R  | BIAS | 2610-00-262-8769 |  |
| 7.00-16     | MILITARY LIGHT TRUCK CC           | TT       | C L/R  | BIAS | 2610-00-678-1363 | 16SM MIXER,CONCRETE,TM,16 CU<br>M716 TRAILER,MAINT,TELEPHONE<br>M416B1 TRAILER,CARGO,114 TON<br>M569E1 TRAILER,CARGO,314 TON   |

***BIAS Listing by Size***
***TEAM TIRE CATALOG***
***Jan. 05***

| SIZE       | TIRE DESCRIPTION                   | AIR LOAD |                  |  |                  | KNOWN END ITEM APPLICATIONS   |
|------------|------------------------------------|----------|------------------|--|------------------|---|
|            |                                    | REten    | RANGE            | PLY  | NSN              |   |
| TT         | C L/R                              | BIAS     | 2610-00-678-1363 | M569 TRAILER,CARGO,14 TON<br>M100 TRLR AMPHIBIOUS, 1 1/2 TON<br>M416A1 TRAILER,CARGO,1 1/4 TON<br>HBG MIXER CONCRETE,TM,16 CU<br>M367 TRAILER,,MAINTENANCE<br>M416 TRAILER,CARGO,1 1/4 TON |                  |   |
| 7.00-16    | MILITARY LIGHT TRUCK CC            | TT       |                  |  |                  |   |
| 7.00-22.50 | OVER THE ROAD TRUCK-BUS H MS       | TL       | D L/R            | BIAS   | 2610-00-540-5561 |   |
| 7.50-10    | OFF THE ROAD FORKLIFT HREG         | TT       | 12 PLY           | BIAS   | 2610-01-080-4237 |   |
| 7.50-10    | INDUSTRIAL MATERIAL HANDL TRACTION | TT       | 12 PLY           | BIAS   | 2610-00-726-7650 | 613BWDS DIS.WATER,TK,SP.TYPE 2  |
| 7.50-10    | INDUSTRIAL MATERIAL HANDLING HREG  | TT       | H L/R            | BIAS   | 2610-00-528-9620 |   |
| 7.50-10    | INDUSTRIAL UTILITY TRAILER HREG    | TT       | E L/R            | BIAS   | 2610-00-472-1400 |   |
| 7.50-10    | INDUSTRIAL STEERING WHEEL RIB      | TT       | C L/R            | BIAS   | 2610-00-294-9317 |   |
| 7.50-10    | INDUSTRIAL STEERING WHEEL RIB      | TT       | E L/R            | BIAS   | 2610-00-269-7524 | 60MCNRS TRUCK,FORKLIFT,6K<br>FP60-24PS TRUCK,FORKLIFT,6K<br>FJF060 TRUCK,FORKLIFT,6K<br>GPA51AT60 TRUCK,FORKLIFT,6K<br>M0M02 TRUCK,FORKLIFT,6K<br>60MCRS TRUCK,FORKLIFT,6K<br>M709 TRAILER,PLATFORM,3/4 TON |
| 7.50-15    | INDUSTRIAL FORKLIFT ROCK REG       | TT       | F L/R            | BIAS   | 2610-00-455-7247 |   |
| 7.50-15    | OVER THE ROAD TRUCK-BUS HREG       | TT       | F L/R            | BIAS   | 2610-00-294-4944 | M789 TRAILER, FLATBED, 6 TON  |
| 7.50-15    | INDUSTRIAL FORKLIFT TRACTION       | TT       | 12 PLY           | BIAS   | 2610-00-061-1123 | FP60-24PS TRUCK,FORKLIFT,6K   |
| 7.50-16    | AGRICULTURAL IMPLEMENT RIB         | TT       | 10 PLY           | BIAS   | 2610-00-618-5676 |   |
| 7.50-16    | OVER THE ROAD LIGHT TRUCK HREG     | TT       | E L/R            | BIAS   | 2610-00-139-3706 |   |
| 7.50-16    | AGRICULTURAL IMPLEMENT RIB MULT    | TT       | 6 PLY            | BIAS   | 2610-00-051-1580 |   |
| 7.50-16    |                                    | TT       | E L/R            | BIAS   | 2610-00-000-0182 | M720 DOLLY SET, SHELTER<br>750DP COMPRESSOR, ROTARY,TRLR MT   |
| 7.50-18    | OVER THE ROAD TRK/BUS AS           | TT       | G L/R            | BIAS   | 2610-00-294-4943 | MHU-7/M BOMB TRAILER  |
| 7.50-18    | AGRICULTURAL IMPLEMENT GRIP REG    | TT       | 4PLY             | BIAS   | 2610-00-294-5458 |   |
| 7.50-20    | OVER THE ROAD TRUCK-BUS HREG       | TT       | D L/R            | BIAS   | 2610-00-350-9970 |   |
| 7.50-20    | OVER THE ROAD TRUCK-BUS H MS       | TT       | E L/R            | BIAS   | 2610-00-294-4927 | 29690 TRUCK,CRANE,WAREHOUSE   |
| 7.50-20    | OVER THE ROAD TRUCK-BUS HREG       | TT       | E L/R            | BIAS   | 2610-00-204-3914 |   |
| 7.60-15    | AGRICULTURAL IMPLEMENT RIB         | TT       | 6 PLY            | BIAS   | 2610-00-555-0333 |   |

**BIAS Listing by Size****TEAM TIRE CATALOG****Jan. 05**

| SIZE       | TIRE DESCRIPTION                       | AIR    |             | LOAD             |                  | KNOWN END ITEM APPLICATIONS  |
|------------|--|--------|-------------|------------------|------------------|--|
|            |  | RETE   | RETEN RANGE | PLY              | NSN              |  |
| 8.00-6     | INDUSTRIAL STEERING WHEEL RIB          | TT     | B L/R       | BIAS             | 2610-00-556-5084 |  |
| 8.00-14.50 | OVER THE ROAD LIGHT TRUCK HREG         | TL     | F L/R       | BIAS             | 2610-00-945-3320 | 1696C366F RAMP,MOBILE LOADING<br>SSASYR1692 RAMP,MOBILE LOADING,   |
| 8.00-16    | OVER THE ROAD, RIB                     | TL     | D L/R       | BIAS             | 2610-01-441-3739 | TOW TRACTOR  |
| 8.00-16    | INDUSTRIAL TRACTOR WH DRIVE RIB MUL TL | 10 PLY | BIAS        | 2610-01-269-1243 |                  |  |
| 8.00-16.50 | OVER THE ROAD LIGHT TRUCK HREG         | TL     | D L/R       | BIAS             | 2610-00-177-6878 | AF BOBTAIL TOW TRACTOR   |
| 8.00-16.50 | OVER THE ROAD LIGHT TRUCK HREG         | TT     | C L/R       | BIAS             | 2610-00-177-6877 |  |
| 8.00-17    | INDUSTRIAL LIGHT TRUCK RIB             | TT     | J L/R       | BIAS             | 2610-01-481-7816 | NAVY TOW TRACTOR   |
| 8.00-19.50 | OVER THE ROAD TRUCK-BUS HREG           | TL     | D L/R       | BIAS             | 2610-00-203-2089 |  |
| 8.00-22.50 | OVER THE ROAD TRUCK-BUS H MS           | TL     | E L/R       | BIAS             | 2610-00-540-5551 |  |
| 8.25-15    | INDUSTRIAL MATERIAL HANDL TRACTION TT  | 12 PLY | BIAS        | 2610-00-728-0151 |                  |  |
| 8.25-15    | OFF THE ROAD LOAD DOZER ROCK REG       | TT     | 12 PLY      | BIAS             | 2610-00-294-5392 | MHE178C TRUCK,FORKLIFT,15K   |
| 8.25-15    | OVER THE ROAD LOW PLTFM TRLR HREG      | TT     | G L/R       | BIAS             | 2610-00-294-4800 |  |
| 8.25-15    | OVER THE ROAD TRUCK-BUS HREG           | TT     | F L/R       | BIAS             | 2610-00-294-4799 | H150C TRUCK,FORKLIFT,15K<br>MHE170A TRUCK,FORKLIFT,15K<br>H150F TRUCK,FORKLIFT,15K<br>MHE178B TRUCK,FORKLIFT,15K<br>MHE178C TRUCK,FORKLIFT,15K |
| 8.25-20    | OVER THE ROAD TRUCK-BUS H MS           | TT     | E L/R       | BIAS             | 2610-00-944-6995 | M876 TRUCK,TELEPHONE,MAINT   |
| 8.25-20    | OFF THE ROAD ROAD GRADER RIB           | TT     | 6 PLY       | BIAS             | 2610-00-294-5344 |  |
| 8.25-20    | MILITARY TRUCK-BUS H MS                | TT     | F L/R       | BIAS             | 2610-00-262-8809 | B2-1171 MIXER,TILLER,ROTARY<br>CY1508 TRUCK,FORKLIFT,15K   |
| 8.25-20    | OVER THE ROAD TRUCK-BUS HREG           | TT     | E L/R       | BIAS             | 2610-00-204-3939 | TRAILER,BOLSTER,2 1/2 T  |
| 8.25-20    | OVER THE ROAD TRUCK-BUS HREG           | TT     | F L/R       | BIAS             | 2610-00-060-9959 |  |
| 8.75-16.50 | OVER THE ROAD LIGHT TRUCK RIB          | TL     | D L/R       | BIAS             | 2610-00-489-8079 |  |
| 9.00-10    | INDUSTRIAL MATERIAL HANDLING RIB       | TT     | 10 PLY      | BIAS             | 2610-00-051-0060 |  |
| 9.00-15    | OVER THE ROAD TRUCK-BUS HREG           | TT     | F L/R       | BIAS             | 2610-00-294-4801 |  |
| 9.00-16    | OVER THE ROAD LIGHT TRUCK H MS         | TT     | D L/R       | BIAS             | 2610-00-540-4719 | SPREADER,AGGREGATE<br>M119 105MM HOWITZER<br>FF-8 SPREADER,AGGREGATE<br>DR600 COMPRESSOR,ROTARY,WHL  |

***BIAS Listing by Size******TEAM TIRE CATALOG******Jan. 05***

| SIZE    | TIRE DESCRIPTION                | AIR LOAD |       |      |                  | KNOWN END ITEM APPLICATIONS  |
|---------|---------------------------------|----------|-------|------|------------------|--|
|         |                                 | RETEN    | RANGE | PLY  | NSN              |  |
| 9.00-16 | OVER THE ROAD LIGHT TRUCK H MS  | TT       | D L/R | BIAS | 2610-00-540-4719 | DR600W COMPRESSOR,ROTARY,WHL<br>M116A2 3/4 TON TRAILER   |
| 9.00-20 | OVER THE ROAD TRUCK-BUS H MS    | TT       | F L/R | BIAS | 2610-00-944-7000 | 29690 TRUCK,CRANE,WAREHOUSE<br>10F CRANE,TRUCK,WAREHOUSE<br>PHILIPPINE M35<br>AF GMC DUMP  |
| 9.00-20 | OFF THE ROAD TRACTION TRUCK-BUS | TT       | E L/R | BIAS | 2610-00-944-6999 | DISTRIBUTOR,BIT,TRL MTD  |
| 9.00-20 | OVER THE ROAD TRUCK-BUS HREG    | TT       | E L/R | BIAS | 2610-00-275-7995 | PNEU TOOL,600CFM<br>DR600 COMPRESSOR,ROTARY,AIR<br>M 1006 TRAILER, VAN, NBC,6T<br>PH70 BELT,CONVEYOR<br>200STM HEATER,OIL&ELEC,TRL MT  |
| 9.00-20 | OVER THE ROAD T-B CROSS COUNTRY | TT       | D L/R | BIAS | 2610-00-262-8677 | HTD-A-67 DRIER-MIXER,BIT,CONCRETE<br>M105A2 TRAILER,CARGO,1 1/2 TON<br>M107A2C TRAILER,WATER,400 GAL<br>M107A2 TRAILER,WATER,400 GAL<br>M103A1 TRAILER,CARGO,1 1/2 TON<br>M105A1 TRAILER,CARGO,1 1/2 TON<br>M107A1 TRAILER,WATER,400 GAL.<br>M103A3 TRAILER,CARGO,1 1/2 TON<br>M295A1 TRAILER,VAN,6 TON<br>M313 TRAILER,VAN,EXPANDABLE<br>M749 TRAILER,VAN,PARTS,6 TON<br>M295 TRAILER,VAN,6 TON<br>M200 TRAILER,GENERATOR<br>M200A1 TRAILER,GENERATOR<br>M197A1 TRAILER,DOLLY,CONVERTER<br>M119 TRAILER,VAN,6 TON<br>M119A1 TRAILER,VAN,6 TON<br>M118A1 TRAILER,STAKE,6 TON |

***BIAS Listing by Size******TEAM TIRE CATALOG******Jan. 05***

| SIZE    | TIRE DESCRIPTION                | AIR LOAD |       |      |                  | KNOWN END ITEM APPLICATIONS  |
|---------|---------------------------------|----------|-------|------|------------------|--|
|         |                                 | RETEN    | RANGE | PLY  | NSN              |  |
| 9.00-20 | OVER THE ROAD T-B CROSS COUNTRY | TT       | D L/R | BIAS | 2610-00-262-8677 | M50A3 TRUCK,TANK,WATER,6X6 W/W<br>M109A3 TRUCK,VAN,SHOP,W/W,6X6<br>M185A3 TRUCK,INST. REPAIR<br>M50A3 TRUCK,TANK,WATER,W/W<br>M457 TRAILER,MAINTENANCE<br>M508C TRAILER,VAN<br>M105A2 TRAILER,CARGO,1 1/2 TON<br>M448 TRAILER,VAN,SHOP,1 1/2 TON<br>M164E1 TRAILER,VAN<br>M458 TRAILER,MAINTENANCE<br>M459 TRAILER,MAINTENANCE<br>M164 TRAILER,VAN<br>M750 TRAILER,VAN,PARTS,6 TON<br>M348A2N TRAILER,VAN,ELECT,6 TON<br>M1007 TRAILER, VAN, ELECT,6T<br>M1005 TRAILER, VAN, ELECT,6T<br>M373A2C TRAILER,VAN,6 TON<br>M373A2D TRAILER,VAN,6 TON<br>M348A2 TRAILER,VAN,6 TON<br>M348A2G TRAILER,VAN,ELECT,6 TON<br>M558 TRAILER, VAN, 10 TON<br>M149A2 TRAILER,WATER,400 GAL<br>M822E1 TRLR, VAN,LUBE,PETRO<br>M556 TRAILER,VAN,6 TON<br>M832 DOLLY SET,TRANSFER,LIFT<br>M840 DOLLY SET,TRANSFER,LIFT<br>M555 TRAILER, VAN, 6TON<br>M348A2H TRAILER,VAN,ELECT,6 TON<br>M146C SEMITRAILER VANSHOP<br>M146F SEMITRAILER VAN 6T2W<br>M373A1 TRAILER,VAN,ELECT,3 TON<br>M146 TRAILER,VAN,SHOP,6 TON<br>M349A1 TRAILER,VAN,REFER,7 1/2 TON |

***BIAS Listing by Size******TEAM TIRE CATALOG******Jan. 05***

| SIZE    | TIRE DESCRIPTION                | AIR LOAD |       |      |                  | KNOWN END ITEM APPLICATIONS  |
|---------|---------------------------------|----------|-------|------|------------------|--|
|         |                                 | RETEN    | RANGE | PLY  | NSN              |  |
| 9.00-20 | OVER THE ROAD T-B CROSS COUNTRY | TT       | D L/R | BIAS | 2610-00-262-8677 | M349A3 TRAILER,VAN,REFER,7 1/2 TON<br>M349A4 TRAILER,VAN,7 1/2 TON<br>M348A2C TRAILER,VAN,ELECT,6 TON<br>M348A2D TRAILER,VAN,ELECT,6 TON<br>M348A2F TRAILER,VAN,ELECT,6 TON<br>M373 TRAILER,VAN,ELECT,3 TON<br>M333A1 TRAILER,VAN,SHOP,3 TON<br>M333A1C TRAINER,TRAILER,3 TON<br>M333 TRAILER,VAN,SHOP,3 TON<br>M349A2 TRAILER,VAN,REFER,7 1/2<br>M373A2 TRAILER,VAN,6TON<br>M35A2C TRUCK,CARGO,DS,2 1/2T,W/W<br>M394 TRAILER,VAN,ELECT,3 TON<br>M44A2 TRUCK,CARGO,2 1/2TON WO/W<br>M995 TRAILER, VAN,10 TON<br>M991E2 TRAILER, VAN,10 TON<br>M991E2 TRAILER, VAN,10 TON<br>M35A2 TRUCK,CARGO,2 1/2T,WO/W<br>M1065 TRAILER, VAN, 1 1/2 TON<br>M447C TRAILER,VAN,SHOP,6TON<br>M44A2 TRUCK,CARGO,2 1/2TON W/W<br>M373A5 TRAILER,VAN,6TON<br>M373A3 TRAILER,VAN,ELECTR,6TON<br>M373A4 TRAILER,VAN,6TON<br>M35A2C TRUCK,CARGO,DS,2 1/2T,WO/W<br>M395 TRAILER,VAN,ELECT,<br>M390 TRAILER,CARGO,2 TON<br>M348A2K TRAILER,VAN,ELECT,6TON<br>M447 TRAILER,VAN,SHOP,6TON<br>M995E2 TRAILER, VAN, 10 TON<br>M332 TRAILER,AMMO<br>M35A2 TRUCK,CARGO,2 1/2T,W/W<br>PM-415-MIL DRIER-MIXER,BITUMINOUS |

## BIAS Listing by Size

## TEAM TIRE CATALOG

Jan. 05

| SIZE          | TIRE DESCRIPTION                     | AIR LOAD |        |                  | NSN                            | KNOWN END ITEM APPLICATIONS  |
|---------------|--------------------------------------|----------|--------|------------------|--------------------------------|--|
|               |                                      | RETEN    | RANGE  | PLY              |                                |  |
| 9.00-20       | OVER THE ROAD T-B CROSS COUNTRY      | TT       | D L/R  | BIAS             | 2610-00-262-8677               | M794 TRAILER,CARGO,4 TON<br>M795 TRAILER,FLATBED,4 TON<br>M49A2C TRUCK,TANK,FUEL,W/W<br>M109A3 TRUCK,VAN,SHOP,6X6 WO/W<br>M50 TRUCK,TANK,WATER,WO/W<br>M36A2 TRUCK,CARGO,2 1/2T, W/O<br>M49A2C TRUCK,TANK,FUEL,WO/W<br>M971E2 TRAILER, VAN, 10 TON<br>M971E3 TRAILER,VAN, 10 TON<br>M971E1 TRAILER,VAN, 10 TON<br>M991E1 TRAILER, VAN,10 TON<br>M995E1 TRAILER,VAN, 10 TON<br>M537 TRAILER,BAKERY<br>M538 TRAILER,MIXER,DOUGH<br>M536 TRAILER,LAUNDRY<br>PSM-50M HEATER,BITUMINOUS |
| 9.00-20       | OVER THE ROAD TRUCK-BUS HREG         | TT       | F L/R  | BIAS             | 2610-00-204-4016               | M463 TRAILER, CONDITIONING,AIR CRUSHER,SCREEN PLANT<br>10FM CRANE,TRUCK,WAREHOUSE<br>PG70 BELT,CONVEYOR  |
| 9.00-22.50    | OVER THE ROAD TRUCK-BUS HREG         | TL       | E L/R  | BIAS             | 2610-00-528-9537               |  |
| 9.00-24       | AGRICULTURAL IMPLEMENT RIB           | TT       | 8 PLY  | BIAS             | 2610-00-555-0331               | HDS-E MIXER,TILLER,ROTARY  |
| 9.00-24       | AGRICULTURAL IMPLEMENT RIB           | TT       | 6 PLY  | BIAS             | 2610-00-541-9738               |  |
| 9.50-16.50    | OVER THE ROAD LIGHT TRUCK H MS       | TL       | E L/R  | BIAS             | 2610-00-489-8088               |  |
| 9.50-16.50    | OVER THE ROAD LIGHT TRUCK H MS       | TL       | D L/R  | BIAS             | 2610-00-489-8087               | M880 TRUCK,CARGO,1 1/4 TON   |
| 9.50-16.50    | OVER THE ROAD LIGHT TRUCK HREG       | TL       | E L/R  | BIAS             | 2610-00-489-8085               | P250WDM COMPRESSOR,AIS,250CFM  |
| 9.50-20       | AGRICULTURAL TRCTR RIB MULT CCMAR\TT | D L/R    | BIAS   | 2610-01-340-3929 | T0730H-KEG MIXER,ROTARY,TILLER |  |
| 9.75/10.00-20 |                                      | TT       | 14 PLY | BIAS             | 2610-00-269-9541               |  |
| 10.00-16.50   | OVER THE ROAD LIGHT TRUCK HREG       | TL       | D L/R  | BIAS             | 2610-00-489-8092               |  |
| 10.00-20      | OVER THE ROAD TRUCK-BUS H MS         | TT       | F L/R  | BIAS             | 2610-00-944-7002               | FP60-24PS TRUCK,FORKLIFT,6K  |
| 10.00-20      | OFF THE ROAD MINING-LOG GRIP REG     | TT       | 14 PLY | BIAS             | 2610-00-227-0353               |  |
| 10.00-20      | OVER THE ROAD TRUCK-BUS H MS         | TT       | G L/R  | BIAS             | 2610-00-204-4029               |  |

***BIAS Listing by Size******TEAM TIRE CATALOG******Jan. 05***

| SIZE        | TIRE DESCRIPTION                  | AIR LOAD |        |      | KNOWN END ITEM APPLICATIONS   |
|-------------|-----------------------------------|----------|--------|------|---|
|             |                                   | RETEN    | RANGE  | PLY  |   |
| 10.00-20    | OVER THE ROAD TRUCK-BUS HREG      | TT       | F L/R  | BIAS | 2610-00-204-4026<br>M1063, TRAILER,VAN,ELECT,TAC  |
| 10.00-20    | OVER THE ROAD TRUCK-BUS HREG      | TT       | G L/R  | BIAS | 2610-00-060-9960<br>M872 TRAILER,FLATBED,34 TON<br>TRAILER, VAN,12 TON<br>M872A1 TRAILER,FLATBED,34 TON<br>M872A3 TRAILER,FLATBED,34 TON<br>M872A2 TRAILER,FLATBED,34 TON   |
| 10.00-22    | OVER THE ROAD TRUCK-BUS HREG      | TT       | F L/R  | BIAS | 2610-00-204-4033  |
| 10.00-22    | OVER THE ROAD TRUCK-BUS H MS      | TT       | F L/R  | BIAS | 2610-00-294-4970  |
| 10.00-22.50 | OVER THE ROAD TURCK-BUS HREG      | TL       | F L/R  | BIAS | 2610-00-640-2111  |
| 11.00-15    | AGRICULTURAL IMPLEMENT GROOVED    | TL       | 8 PLY  | BIAS | 2610-01-027-5941  |
| 11.00-16    | AGRICULTURAL IMPLEMENT HREG       | TL       | E L/R  | BIAS | 2610-01-049-2796<br>JD410 TRACTOR,UTILITY,LOADER  |
| 11.00-16    | AG. STER WHEEL RIB MULTIPLE       | TL       | 12 PLY | BIAS | 2610-01-008-4694<br>JD410 TRACTOR,UTILITY,LOADER  |
| 11.00-16    | AGRICULTURAL TRACT DR WH GRIP REG | TT       | 8 PLY  | BIAS | 2610-00-402-9553  |
| 11.00-16    | AGRICULTURAL IMPLEMENT RIB        | TT       | 10 PLY | BIAS | 2610-00-233-8611  |
| 11.00-20    | OVER THE ROAD TRUCK-BUS TRACTION  | TT       | G L/R  | BIAS | 2610-01-156-9461<br>TMS300-5 CRANE,TRUCK,MTD,HYD 2  |
| 11.00-20    | OVER THE ROAD TRUCK-BUS H MS      | TT       | F L/R  | BIAS | 2610-00-944-7003  |
| 11.00-20    | OVER THE ROAD TRUCK-BUS H MS      | TT       | G L/R  | BIAS | 2610-00-294-6398<br>TMS300-5 CRANE,TRUCK,MTD,HYD,2T   |
| 11.00-20    | MILITARY TRUCK-BUS CROSS COUNTRY  | TT       | F L/R  | BIAS | 2610-00-262-8653<br>TRAILER,BOLSTER,2 1\2 T<br>M106 TRAILER, WATER,400 GALLON<br>M820A1 TRUCK,EXPANDABLE5T<br>M925 TRUCK,CARGO,DROPSIDE,5T<br>M967A1 TRAILER,TANKER,FUEL,5K<br>M1022 DOLLY SET,LIFT TRANS<br>M970 TRAILER,TANKER,FUEL 5K<br>M818 TRUCK,PRIME MOVER,5 TON<br>M127A1C TRAILER,STAKE,12 TON<br>M923 TRUCK,CARGO,DROPSIDE,5T<br>M815 TRUCK,BOLSTER,5 TON,6X6<br>M969 TRAILER,TANKER,FUEL,5K |

***BIAS Listing by Size******TEAM TIRE CATALOG******Jan. 05***

| SIZE     | TIRE DESCRIPTION                 | AIR LOAD |       |      |                  | KNOWN END ITEM APPLICATIONS  |
|----------|----------------------------------|----------|-------|------|------------------|--|
|          |                                  | RETEN    | RANGE | PLY  | NSN              |  |
| 11.00-20 | MILITARY TRUCK-BUS CROSS COUNTRY | TT       | F L/R | BIAS | 2610-00-262-8653 | M271A1 TRAILER,HAULING,POLE<br>M345 TRAILER,FLATBED,10 TON<br>M61A2 CHASSIS,TRUCK<br>MT250 CRANE,25 TON<br>M970A1 TRAILER,TANKER,FUEL,5K<br>M536 TRAILER,LAUNDRY<br>M813 TRUCK,CARGO,5 TON,6X6<br>M817 TRUCK,DUMP,5 TON,6X6<br>M131A5C TRAILER,TANKER,FUEL,5KG<br>M812A1 TRUCK,CARGO,5 TON,6X6<br>M810 TRUCK,CARGO,5 TON,6X6<br>M924 TRUCK,CARGO,5TON,6X6<br>M55A2 TRUCK,CARGO,5 TON,6X6<br>M969A1 TRAILER,TANKER,FUEL,5K<br>M967A1 TRAILER,TANKER,FUEL,5K<br>M941 TRUCK,CARGO,5 TON,W/O<br>M814 TRUCK,CARGO,5 TON,6X6<br>M813A1 TRUCK,CARGO,5TDROPSIDE<br>M820A2 TRUCK,EXPANDABLE<br>M52A2 TRUCK,PRIME MOVER,5 TON<br>M54A2 TRUCK,CARGO,5 TON,6X6<br>M131A4C TRAILER,TANKER,FUEL,5KG<br>M816 TRUCK,WRECKER, 5 TON, 6X6<br>M131A5 TRAILER,TANKER,FUEL,5KG<br>M131A4 TRAILER,TANKER,FUEL,5KG<br>M129A3 TRAILER,VAN 12TON<br>M128A2C TRAILER,VAN 12TON<br>M129 TRAILER,VAN 12TON<br>M127A1 TRAILER,STAKE,12 TON<br>M129A1C TRAILER,VAN 12TON |

***BIAS Listing by Size******TEAM TIRE CATALOG******Jan. 05***

| SIZE     | TIRE DESCRIPTION                 | AIR LOAD |       |      |                  | KNOWN END ITEM APPLICATIONS   |
|----------|----------------------------------|----------|-------|------|------------------|---|
|          |                                  | RETEN    | RANGE | PLY  | NSN              |   |
| 11.00-20 | MILITARY TRUCK-BUS CROSS COUNTRY | TT       | F L/R | BIAS | 2610-00-262-8653 | M129A2C TRAILER,VAN 12TON<br>M127 TRAILER,STAKE,12 TON<br>M128A1 TRAILER,VAN 12TON<br>M310 TRAILER, REEL,CABLE<br>M818 TRUCK,PRIME MOVER,5 TON<br>M128 TRAILER,VAN<br>M127A2C TRAILER,STAKE,12 TON<br>M353 TRAILER,CARGO,3 1\2 TON<br>M126A2C CHASSIS SEMITRAILER<br>M932 TRUCK,PRIME MOVER.W/W<br>M128A1C TRAILER,VAN 12TON<br>M126A1 TRAILER,CARGO<br>M935 TRUCK,VAN,EXP,HYD,6TON<br>M936 TRUCK,WRECKER,5TON, W/W<br>M930C TRUCK,DUMP,5 TON,W/W<br>M927 TRUCK,CARGO,XLWB,5TON<br>M926 TRUCK,CARGO,5TON,6X6<br>M198A1 TRAILER,DOLLY,CONVERTER<br>M928 TRUCK,CARGO,XLWB,5TON<br>M820 TRUCK,VAN,EXPANDABLE<br>M51A2 TRUCK,DUMP,5 TON,6X6<br>M934 TRK, VAN, EXPANDABLE,W<br>M1098 TRAILER,TANKER,WATER 5T<br>M929 TRUCK,DUMP,5 TON,WO/W<br>M931 TRUCK,PRIME MOVER.WO<br>M271 TRAILER,HAULING,POLE<br>M129A1 TRAILER,VAN 12TON |

**BIAS Listing by Size****TEAM TIRE CATALOG****Jan. 05**

| SIZE        | TIRE DESCRIPTION                 | AIR LOAD |                  |  |                  | KNOWN END ITEM APPLICATIONS   |
|-------------|----------------------------------|----------|------------------|--|------------------|---|
|             |                                  | RETEN    | RANGE            | PLY  | NSN              |   |
| TT          | F L/R                            | BIAS     | 2610-00-204-4091 | M131 TRAILER TANKER,FUEL,5KG<br>M131A2 TRAILER TANKER,FUEL,5KG<br>M871 TRAILER,FLATBED,22 1/2T<br>M871A1 TRAILER,TAC,22 1\2 TON<br>M131A3C TRAILER TANKER,FUEL,5KG |                  |   |
| 11.00-20    | OVER THE ROAD TRUCK-BUS HREG     | TT       | G L/R            | BIAS   | 2610-00-204-4060 |   |
| 11.00-22    | OVER THE ROAD TRUCK-BUS HREG     | TT       | G L/R            | BIAS   | 2610-00-262-8817 |   |
| 11.00-22    | OVER THE ROAD TRUCK-BUS HREG     | TT       | F L/R            | BIAS   | 2610-00-204-4098 |   |
| 11.00-22.50 | OVER THE ROAD TRUCK-BUS HREG     | TL       | F L/R            | BIAS   | 2610-00-528-9536 | R036 TRAILER, WATER,TANKER 6KG<br>Macleod WD6S-D 6K Water Distributor   |
| 11.20-24    | AGRICULTURAL TRACT DR WH GRIP RE | TT       | 6 PLY            | BIAS   | 2610-00-262-8663 |   |
| 12.00-16.50 | OVER THE ROAD TRUCK-BUS HREG     | TL       | F L/R            | BIAS   | 2610-01-204-4488 | M1048 TRAILER, FLATBED,6TON<br>M795 TRAILER,FLATBED,4 TON<br>M796A1 TRAILER, BOLSTER,4 TON<br>M796 TRAILER,BOLSTER,4 TON<br>M794 TRAILER,CARGO,4 TON<br>M1061E1 TRAILER,FLATBED,5TON<br>M979 TRAILER,CARGO,5TON<br>M1061 TRAILER,FLATBED,5TON |
| 12.00-20    | OVER THE ROAD TRUCK-BUS H MS     | TT       | G L/R            | BIAS   | 2610-00-944-7004 | M819 TRUCK,WRECKER,5TON   |
| 12.00-20    | OVER THE ROAD TRUCK-BUS HREG     | TT       | G L/R            | BIAS   | 2610-00-729-6654 |   |
| 12.00-20    | OVER THE ROAD TRUCK-BUS HREG     | TT       | H L/R            | BIAS   | 2610-00-725-2777 |   |
| 12.00-20    | MILITARY TRUCK-BUS H MS          | TT       | G L/R            | BIAS   | 2610-00-540-4725 | M246A2 TRUCK,PRIME MOVER,5 TON<br>857 DUST COLLECTING MACHINE<br>AF R9 REFUELER   |

***BIAS Listing by Size******TEAM TIRE CATALOG******Jan. 05***

| SIZE           | TIRE DESCRIPTION                      | AIR   |        | LOAD |                  | KNOWN END ITEM APPLICATIONS   |
|----------------|---------------------------------------|-------|--------|------|------------------|---|
|                |                                       | RETEN | RANGE  | PLY  | NSN              |   |
| 12.00-20       | OFF THE ROAD MINING-LOG ROCK REG      | TT    | 16 PLY | BIAS | 2610-00-294-9485 | F5070 TRUCK,DUMP,20TON  |
| 12.00-24       | OFF/OVER THE ROAD T-B TRACTION        | TT    | H L/R  | BIAS | 2610-00-489-8043 |   |
| 12.00-24       | OVER THE ROAD TRUCK-BUS H MS          | TT    | H L/R  | BIAS | 2610-00-262-8686 |   |
| 12.00-24       | OFF THE ROAD ROAD GRADER GRIP REG     | TL    | 12 PLY | BIAS | 2610-00-060-8887 |   |
| 12.00/11.25-24 | OFF THE ROAD ROAD GRADER ROCK DEE TT  |       | 8 PLY  | BIAS | 2610-00-555-2518 |   |
| 12.40-24       | AGRICULTURAL TRACTOR DR WH GRIPRE     | TT    | 4 PLY  | BIAS | 2610-00-269-7750 |   |
| 12.50-16       | AGRICULTURAL IMPLEMENT RIB            | TL    | 12 PLY | BIAS | 2610-01-076-9413 |   |
| 13.00/5.00-6   | INDUSTRIAL GARDEN TRACTOR RIB         | TL    | A L/R  | BIAS | 2610-01-182-7559 |   |
| 13.00-24       | OFF THE ROAD EARTHMOVER GRIP REG      | TL    | 12 PLY | BIAS | 2610-00-726-5147 | 120 GRADER,ROAD,DED,ROPS  |
| 13.00-24       | OFF THE ROAD ROAD GRADER GRIP REG     | TL    | 8 PLY  | BIAS | 2610-00-684-1849 | 130GNS GRADER,ROAD,HVY,SEC-N<br>130GS GRADER,ROAD,HVY,SEC   |
| 13.00-24       | OFF THE ROAD ROAD GRADER GRIP REG     | TT    | 12 PLY | BIAS | 2610-00-640-2071 |   |
| 13.00-24       | OFF THE ROAD ROAD GRADER GRIP DEEP TT |       | E L/R  | BIAS | 2610-00-640-2067 |   |
| 13.00-24       | OFF THE ROAD ROAD GRADER GRIP REG     | TL    | 10 PLY | BIAS | 2610-00-580-3221 | 120 GRADER,ROAD,DED,ROPS<br>440HA GRADER,ROAD,DIESEL<br>130G GRADER,ROAD,MOTOR,6W,A<br>130GNS GRADER,ROAD,HVY,SEC-N<br>130GSCE GRADER,ROAD,MOTORIZED<br>130GNSCE GRADER,ROAD,MOTORIZED<br>130GS GRADER,ROAD,HVY,SEC<br>M120 GRADER,ROAD,MOTORIZED |
| 13.00-24       | OFF THE ROAD EARTHMOVER GRIP REG      | TL    | 8 PLY  | BIAS | 2610-00-061-0544 |   |
| 13.60-28       | AGRICULTURAL TRACTOR DR WH GRIPRE     | TT    | 4 PLY  | BIAS | 2610-00-555-5728 |   |
| 14.00-16.10    | AGRICULTURAL IMPLEMENT RIB            | TL    | 6 PLY  | BIAS | 2610-01-082-3875 |   |
| 14.00-17.50    | OVER THE ROAD LIGHT TRUCK HREG        | TL    | E L/R  | BIAS | 2610-00-191-1023 |   |

**BIAS Listing by Size****TEAM TIRE CATALOG****Jan. 05**

| SIZE           | TIRE DESCRIPTION                  | AIR   |       | LOAD   |      | NSN              | KNOWN END ITEM APPLICATIONS   |
|----------------|-----------------------------------|-------|-------|--------|------|------------------|---|
|                |                                   | RETEN | RANGE | PLY    | BIAS |                  |   |
| 14.00-20       | MILITARY TRUCK-BUS CROSS COUNTRY  | TT    | F L/R |        |      | 2610-00-204-2545 | M126A2C CHASSIS SEMITRAILER<br>M126A1 TRAILER,CARGO<br>M127A1 TRAILER,STAKE,12 TON<br>M945 TRUCK,CARGO,5TON,W/W<br>M812A1 TRUCK,CARGO,5 TON,6X6<br>M127A2C TRAILER,STAKE,12 TON<br>M127A1C TRAILER,STAKE,12 TON<br>M128 TRAILER,VAN<br>M821 TRUCK,CARGO,5 TON,6X6<br>M320T2 CRANE,TRUCK,MTD,GAS<br>M129A1C TRAILER,VAN,12 TON<br>M129A2C TRAILER,VAN,12 TON<br>M129 TRAILER,VAN,12 TON<br>M128A1C TRAILER,VAN,12 TON<br>M128A2C TRAILER,VAN,12 TON<br>M41 TRUCK CARGO |
| 14.00-24       | OFF THE ROAD ROAD GRADER GRIP REG | TT    |       | 10 PLY | BIAS | 2610-00-640-2084 |   |
| 14.00-24       | OFF THE ROAD LOAD DOZER GRIP REG  | TL    |       | 12 PLY | BIAS | 2610-00-528-7138 |   |
| 14.00-24       | OFF THE ROAD MINING-LOG ROCK REG  | TT    |       | 24 PLY | BIAS | 2610-00-294-9488 |   |
| 14.00-24       | OFF THE ROAD ROAD GRADER GRIP REG | TL    |       | 16 PLY | BIAS | 2610-00-021-1961 |   |
| 14.00/16.90-24 | OFF THE ROAD MINING-LOG ROCK REG  | TT    |       | 20 PLY | BIAS | 2610-00-269-9501 | HC-238A CRANE,TRUCK MTD,140 TON<br>6250CT CRANE,MOBILE,250TON<br>FJF060 TRUCK,FORKLIFT,6K<br>FP60-24PS TRUCK,FORKLIFT,6K<br>GPA51AT60 TRUCK, FORKLIFT,6K<br>M0M02 TRUCK,FORKLIFT,6K<br>M709 TRAILER,PLATFORM,3/4 TON<br>60MCRS TRUCK,FORKLIFT,6K<br>60MCNRS TRUCK,FORKLIFT,6K   |
| 14.00/16.90-24 | OFF THE ROAD MINING-LOG ROCK REG  | TT    |       | 20 PLY | BIAS | 2610-00-269-9501 |   |
| 14.90-24       | AGRICULTURAL TRACTOR DR WH GRIPRE | TT    |       | 6 PLY  | BIAS | 2610-00-555-5726 |   |
| 14.90-24       | AGRICULTURAL TRACTOR DR WH GRIPRE | TT    |       | 6 PLY  | BIAS | 2610-00-269-9561 |   |
| 14.90-24       | AGRICULTURAL TRACTOR DR WH        | TL    |       | 6 PLY  | BIAS | 2610-01-470-4615 | CONST. EQUIP VIB ROLLERS  |

**BIAS Listing by Size****TEAM TIRE CATALOG****Jan. 05**

| SIZE        | TIRE DESCRIPTION                        | AIR   |        | LOAD |                  | KNOWN END ITEM APPLICATIONS  |
|-------------|---|-------|--------|------|------------------|--|
|             |   | RETEN | RANGE  | PLY  | NSN              |  |
| 14.90-24    | AGRICULTURAL DR WH DIAMOND              | TL    | 6 PLY  | BIAS | 2610-01-470-9034 | CONST. EQUIP VIB ROLLERS   |
| 14.90-38    | AGRICULTURAL TRACTOR DR WH GRIP DEEP TT | TT    | 6 PLY  | BIAS | 2610-00-294-9428 |  |
| 15.00-19.50 | MILITARY FORKLIFT TRACTION              | TL    | D L/R  | BIAS | 2610-01-320-0460 | 8909-3 ROUGH TERRAIN FORKLIFT<br>M4K TRUCK,FORKLIFT,4K,RT<br>TRUCK,FORKLIFT,4K   |
| 15.00-19.50 | OVER THE ROAD TRUCK-BUS HREG            | TL    | G L/R  | BIAS | 2610-00-840-9270 | M747 TRAILER,LOWBED,52 TON<br>M989 TRAILER,AMMO,HVY,EXP,11   |
| 15.00-22.50 | OVER THE ROAD TRUCK-BUS H MS            | TL    | H L/R  | BIAS | 2610-00-139-3701 |  |
| 15.00-28    | AGRICULTURAL TRACTOR DR WH GRIP REG TT  | TT    | 6 PLY  | BIAS | 2610-00-269-9516 |  |
| 15.50-25    | OFF THE ROAD LOAD DOZER ROCK XDEEF TL   | TL    | 12 PLY | BIAS | 2610-01-124-9331 |  |
| 15.50-25    | OFF THE ROAD LOAD DOZER GRIP DEEP TL    | TL    | 12 PLY | BIAS | 2610-01-010-0194 | ARTFT6 TRUCK,FORKLIFT,6K<br>RTFT6 ROPS TRUCK,FORKLIFT,6K   |
| 16/6.50-8   | IND GARDEN TRTR GRIP REG SUPR TERA TL   | TL    | 4 PLY  | BIAS | 2610-01-056-8756 |  |
| 16.00-24    | OFF THE ROAD ROAD GRADER GRIP REG TT    | TT    | 12 PLY | BIAS | 2610-00-640-2099 |  |
| 16.00-24    | OFF THE ROAD ROAD GRADER ROCK REG TT    | TT    | 24 PLY | BIAS | 2610-00-294-9493 |  |
| 16.00-25    | OFF THE ROAD MINING-LOG ROCK REG TL     | TL    | 24 PLY | BIAS | 2610-00-528-9673 |  |
| 16.00-25    | OFF THE ROAD EARTHMOVER REGULAR TT      | TT    | 24 PLY | BIAS | 2610-00-294-9495 |  |
| 16.00-25.00 | OFF HIGHWAY                             | TT    | 28 PLY | BIAS | 2610-01-372-1648 | AF P2 FIRE TRUCK   |
| 16.50-22.50 | OVER THE ROAD TRUCK-BUS HREG            | TL    | H L/R  | BIAS | 2610-00-717-6409 | F5070 TRUCK, DUMP, 20 TON<br>RC2-64 TRUCK,TOPOGRAPHICAL 10 TON<br>RC2-64B TRUCK,TOPOGRAPHICAL 10TON<br>RC2-64A TRUCK,TOPOGRAPHICAL 10TON |
| 16.90-24    | AGRI/IND TRCTR DR WH GRIP REG           | TT    | 10 PLY | BIAS | 2610-01-082-1336 |  |
| 16.90-24    | INDUSTRIAL TRACTOR DR WH GRIP REG       | TT    | 6 PLY  | BIAS | 2610-00-294-9416 |  |
| 16.90-24    | AGRICULTURAL TRACTOR DR WH GRIPREG TT   | TT    | 6 PLY  | BIAS | 2610-00-294-9253 |  |
| 16.90-30    | AGRICULTURAL TRCTR DR WH GRIP REG TT    | TT    | 6 PLY  | BIAS | 2610-01-218-4516 |  |

***BIAS Listing by Size******TEAM TIRE CATALOG******Jan. 05***

| SIZE         | TIRE DESCRIPTION                     | AIR LOAD |        |                  | NSN                       | KNOWN END ITEM APPLICATIONS   |
|--------------|--------------------------------------|----------|--------|------------------|---------------------------|---|
|              |                                      | RETEN    | RANGE  | PLY              |                           |   |
| 17.50-25     | OFF THE ROAD LOAD DOZER GRIP REG     | TL       | 12 PLY | BIAS             | 2610-00-726-5164          | ARTFT6 TRUCK,FORKLIFT,6K<br>MW24ROPS LOADER,SCOOP,W/ROPS<br>MLT6CH TRUCK,FORKLIFT,6K<br>MW-24 LOADER,SCOOP,2 1\2 YD<br>MLT6CH ROPS TRUCK,FORKLIFT,6K<br>MW24B LOADER,SCOOP,2 1\2 YD<br>VRRTFL TRUCK,FORKLIFT,6K,RT<br>MLT6-2 TRUCK,FORKLIFT,6K<br>RTFT6 ROPS TRUCK,FORKLIFT,6K<br>TL645 LOADER,SCOOP,2 1\2 YD<br>MLT6 TRUCK,FORKLIFT,6K<br>MLT6ROPS TRUCK,FORKLIFT,6K |
| 17.50-25     | OFF THE ROAD LOAD DOZER ROCK REG     | TL       | 12 PLY | BIAS             | 2610-00-403-5538          |   |
| 17.50-25     | OFF THE ROAD LOAD DOZER ROCK REG     | TL       | 16 PLY | BIAS             | 2610-00-139-4597          | TRUCK FORKLIFT 10K AT   |
| 17.50-25     | OFF THE ROAD LOAD DOZER GRIP         | TL       | H L/R  | BIAS             | 2610-01-459-0440          | ATLAS   |
| 18.00-7      | FORKLIFT                             | TL       | 12 PLY | BIAS             | 2610-01-374-1276          | AIR FORCE MOLT  |
| 18-8.50      | INDUSTRIAL RIB                       | TL       | B L/R  | BIAS             | 2610-01-451-0214          | AIRCRAFT TOWBAR   |
| 18.00/8.50-8 | AGRICULTURAL GRDN TRCTR GRIP XDEEFTL | 4 PLY    | BIAS   | 2610-00-102-0968 | MC-130 and MD-1 AF Towbar |   |
| 18.00/9.50-8 | INDUSTRIAL TOW TRACTOR RIB           | TT       | E L/R  | BIAS             | 2610-00-999-3900          | AF MHU83/MJ40 BOMB LOADER (front axle)  |
| 18.00/9.50-8 | AGRICULTURAL GARDEN TRACTOR RIB      | TL       | 4 PLY  | BIAS             | 2610-00-733-1930          | Air Force MJ3 Weapons Handling Trailer  |
| 18.00-19.50  | OFF THE ROAD TRUCK-BUS HREG          | TL       | H L/R  | BIAS             | 2610-01-302-1063          |   |
| 18.00-22.50  | OVER THE ROAD TRUCK-BUS TRACTION     | TL       | H L/R  | BIAS             | 2610-00-115-2564          | RC2-64A TRUCK TOPOGRAPHICAL,1<br>RC2-64 TRUCK TOPOGRAPHICAL,1<br>RC2-64B TRUCK TOPOGRAPHICAL,1  |
| 18.00-24     | OFF THE ROAD EARTHMOVER GRIP REG     | TT       | 24PLY  | BIAS             | 2610-00-554-6228          |   |
| 18.00-25     | OFF THE ROAD EARTHMOVER GRIP REG     | TL       | 12 PLY | BIAS             | 2610-01-194-7063          | 613BSNS SCRAPER,TRK.ELV,SP,9YD<br>613BSS SCRAPER,TRK,ELV,SP,9 YD<br>613BWDS DIS.WATER,TK.SP.TYPE 2  |
| 18.00-25     | OFF THE ROAD EARTHMOVER GRIP REG     | TL       | 12 PLY | BIAS             | 2610-01-194-7063          | 613BSS1 SCRAPER,TYPE II<br>613BWDNS DIS.WATER,TK.SP.TYPE 1<br>613BSNS1 SCRAPER,TYPE 1   |

***BIAS Listing by Size******TEAM TIRE CATALOG******Jan. 05***

| SIZE      | TIRE DESCRIPTION                      | AIR   |        | LOAD |                  | KNOWN END ITEM APPLICATIONS  |
|-----------|---------------------------------------|-------|--------|------|------------------|--|
|           |                                       | RETEN | RANGE  | PLY  | NSN              |  |
| 18.00-25  | OFF THE ROAD RD GRDR DESERT TREAD     | TL    | 12 PLY | BIAS | 2610-00-792-1662 | 613BSS SCRAPER,TRK,ELV,SP,9YD  |
| 18.00-25  | OFF THE ROAD EARTMOVER GRIP REG       | TL    | H L/R  | BIAS | 2610-00-555-2508 | 613BSNS SCRAPER,TRK,ELV,SP,9YD<br>613BSN1 SCRAPER,TYPE 1<br>624VL DITCHING MACHINE,DIESEL<br>613BSS1 SCRAPER,TYPE II<br>613BSS SCRAPER,TRK,ELV,SP,9YD<br>613BWDS DIS.WATER,TK.SP.TYPE 2<br>613BWDNS DIS.WATER,TK.SP.TYPE 1 |
| 18.00-25  | OFF THE ROAD EARTMOVER GRIP REG       | TL    | 28 PLY | BIAS | 2610-00-554-6230 | AF U-30 Tow Tractor  |
| 18.40-16  | AGRICULTURAL TRCTR DR WH GRIP DEEP TT |       | 6 PLY  | BIAS | 2610-00-294-9257 |  |
| 18.40-24  | AGRICULTURAL TRCTR DR WH GRIP REG     | TL    | 8 PLY  | BIAS | 2610-01-054-0338 | JD410 TRACTOR,UTILITY,LOADER   |
| 18.40-34  | AGRICULTURAL TRCTR DR WH GRIP REG     | TT    | 6 PLY  | BIAS | 2610-00-294-9250 | HDS-E MIXER,TILLER,ROTARY  |
| 20.5-8.00 | CROSS COUNTRY                         | TL    | C L/R  | BIAS | 2610-01-449-9962 | AF 400 GALLON FUEL BOWSER  |
| 20.50-25  | OFF THE ROAD EARTMOVER GRIP REG       | TL    | 16 PLY | BIAS | 2610-00-726-5168 | M10A TRUCK,FORKLIFT,10K<br>RTL10 ROPS TRUCK,FORKLIFT,10K<br>RTL10 TRUCK,FORKLIFT,10K,RT  |
| 20.50-25  | OFF THE ROAD EARTMOVER GRIP REG       | TL    | 16 PLY | BIAS | 2610-00-726-5168 | RTL10-1-ROP TRUCK,FORKLIFT,10K,<br>RTL10-1 TRUCK,FORKLIFT,10K,RT   |
| 20.50-25  | OFF THE ROAD EARTMOVER GRIP REG       | TL    | 12 PLY | BIAS | 2610-00-726-5165 | 950BNS LOADER,SCOOP,2 1/2 YD<br>MW24C LOADER,SCOOP,ART,2 1/2Y<br>MS100SEC SCRAPER,EARTHMOVING  |
| 20.50-25  | OFF THE ROAD EARTMOVER GRIP REG       | TL    | 12 PLY | BIAS | 2610-00-726-5165 | MS100NS SCRAPER,EARTHMOVING<br>MS100M-64 SCRAPER,EARTHMOVING<br>950BSCE LOADER,SCOOP,SEC<br>950BNSCE LOADER,SCOOP,NON-SEC<br>950BS LOADER,SCOOP,2 1/2 YD   |
| 20.50-25  | OFF THE ROAD EARTMOVER REGULAR        | TL    | 16 PLY | BIAS | 2610-00-060-8906 |  |

***BIAS Listing by Size******TEAM TIRE CATALOG******Jan. 05***

| SIZE           | TIRE DESCRIPTION                     | AIR   |        | LOAD |                  | KNOWN END ITEM APPLICATIONS   |
|----------------|--------------------------------------|-------|--------|------|------------------|---|
|                |                                      | RETEN | RANGE  | PLY  | NSN              |   |
| 20.50-25       | OFF THE ROAD EARTHMOVER REGULAR      | TL    | 12 PLY | BIAS | 2610-00-060-8905 |   |
| 23.00/8.50-12  | INDUSTRIAL GARDEN TRACTOR GRIP REG   | TL    | B L/R  | BIAS | 2610-01-179-9146 |   |
| 23.00/8.50-12  | INDUSTRIAL GARDEN TRACTOR TRACTION   | TL    | B L/R  | BIAS | 2610-01-179-9145 |   |
| 23.00/8.50-12  |                                      | TT    | F L/R  | BIAS | 2610-00-142-5160 | AF MHU83/MJ40 BOMB LOADER (rear axle)   |
| 23.00/10.50-12 | INDUSTRIAL GARDEN TRACTOR GRIPREG    | TL    | B L/R  | BIAS | 2610-01-182-7558 |   |
| 23.10-26       |                                      |       | E L/R  | BIAS | 2610-00-060-8873 | RS28 ROLLER VIBRATOR  |
| 23.10-26       | AGRICULTURAL TRCTR DR WH DIAMOND     | TL    | D L/R  | BIAS | 2610-01-188-5171 |   |
| 23.50-25       | OFF THE ROAD, LOAD DZR, ROCK DEEP    | TT    | 16 PLY | BIAS | 2610-01-020-7401 |   |
| 23.50-25       | OFF THE ROAD TRACTION                | TL    | 16 PLY | BIAS | 2610-01-514-1344 | 613CS SCRAPER, 11 YD<br>613 CWD DISTRIBUTOR, WATER 2790 GAL.  |
| 23.50-25       | OFF THE ROAD EARTHMOVER REGULAR      | TL    | 12 PLY | BIAS | 2610-00-580-3187 | H446 CRANE WHEEL MOUNTED<br>H446A CRANE WHEEL MOUNTED   |
| 23.50-25       | OFF THE ROAD EARTHMOVER REGULAR      | TL    | 16 PLY | BIAS | 2610-00-528-9684 |   |
| 26.00/6.60-6   | INDUSTRIAL TOW TRCTR HREG (RECAP)    | TL    | G L/R  | BIAS | 2610-00-150-5748 |   |
| 26.00/12.00-12 | AGRICULTURAL LOAD DZR GRIP REG       | TL    | 8 PLY  | BIAS | 2610-01-289-9045 |   |
| 26.50-25       | OFF THE ROAD LOAD DOZER ROCK DEEP    | TL    | 20 PLY | BIAS | 2610-01-076-9414 | 175B LOADER,SCOOP,4 1/2 YD<br>H100C GBP LOADER,SCOOP,5 YD<br>H100C RB LOADER,SCOOP,4 1/2 YD<br>175B LOADER,SCOOP,5 YD   |
| 26.50-25       | OFF THE ROAD LOAD DOZER ROCK REG     | TT    | 12 PLY | BIAS | 2610-00-060-8875 |   |
| 27.00/8.50-15  | INDUSTRIAL GARDEN TRACTOR GRIP REG   | TL    | B L/R  | BIAS | 2610-00-349-9169 |   |
| 28.00/9.00-15  | INDUSTRIAL FORKLIFT ROCK REG         | TT    | F L/R  | BIAS | 2610-01-175-0611 | FG30N7 TRUCKFORKLIFT 4K GED   |
| 29.00/8.00-15  | INDUSTRIAL FORKLIFT TRACTION         | TT    | F L/R  | BIAS | 2610-01-079-6687 |   |
| 29.50-25       | OFF THE ROAD MINING LOGGING ROCK REG | TL    | 28 PLY | BIAS | 2610-01-230-0298 | RT875CC CRANE, WHEEL MOUNTED  |
| 29.50-29       | OFF THE ROAD EARTHMOVER ROCK REG     | TL    | 28 PLY | BIAS | 2610-00-555-7292 |   |
| 29.50-29       | OFF THE ROAD EARTHMOVER GRIP DEEP    | TL    | 28 PLY | BIAS | 2610-00-554-6222 | 830MBWR TRACTOR,WHEELED<br>58SHG SCRAPER,EARTHMOVER,T<br>CTY SCRAPER,EARTHMOVING, TOWED<br>830MB TRACTOR,SH,IND,DED<br>CWT 18M SCRAPER,EARTHMOVING TOWED<br>830MB/ROPS TRACTOR,WH,IND,DIESEL<br>830M TRACTOR,WH,W/B DOZER<br>621B TRACTOR,SCRAPER,WHEEL |

***BIAS Listing by Size******TEAM TIRE CATALOG******Jan. 05***

| SIZE              | TIRE DESCRIPTION                     | AIR LOAD |        |      | NSN              | KNOWN END ITEM APPLICATIONS  |
|-------------------|--------------------------------------|----------|--------|------|------------------|--|
|                   |                                      | RETEN    | RANGE  | PLY  |                  |  |
| 29.50-29          | OFF THE ROAD EARTHMOVER ROCK DEEP TL |          | 34 PLY | BIAS | 2610-00-528-9691 | 621B TRACTOR,SCRAPER,WHEEL   |
| 33.25-35          | OFF THE ROAD EARTHMOVER REG          | TL       | 32 PLY | BIAS | 2610-00-159-0020 |  |
| 36.00/12.50-16.50 | OFF/OVER THE ROAD LT TRACTION        | TL       | C L/R  | BIAS | 2610-01-171-4746 | M1025 TRUCK,UTIL,ARM,4X4,W/E<br>M996 TRUCK,AMBL,1 1/4,2LITWE<br>M998 TRUCK,UTIL,1 1/4 TON 4X4<br>M1045 TRUCK,UTILITY,TOW,W/SA<br>M997 TRUCK,AMBULANCE,1 1/4,T<br>M1037 TRUCK,UTILITY,W/E,4X4<br>M966 TRUCK,WEAPON,CARR,1 1/4<br>M1046 TRUCK,UTILITY,TOW,SA WW<br>M1042 TRUCK,UTILITY,1 1/4 TON<br>M1044 TRUCK,UTILITY,1 1/4 TON<br>M1026 TRUCK,UTIL,ARM,4X4,W/E<br>M1043 TRUCK,UTILITY,ARM,W/SA<br>M1038 TRUCK,UTILITY,1 1/4 TON<br>M1035 TRUCK,AMBULANCE,4X4, W/E |
| AT22.5X10-8       | INDUST. GARDEN TRAC. CC              | TL       |        | BIAS | 2610-01-504-6590 | GATOR ( FRONT)   |
| AT25X13-9         | INDUST. GARDEN TRAC. CC              | TL       |        | BIAS | 2610-01-504-6566 | GATOR (REAR)   |
| ST 165/80         | OFF ROAD FORKLIFT GRIP REG           | TL       | J L/R  | BIAS | 2610-01-492-5541 | M48 WAREHOUSE TRACTOR  |

## RADIAL Listing by Size

## TEAM TIRE CATALOG

Jan. 05

| SIZE          | TIRE DESCRIPTION               | AIR   | LOAD  | KNOWN END ITEM APPLICATIONS |                  |  |
|---------------|--------------------------------|-------|-------|-----------------------------|------------------|--|
|               |                                | REten | RANGE | PLY                         | NSN              |  |
| 7.50R16       | OVER THE ROAD LIGHT TRUCK AW   | TL    | D L/R | RADIAL                      | 2610-01-148-1636 | M087 HEATER, OIL,HOT   |
| 8.25R15       | OVER THE ROAD TRUCK-BUS HREG   | TT    | G L/R | RADIAL                      | 2610-00-163-0416 |  |
| 8.25R20       | OVER THE ROAD TRUCK-BUS HREG   | TT    | F L/R | RADIAL                      | 2610-00-163-0418 |  |
| 8.75R16.50    | OVER THE ROAD LIGHT TRUCK HREG | TL    | E L/R | RADIAL                      | 2610-01-090-0449 |  |
| 9.00R17.50    | OVER THE ROAD LOAD RANGE       | TL    | H L/R | RADIAL                      | 2610-01-470-9035 | NAVY-40TON SEMI-LOWBED   |
| 9.00R20       | OVER THE ROAD TRUCK-BUS H MS   | TT    | F L/R | RADIAL                      | 2610-00-163-0429 |  |
| 9.00R20       | OVER THE ROAD TRUCK-BUS HREG   | TT    | F L/R | RADIAL                      | 2610-00-163-0419 |  |
| 9.00R22.50    | OVER THE ROAD TRUCK-BUS HREG   | TL    | F L/R | RADIAL                      | 2610-01-078-1558 |  |
| 9.50R16.50    | OFF/OVER THE ROAD TRUCK-BUS AW | TL    | E L/R | RADIAL                      | 2610-01-205-6047 |  |
| 9.50R16.50    | OVER THE ROAD LIGHT TRUCK AW   | TL    | D L/R | RADIAL                      | 2610-01-164-3458 |  |
| 9.50R16.50    | OVER THE ROAD LIGHT TRUCK H MS | TL    | D L/R | RADIAL                      | 2610-01-011-8216 | M888 TRUCK,TELEPHONE MAINT   |
| 9.75/10.00R20 | OVER THE ROAD TRUCK AND BUS    | TT    | G L/R | RADIAL                      | 2610-01-194-6213 | TRUCK PRIME MOVER CHETPM   |
| 10.00R15      | OVER THE ROAD LIGHT TRUCK RIB  | TT    | J L/R | RADIAL                      | 2610-01-325-1934 | 5230B CRUSHER,ROLLER<br>5157 CRUSHER,JAWS<br>5157B CRUSHER,JAWS<br>M870A1 SEMITRAILER,LOWBED<br>5230D CRUSHER,ROLLER<br>M870 TRAILER, LOWBED,40 TON<br>M172A1 TRAILER, LOWBED,25 TON<br>HP15T TRAILER, TILTBED<br>M870MC TRAILER, LOWBED,40 TON<br>M172 TRAILER, LOWBED,25 TON |
| 10.00R17.50   |                                |       |       |                             |                  |  |
| 10.00R20      | TRK/BUS HIGHWAY MUD & SNOW     | TL    | H L/R | RADIAL                      | 2610-01-367-0975 | NAVY NAVSTAR   |
| 10.00R20      | OVER THE ROAD TRUCK-BUS HREG   | TT    | G L/R | RADIAL                      | 2610-01-439-5195 |  |
| 10.00R20      |                                | TT    | H L/R | RADIAL                      | 2610-01-397-1385 | AF P22 FIRE TRUCK  |
| 10.00R20      | OVER THE ROAD TRUCK-BUS HREG   | TT    | G L/R | RADIAL                      | 2610-00-163-0420 | M915 TRUCK PRIME, MOVER 5T6X4  |
| 10.00R22.50   | OVER THE ROAD TRUCK-BUS H MS   | TL    | F L/R | RADIAL                      | 2610-01-100-0599 |  |
| 10.00R22.50   | OVER THE ROAD TRUCK-BUS HREG   | TL    | F L/R | RADIAL                      | 2610-01-063-7947 | AF AT FORKLIFT   |
| 10.00R22.50   | OVER THE ROAD TRUCK-BUS        | TT    | G L/R | RADIAL                      | 2610-01-512-1944 | TCFE3204 BUS, BLUE BIRD  |

**RADIAL Listing by Size****TEAM TIRE CATALOG****Jan. 05**

| SIZE        | TIRE DESCRIPTION                       | AIR   | LOAD  | NSN                     | KNOWN END ITEM APPLICATIONS  |
|-------------|--|-------|-------|-------------------------|--|
|             |  | REten | RANGE | PLY                     |  |
| 11.00R16    | OFF/ON THE ROAD TRACTION               | TL    | E L/R | RADIAL 2610-01-160-9934 | USMC ASSAULTVEH,LT,W,TURRET<br>USMC GUN,ANTI TANK,WHEELED<br>USMC VEHICLE,MAINT,RECOVERY<br>USMC CONTROL,CMD,BN LEVEL<br>USMC LOGISTICS,VEHICLE,WHEELED<br>USMC GUN,PROTECTED,MOBIL<br>USMC CARRIER,MORTAR,WHEELED |
| 11.00R16    | OFF/ON THE ROAD TRACTION               | TL    | E L/R | RADIAL 2610-01-160-9934 | USMC CARRIER,MORTAR,WHEELED  |
| 11.00R17.50 | OVER THE ROAD UTILITY TRLR HREG        | TL    | H L/R | RADIAL 2610-01-256-0080 | M1073 TRAILER, CARGO, 7 1/2 TON  |
| 11.00R20    | ON/OFF THE ROAD                        | TT    | H L/R | RADIAL 2610-01-373-7294 | M969A2 TRAILER,TANKER,FUEL 5KG<br>M809 CHASSIS TRUCK, 5 TON  |
| 11.00R20    | ON/OFF THE ROAD LT (5 TON) NO MOE      | TT    | H L/R | RADIAL 2610-01-281-0675 | M871A2 TRAILER, TAC, 22.5 TON<br>M872A2 TRAILER,FLATBED,34TON<br>M871 TRAILER, FLATBED, 22.5 TON<br>M198 HOWITZER  |
| 11.00R20    | OVER THE ROAD TRUCK-BUS HREG           | TT    | H L/R | RADIAL 2610-01-194-6215 |  |
| 11.00R20    | MILITARY TRUCK-BUS CROSS COUNTRY       | TT    | H L/R | RADIAL 2610-01-473-3997 | 5 TON BASIC/ABS  |
| 11.00R22.50 | OVER THE ROAD TRUCK-BUS HREG           | TL    | G L/R | RADIAL 2610-01-045-3688 | M1062 TRAILER,TANKER,FUEL,7KG<br>M915A2 TRUCK,LINE,HAUL,6X4<br>M915A1 TRUCK,PRIME MOVER,6X4<br>AF 4900 TRACTOR   |
| 11.00R22.50 | RIB (MICHELIN XZE)                     | TL    | G L/R | RADIAL 2610-01-481-5378 | M915A3/A4<br>M872A4 34 TON FLATBED TRAILER   |
| 11.00R22.50 | Over The Road Truck-Bus All Season M&S | TL    | G L/R | RADIAL 2610-01-194-6220 |  |
| 11.00R22.50 | OFF THE ROAD TRUCK AND BUS             | TL    | H L/R | RADIAL 2610-01-506-0388 | M915A2/A3/A4   |
| 11.00R24    | OVER THE ROAD TRUCK-BUS HREG           | TT    | H L/R | RADIAL 2610-01-332-1564 | M917 TRUCK,DUMP,5TON<br>M919 TRUCK,CONCRETE,MOBIL,8X6<br>M920 TRUCK,PRIME MOVER,5TON,6X4<br>M918 TRUCK,DISTRIB,BITUM,6X6   |
| 12.00R20    | OFF THE ROAD LOW PLATFORM TRLR RIB     | TT    | J L/R | RADIAL 2610-01-438-4808 | SAUDI COML HET   |
| 12.00R22.50 | ON/OFF ROAD, RIB                       | TL    | H L/R | RADIAL 2610-01-292-3009 | M1022A1 DOLLY SET  |
| 12.00R22.50 | INDUSTRIAL TRK/BUS ALL SEASON M&S      | TL    | H L/R | RADIAL 2610-01-465-5823 | LRT 110 CRANE/M1022A1 CRANE  |
| 12.00R22.50 | OVER THE ROAD TRUCK-BUS HREG           | TL    | H L/R | RADIAL 2610-01-158-9260 |  |

**RADIAL Listing by Size****TEAM TIRE CATALOG****Jan. 05**

| SIZE     | TIRE DESCRIPTION                   | AIR<br>REten | LOAD<br>RANGE | PLY    | NSN              | KNOWN END ITEM APPLICATIONS   |
|----------|------------------------------------|--------------|---------------|--------|------------------|---|
| 12.50R20 | OFF THE ROAD LOAD DOZER TRACTION   | TL           | 12 PLY        | RADIAL | 2610-01-220-6413 | FLU 10344 TRACTOR,WH,F.LIFT,CRA (SEE)<br>FLU 419 TRACTOR,WH,WX,FR LOADE (SEE)   |
| 14.00R20 | Mil.Trk/Bus, AS M&S (Michelin XZL) | TL           | J L/R         | RADIAL | 2610-01-479-4200 | M1117 ARMORED SECURITY VEH. (ASV)   |
| 14.00R20 | OFF/OVER THE ROAD TRUCK-BUS CC     | TL           | J L/R         | RADIAL | 2610-01-214-1344 | M923A1 TRUCK,CARGO,DROPSIDE,5<br>M931A2 TRUCK,PRIME MOVER,5TWO<br>M934A2 TRUCK,VAN,5TON,6X6<br>M936A1 TRUCK,WRECKER,5T,6X<br>M923A2 TRUCK,CARGO,DRPSCRG,W<br>M925A1 TRUCK,CARGO,DROPDIDE,5<br>M932A2 TRUCK,PRIME MOVER,5TON<br>M934A1 TRUCK,VAN,EXPANDABLE,5<br>M930A1 TRUCK,DUMP,5TON,6X6<br>M932A1 TRUCK,PRIME MOVER,5T,6X<br>M929A1 TRUCK,DUMP,5TON,6X6<br>M928A1 TRUCK,CARGO,5TON,6X6<br>M927A1 TRUCK,CARGO,5TON,6X6<br>M927A2 TRUCK,CARG,XLWB,CRG,W<br>M925A2 TRUCK,DRPSCRG<br>M935A1 TRUCK,VAN,EXPANDABLE,5<br>M935A2 TRUCK,VAN,W/HDLG,WO/W<br>M924A1 TRUCK,CARGO,5TON,6X6<br>M931A1 TRUCK,PRIME MOVER,5T,6X<br>M926A1 TRUCK,CARGO,5TON,6X6<br>M928A2 TRUCK,CARG,CLWB,VRG,W<br>M930A2 TRUCK,DUMP,5TON,W/W<br>M928A2 TRUCK,DUMP,5TON,W/W,W<br>M939A1/A2 TRUCK, 5 TON |
| 14.00R24 | OFF THE ROAD TRK/BUS CC            | TT           | N L/R         | RADIAL | 2610-01-364-5044 | M911 TRUCK,PRIME MOVER,8X6  |
| 14.00R24 |                                    | TL           | N L/R         | RADIAL | 2610-01-517-5835 | IHMEE   |
| 14.50R20 | OFF THE ROAD TRUCK-BUS             | TL           | G L/R         | RADIAL | 2610-01-397-6976 | M35A3 TRUCK,CARGO,FIXED SIDE 2.5T   |

**RADIAL Listing by Size**

**TEAM TIRE CATALOG**

**Jan. 05**

| SIZE        | TIRE DESCRIPTION                   | AIR<br>REten | LOAD<br>RANGE | PLY    | NSN              | KNOWN END ITEM APPLICATIONS   |
|-------------|------------------------------------|--------------|---------------|--------|------------------|---|
| 14.50R20    | OFF THE ROAD TRUCK-BUS             | TL           | G L/R         | RADIAL | 2610-01-397-6976 | M36A3 TRUCK,CARGO,LG BED,2.5T<br>M35A3C TRUCK,CARGO,DP SIDE 2.5T<br>M35A3C TRUCK,CARGO,DP SIDE 1.5T   |
| 15.50/80R20 | OVER THE ROAD TRUCK/BUS CC         | TL           | J L/R         | RADIAL | 2610-01-357-8333 | M1076 TRAILER,PALLETTIZED LOAD  |
| 16.00R20    | OVER/OFF THE ROAD T-B TRACTION     | TT           | M L/R         | RADIAL | 2610-01-334-2694 | M977 TRUCK,CRGO,TAC,W/OW<br>M977 TRUCK,CRGO,TAC,10TON,8X8<br>M978 TRUCK, TANKER, TAC, W/OW<br>M978 TRUCK, TANKER, FUEL, 8X8<br>M983 TRACTOR,PRIME MOVER,10 TON<br>M984 TRUCK, WRECKER, TAC, 10 TON<br>M984A1 TRUCK,WRECKER,10 TON<br>M985 TRUCK, CRGO, GSRS W/OW<br>M985 TRUCK, CRGO, TAC,10 TON 8X8<br>M985E1 TRUCK,CARGO,W/CRANE,WO/W<br>M985E2 TRUCK,CARGO,W/CRANE,W/W<br>M1070 TRUCK, TRACTOR<br>M1074 TRUCK, PALLETIZED LOADING<br>M1075 TRUCK, PALLETIZED LOADING |
| 16.00R20    | OFF/OVER THE ROAD T-B TRACTION     | TT           | J L/R         | RADIAL | 2610-01-126-1576 | M978,TRUCK,TANKER,FUEL,8X8<br>M978,TRUCK TANKER,TAC,W/OW<br>M977,TRUCK,CRGO,TAC,W/OW<br>M977,TRUCK,CRGO,TAC,10TON,8X8<br>M983,TRACTOR,PRIME MOVER, 10TON<br>M984,TRUCK,WRECKER,TAC, 10 TON<br>M984A1,TRUCK,WRECKER,TAC,10 TON<br>M985,TRUCK,CRGO,TAC,10T,8X8<br>M985,TRUCK,CRGO,GSRS,W/OW<br>M985E1,TRUCK,CRGO,W/CRANE,W/OW<br>M985E2,TRUCK,CRGO,W/CRANE,W/W  |
| 16.00R21    | OFF/OVER THE ROAD T-B TRACTION     | TL           | M L/R         | RADIAL | 2610-01-182-4165 | M1048 TRAILER,FLATBED, 6 TON<br>(ATEC) AT422T 22Ton All Terrain Crane   |
| 17.50R25    | OFF/OVER ROAD T-B TRACTION P19 F   | TL           | 18 PLY        | RADIAL | 2610-01-229-3457 | AF P19 FIRE TRUCK   |
| 22.00/65R25 | OFF THE ROAD                       | TL           | 24 PLY        | RADIAL | 2610-01-372-6705 |   |
| 24.00R21.00 | FLIGHT LINE                        | TL           | H L/R         | RADIAL | 2610-01-443-7040 | AF P23 FIRETRUCK  |
| 26.50R25    | ON/OFF THE ROAD FIRE TRUCK USAFP15 | TL           | 32 PLY        | RADIAL | 2610-01-190-5784 | AF P15 FIRE TRUCK   |

**RADIAL Listing by Size****TEAM TIRE CATALOG****Jan. 05**

| SIZE             | TIRE DESCRIPTION                  | AIR<br>REten | LOAD<br>PLY | NSN                     | KNOWN END ITEM APPLICATIONS   |
|------------------|-----------------------------------|--------------|-------------|-------------------------|---|
| 31.00/10.50R15   | OVER THE ROAD LT CC 31-10.50R15   | TL           | C L/R       | RADIAL 2610-01-148-1634 | M1009 TRUCK,UTIL,TAC,3/4 TON  |
| 35.00/65R33      | OFF THE ROAD MTL HND ROCK REG     | TL           | 36 PLY      | RADIAL 2610-01-114-3732 | DV43 TRUCK,FORKLIFT,50K   |
| 37.00/12.50R16.5 | OFF THE ROAD LIGHT TRUCK TRACTION | TL           | D L/R       | RADIAL 2610-01-333-7632 | M1097 TRUCK,UTIL,HV,10K<br>M1044A1 TRUCK,UTIL,ARMT C,W/SA 1.25T<br>M1046A1 TRUCK,UTIL,TOW C,W/SA,1.25T<br>M996A1 TRUCK,AMBL,2LIT,ARMD,W/E<br>M1097A2 TRUCK,UTIL,GVW,4X4,W/E<br>M1043A1 TRUCK,UTIL,ARMT C,W/SA,1.25T<br>M1038A1 TRUCK,UTIL,CARGO/TRP C, 1.25T<br>M998A1 TRUCK,UTIL,CARGO/T C,1.25T<br>M997A1 TRUCK,AMBL,4LIT,ARMD,W/E<br>M1045A1 TRUCK,UTIL,TOW C, W/SA, 1.25T<br>M1035A1 TRUCK,AMBL,2LIT,SOFT TOP<br>M1025A1 TRUCK,UTIL,ARMT C, ARMD,1.25T<br>M1102 TRAILER, CARGO 1.25 TON<br>M1113 TRUCK,UTIL,4X4,W/E<br>M1101 TRAILER,CARGO 3/4 TON<br>M101A3 TRAILER,CARGO,1 TON<br>M116A3 TRAILER,CHASSIS,1 TON<br>M1035A2 TRUCK,AMBL,4X4,2LIT W/E<br>M1026A1 TRUCK,UTIL,ARMT C, ARMD,1.25T<br>M1045A2 TRUCK,UTIL,TOW,W/SA<br>M1025A2 TRUCK,UTIL,1.25TON<br>M1043A2 TRUCK,UTIL,ARM 4X4,W/E<br>M966A1 TRUCK,UTIL,TOW C,ARMD,1.25T<br>M996 TRUCK,AMBL,1.25,2 LIT ARMOR<br>M1025 TRUCK,UTIL,ARM,4X4,W/E |

**RADIAL Listing by Size**

**TEAM TIRE CATALOG**

**Jan. 05**

| SIZE             | TIRE DESCRIPTION                        | AIR<br>REten | LOAD<br>PLY | NSN                     | KNOWN END ITEM APPLICATIONS   |
|------------------|---|--------------|-------------|-------------------------|---|
| 37.00/12.50R16.5 | COVER THE ROAD T-B TR/MS                | TL           | D L/R       | RADIAL 2610-01-333-7632 | M1026 TRUCK,UTIL,ARM,4X4,W/E<br>M997 TRUCK,AMBL,1.25,4 LIT ARMOR<br>M966 TRUCK,WEAPON,CARR,1.25TON<br>M998 TRUCK,UTIL,1.25TON,4X4<br>M1038 TRUCK,UTIL,1.25TON<br>M1044 TRUCK,UTIL,1.25TON<br>M1046 TRUCK,UTIL,TOW,SA WW<br>M1042 TRUCK,UTIL,1.25TON<br>M1043 TRUCK,UTIL,ARM,W/SA<br>M1035 TRUCK,AMBL,4X4,W/E<br>M1037 TRUCK,UTIL,W/E,4X4<br>M1045 TRUCK,UTIL,TOW,W/SA |
| 215/70R14        | ALL SEASON                              | TL           | B L/R       | RADIAL 2610-01-439-2943 | FORD RANGER   |
| 215/75R17.50     | OVER/OFF THE ROAD LT HR                 | TL           | H L/R       | RADIAL 2610-01-323-4813 | M1000 TRAILER,TRASPT,H.E,70 T   |
| 225/70R19.5      | LOW PROFILE                             | TL           | F L/R       | RADIAL 2610-01-443-3473 | TRUCK/BUS   |
| 235/80R22.50     | OVER THE ROAD TRK-BUS ALL SEASON M&S    | TL           | G L/R       | RADIAL 2610-01-440-4948 |   |
| 245/75R22.5      |   | TL           | G L/R       | RADIAL 2610-01-397-6972 |   |
| 255/70R22.5 XZE  | Over The Road Materiel Handling Hwy Reg | TL           | H L/R       | RADIAL 2610-01-519-0940 | M871A3 Trailer  |
| 255/70R22.5      | OVER THE ROAD MATERIAL HDLG HREG        | TL           | H L/R       | RADIAL 2610-01-431-5119 | AF 60K AIRCRAFT LDR A/S32H-23   |
| 275/70R22.5      | ON/OFF ROAD TIRE HIGHWAY REGULAR        | TL           | J L/R       | RADIAL 2610-01-518-5292 | M870A3 TRAILER  |
| 285/70R19.5      | OVER THE ROAD MATERIAL HDLG HWY/MS      | TL           | J L/R       | RADIAL 2610-01-434-8732 | AF 25K AIRCRAFT LOADER  |
| 295/75R22.50     | ALL SEASON                              | TL           | G L/R       | RADIAL 2610-01-443-3477 | 15T STAKE TRK 6X6 / 25T Wrecker 6x6   |
| 315/80R22.50 XDO | OFF THE ROAD                            | TL           | L L/R       | RADIAL 2610-01-514-3999 | M916A3  |
| 315/80R22.50     | OVER THE ROAD TRUCK-BUS CC              | TL           | L L/R       | RADIAL 2610-01-436-3334 | M917A1/E1 (rear axle) M916A1/A2   |
| 325/85R16        | MILITARY,TRK/BUS AS M&S                 | TL           | D L/R       | RADIAL 2610-01-527-8260 | USMC LAV:25, Anit-Tank, Mortar<br>Logistics, C2, Recovery, MEWSS  |
| 365/85/R20       | OFF THE ROAD TRK/BUS TRACTION           | TL           | J L/R       | RADIAL 2610-01-388-6679 | AF P24 FIRE TRUCK<br>AMERTEK 2500L 1,000GPM Firetruck   |
| 355/65R15        | INDUSTRIAL MATERIAL HANDLING            | TL           | L L/R       | RADIAL 2610-01-517-1881 | AF 25K HALVERSON LOADER   |
| 375/75R20        | AGRICULTURAL FORKLIFT TRACTION          | TL           |             | RADIAL 2610-01-506-0391 | TEREX ROUGH TERRAIN FORKLIFT 5K   |
| 385/65R22.50     | OVER THE ROAD TRUCK-BUS CC              | TL           | J L/R       | RADIAL 2610-01-436-3332 | M917A1/E1 (front axle)  |
| 385/65R22.50     | CROSS COUNTRY                           | TL           | J L/R       | RADIAL 2610-01-452-0605 | TOW TRACTOR   |
| 445/65R19.50     | OFF THE ROAD LOW PLATFORM TRLR, HREG    | TL           | J L/R       | RADIAL 2610-01-332-8985 | M747 TRAILER,LOWBED,52 TON  |
| 445/65R 22.5     | ON/OFF ROAD                             | TL           | L L/R       | RADIAL 2610-01-500-4505 | M860A1 PATRIOT MISSILE TRAILER  |
| 445/65R22.5      | OVER THE ROAD T-B HREG P18 FTK          | TL           | L L/R       | RADIAL 2610-01-286-5798 | AF P18 FIRE TRUCK<br>M860/A1 Trailer, Missile patriot<br>M861 Trailer, Van Radar, 15 Ton<br>M682/683 Trailer, Van Radar 15 Ton  |

***RADIAL Listing by Size******TEAM TIRE CATALOG******Jan. 05***

| SIZE         | TIRE DESCRIPTION                  | AIR LOAD |       |        |                  | KNOWN END ITEM APPLICATIONS  |
|--------------|-----------------------------------|----------|-------|--------|------------------|--|
|              |                                   | REten    | RANGE | PLY    | NSN              |  |
| LT 195/75R15 | OVER THE ROAD LIGHT TRUCK HWY REG | TL       | C L/R | RADIAL | 2610-01-496-0712 | M684 Trailer, Van Exchg Heat<br>M986 Trailer, Launcher<br>M999 Trailer, Center Control<br>AGAV G AF Power Unit, Aircraft |

**RADIAL Listing by Size**

**TEAM TIRE CATALOG**

**Jan. 05**

| SIZE           | TIRE DESCRIPTION                      | AIR LOAD |       |        |                  | KNOWN END ITEM APPLICATIONS   |
|----------------|---------------------------------------|----------|-------|--------|------------------|---|
|                |                                       | REten    | RANGE | PLY    | NSN              |   |
| LT215/75R15    | OVER THE ROAD LIGHT TRUCK AT/CC       | TL       | C L/R | RADIAL | 2610-01-347-9730 |   |
| LT215/85R16    | OVER THE ROAD LT HWY REG              | TL       | D L/R | RADIAL | 2610-01-439-6222 |   |
| LT215/85R16    | OVER THE ROAD UTILITY TRLR HREG       | TL       | D L/R | RADIAL | 2610-01-434-3363 | M1112 TRAILER, WATER, 400 GAL.  |
| LT225/75R16    | OVER THE ROAD LT TRACTION             | TL       | E L/R | RADIAL | 2610-01-307-8527 |   |
| LT235/85R16    | OVER THE ROAD TRAILER AS              | TL       | E L/R | RADIAL | 2610-01-148-1635 | M1008 TRUCK,CARGO,TAC,1/4,4X4W  |
| LT235/85R16    | OVER THE ROAD TRAILER AS              | TL       | E L/R | RADIAL | 2610-01-148-1635 | M1008A1 TRUCK,CARGO,TAC,1 1/4,4<br>M116A2 TRAILER,CARGO,3/4 TON<br>M1028A3 TRUCK,UTILITY CARR,4X4<br>M1028 TRUCK,CARGO,SHELT.CO<br>M1031 TRUCK,CARGO,COMM CHA<br>M101A2 TRAILER,CARGO,3/4 TON<br>M1010 TRUCK,AMBL,1 1/4T,4X4<br>M1028A1 TRUCK,UTILITY CARR,4X4<br>SP-848 ROLLER,VIBRATORY,SP<br>RS-28 ROLLER, VIBRATORY<br>M1028A2 TRUCK,UTILITY CARR,4X4<br>M116A2E1 TRAILER,CARGO,3/4 TON |
| LT245/75R16    | OVER THE ROAD LIGHT TRK M&S           | TL       | E L/R | RADIAL | 2610-01-439-6224 |   |
| LT 245/70R19.5 | INDUSTRIAL LOW PLATFORM TRLR HWY REG  | TL       | G L/R | RADIAL | 2610-01-473-8252 | M1048A1 TRAILER   |
| LT265/75R16    | OFF THE ROAD LIGHT TRK ALL SEASON M&S | TL       | C L/R | RADIAL | 2610-01-470-4616 | NAVY TRUCK, UTILITY 4X4   |
| LT265/75R16    | OVER THE ROAD RIBBED                  | TL       | E L/R | RADIAL | 2610-01-503-5618 | AF STINAR AR FLIGHT LINE TOW TRAC.  |
| LT315/80R22.5  | OVER THE ROAD TRAILER AS              | TL       | J L/R | RADIAL | 2610-01-311-6853 | AF R11 REFUELER   |
| LT395/85R20    | OVER THE ROAD TRAILER AS              | TL       | G L/R | RADIAL | 2610-01-356-9098 | M1078 TRUCK, CARGO, 2 1/2 TON<br>M1096 CHASSIS TRUCK, 5T LWB<br>M1083 TRUCK,CARGO,5 TON,W/SR W<br>M1093 TRUCK,CARGO,5 TON<br>M1084 TRUCK, CARGO, 5TON 6X6<br>M1093 TRUCK,CARGO,LA 5 TON W/SR W<br>M1094 TRUCK,DUMP,L 5 TON, W/SR W<br>M1085 TRUCK,CARGO,5 TON, W/SR W<br>M1088 TRUCK,TRACTOR, 5 TON W/SR W<br>M1090 TRUCK,DUMP,5 TON W/SR W<br>M1080 TRUCK, CHASSIS, 2 1/2 TON              |

**RADIAL Listing by Size****TEAM TIRE CATALOG****Jan. 05**

| SIZE        | TIRE DESCRIPTION                   | AIR LOAD |       |        |                  | KNOWN END ITEM APPLICATIONS   |
|-------------|------------------------------------|----------|-------|--------|------------------|---|
|             |                                    | REten    | RANGE | PLY    | NSN              |   |
| LT395/85R20 | OVER THE ROAD TRAILER AS           | TL       | G L/R | RADIAL | 2610-01-356-9098 | M1081 TRUCK, CHASSIS, 2 1/2 TON<br>M1085 TRUCK,CHASSIS,5TON,6X8<br>M1088 TRUCK,TRACTOR,6X6<br>M1086, TRUCK, TANKER, 5 TON<br>M1094 TRUCK DUMP,DUMP,5TON<br>M1090 TRUCK,DUMP,5TON,6X6<br>M1079 TRUCK, VAN, 2 1/2 TON<br>M1083 TRUCK,CHASSIS,5TON,6X6<br>M1089 TRUCK, WRECKER, 5 TON, 6X6 |
| P155/80R13  | OVER THE ROAD PASS CAR AS/M&S      | TL       | B L/R | RADIAL | 2610-01-162-5719 |   |
| P165/80R13  | OVER THE ROAD PASS CAR AS/M&S      | TL       | B L/R | RADIAL | 2610-01-156-9462 |   |
| P175/75R14  | OVER THE ROAD PASS CAR AS/M&S      | TL       | B L/R | RADIAL | 2610-01-161-7774 |   |
| P175/80R13  | OVER THE ROAD PASS CAR AS/M&S      | TL       | B L/R | RADIAL | 2610-01-155-6506 |   |
| P185/70R14  | OVER THE ROAD PASS CAR             | TL       | B L/R | RADIAL | 2610-01-203-9358 | MID SIZE PASSENGER CAR  |
| P185/75R14  | OVER THE ROAD PASS CAR HREG        | TL       | B L/R | RADIAL | 2610-01-193-8293 |   |
| P185/75R14  | OVER THE ROAD PASS CAR AS/M&S      | TL       | B L/R | RADIAL | 2610-01-154-1445 |   |
| P185/80R13  | OVER THE ROAD PASS CAR AS/M&S      | TL       | B L/R | RADIAL | 2610-01-155-6507 |   |
| P195/70R14  | OVER THE ROAD PASS CAR HWY         | TL       | B L/R | RADIAL | 2610-01-439-6220 |   |
| P195/75R14  | OVER THE ROAD PASS CAR HREG        | TL       | B L/R | RADIAL | 2610-01-193-8294 |   |
| P195/75R14  | OVER THE ROAD PASS CAR AS/M&S      | TL       | B L/R | RADIAL | 2610-01-154-1446 |   |
| P205/70R15  | OVER THE ROAD PASSENGER CAR        | TL       | B L/R | RADIAL | 2610-01-439-6214 |   |
| P205/75R14  | OVER THE ROAD PASS CAR AS/M&S      | TL       | B L/R | RADIAL | 2610-01-154-1447 |   |
| P205/75R15  | OVER THE ROAD PASSENGER CAR AW     | TL       | B L/R | RADIAL | 2610-01-154-1452 |   |
| P215/75R14  | OVER THE ROAD PASS CAR AS/M&S      | TL       | B L/R | RADIAL | 2610-01-154-1448 |   |
| P215/75R15  | OVER THE ROAD PASS CAR AS/M&S      | TL       | B L/R | RADIAL | 2610-01-154-3984 |   |
| P225/75R14  | OVER THE ROAD PASS CAR AS/M&S      | TL       | B L/R | RADIAL | 2610-01-193-9800 |   |
| P225/75R14  |                                    | TL       | B L/R | RADIAL | 2610-01-193-8295 |   |
| P225/75R15  | OVER THE ROAD TRAILER AS           | TL       | B L/R | RADIAL | 2610-01-154-3985 |   |
| P225/75R16  | OVER THE ROAD PASS AS M&S          | TL       | B L/R | RADIAL | 2610-01-439-6216 |   |
| P235/75R15  | OVER THE ROAD TRAILER AS           | TL       | B L/R | RADIAL | 2610-01-203-9355 |   |
| P235/75R15  | OVER THE ROAD TRAILER AS           | TL       | B L/R | RADIAL | 2610-01-154-3986 |   |
| ST205/75R15 | OVER THE ROAD UTILITY TRAILER      | TL       | C L/R | RADIAL | 2610-01-510-4874 |   |
| ST205/75R15 | OVER THE ROAD SPEC TRAILER HWY REG | TL       | C L/R | RADIAL | 2610-01-525-6667 | M1100 MORTAR TRAILER  |
| ST225/75R14 | OVER THE ROAD TRAILER AS           | TL       | D L/R | RADIAL | 2610-01-336-8828 | 53MH SWEEPER,ROTARY,TOWED   |

## Inner Tube Listing by NSN - TEAM TIRE CATALOG

Jan 05

| NSN              | Item Name            | Size           | On/Off Center | Valve  | Known Applications          |
|------------------|----------------------|----------------|---------------|--------|-----------------------------|
| 2610-00-029-0557 | INNER TUBE,PNEUMATIC | 08.25R15       | ON            | TR442  | Forklift 6k, 15 k           |
| 2610-00-029-0559 | INNER TUBE,PNEUMATIC | 09.00R20       | ON            | TR443  | Distributor, Bit, TRLR, MTD |
|                  |                      |                |               |        | Conveyor Belt               |
|                  |                      |                |               |        | Water Trlr 400 gallon       |
| 2610-00-029-0562 | INNER TUBE,PNEUMATIC | 10.00R20       | ON            | TR444  | Prime Mover 5T, 6x4         |
| 2610-00-029-0563 | INNER TUBE,PNEUMATIC | 11.00R20       | ON            | TR444  | Trlr TAC 22 1/2 T           |
|                  |                      |                |               |        | Trlr Flat bed 34 T          |
| 2610-00-051-9110 | INNER TUBE,PNEUMATIC | 03.40/3.00-5   | ON            | TR87   | Dolly Set, Lift Trans       |
| 2610-00-051-9114 | INNER TUBE,PNEUMATIC | 04.10/3.50-6   | OFF           | TR87   | None Listed                 |
| 2610-00-051-9204 | INNER TUBE,PNEUMATIC | 07.00-15       | OFF           | TR15   | Water Distribution          |
|                  |                      |                |               |        | Water Storage               |
|                  |                      |                |               |        | Hoseline Outfit             |
| 2610-00-051-9210 | INNER TUBE,PNEUMATIC | 07.50-15       | OFF           | TR135  | None listed                 |
| 2610-00-051-9216 | INNER TUBE,PNEUMATIC | 09.00-15       | ON            | TR443  | Lowbed Trlr 60 T            |
| 2610-00-051-9224 | INNER TUBE,PNEUMATIC | 07.00/8.20-15  | ON            | TR150  | None Listed                 |
| 2610-00-051-9266 | INNER TUBE,PNEUMATIC | 09.50/9.00-16  | ON            | TR440  | Trlr Chassis 3/4 T          |
|                  |                      |                |               |        | Spreader Aggregate Towed    |
| 2610-00-051-9450 | INNER TUBE,PNEUMATIC | 11.00-20       | ON            | TR444  | Trlr TAC 22 1/2 T           |
|                  |                      |                |               |        | Trlr Lowbed 12 T            |
| 2610-00-051-9454 | INNER TUBE,PNEUMATIC | 12.00-20       | ON            | TR444  | Tractor YD / 5 Ton Wrecker  |
|                  |                      |                |               |        | Dump Truck 20 T             |
|                  |                      |                |               |        | Lowbed Trlr 60 T            |
| 2610-00-051-9460 | INNER TUBE,PNEUMATIC | 13.00-20       | ON            | TR445  | Dust Collecting Machine     |
| 2610-00-051-9464 | INNER TUBE,PNEUMATIC | 14.00-20       | ON            | TR445  | MDT Crane Shovel            |
|                  |                      |                |               |        | Prime Mover 5T              |
| 2610-00-051-9578 | INNER TUBE,PNEUMATIC | 11.00-24       | ON            | TR444  | Primer Mover 5T 6x4         |
| 2610-00-051-9588 | INNER TUBE,PNEUMATIC | 11.00/12.00-24 | OFF           | TR218a | None listed                 |
| 2610-00-051-9594 | INNER TUBE,PNEUMATIC | 13.00-24       | ON            | TR445  | None Listed                 |
| 2610-00-051-9602 | INNER TUBE,PNEUMATIC | 14.00-24       | ON            | TR445  | Lowbed Trlr 55 T            |
|                  |                      |                |               |        | Lowbed Trlr 55 T            |
| 2610-00-051-9610 | INNER TUBE,PNEUMATIC | 16.00-24       | ON            | AD4    | None Listed                 |
| 2610-00-051-9676 | INNER TUBE,PNEUMATIC | 16.90/4.00-30  | OFF           | TR218a | None Listed                 |

Inner Tube Listing by NSN - TEAM TIRE CATALOG

Jan 05

| NSN              | Item Name            | Size               | On/Off Center | Valve  | Known Applications            |
|------------------|----------------------|--------------------|---------------|--------|-------------------------------|
| 2610-00-052-7969 | INNER TUBE,PNEUMATIC | 10.00R15           | ON            | TR444  | Semi Trlr Lowbed              |
|                  |                      |                    |               |        | Crusher Roller                |
|                  |                      |                    |               |        | Crusher Jaws                  |
| 2610-00-061-0501 | INNER TUBE,PNEUMATIC | 07.50/8.25-14      | OFF           | TR13   | None Listed                   |
| 2610-00-089-5996 | INNER TUBE,PNEUMATIC | 05.30/4.50-6       | OFF           | TR87   | None Listed                   |
| 2610-00-089-5997 | INNER TUBE,PNEUMATIC | 06.90/6.00-9       | OFF           | TR135  | Spreader Aggregate Towed      |
|                  |                      |                    |               |        | Forklift 4k                   |
|                  |                      |                    |               |        | Ramp, Mobile, Loading         |
| 2610-00-095-1708 | INNER TUBE,PNEUMATIC | 08.25R20           | ON            | TR442  | Truck Forklift                |
| 2610-00-173-5230 | INNER TUBE,PNEUMATIC | 07.50/8.25-16      | OFF           | TR150  | None listed                   |
| 2610-00-177-6891 | INNER TUBE,PNEUMATIC | 05.20/5.60/6.00-14 | OFF           | TR13   | None Listed                   |
| 2610-00-177-6892 | INNER TUBE,PNEUMATIC | 07.35-14/G-14      | OFF           | TR13   | None Listed                   |
| 2610-00-177-7096 | INNER TUBE,PNEUMATIC | 23.00/8.50-12      | OFF           | TR13CW | None Listed                   |
| 2610-00-204-2074 | INNER TUBE,PNEUMATIC | 07.50/8.25-16      | OFF           | TR135  | Compressor, Rotary, Trlr, MTD |
| 2610-00-204-3016 | INNER TUBE,PNEUMATIC | 07.00-12           | ON            | TR440  | Forklift 4k, 6k               |
|                  |                      |                    |               |        | Scraper, Trk, ELV, SP, 9kd    |
|                  |                      |                    |               |        | Type 1 Scraper                |
| 2610-00-227-0354 | INNER TUBE,PNEUMATIC | 07.50-20           | OFF           | TR15CW | Crane Warehouse               |
| 2610-00-260-7342 | INNER TUBE,PNEUMATIC | 10.00-22           | ON            | TR444  | Distributor Water Tank        |
| 2610-00-260-7345 | INNER TUBE,PNEUMATIC | 10.00-20           | ON            | TR444  | Trlr, Van, elec, TAC          |
|                  |                      |                    |               |        | Trlr Flat bed 34 T            |
|                  |                      |                    |               |        | Tank, Storage, Asphalt        |
| 2610-00-260-7346 | INNER TUBE,PNEUMATIC | 07.50-17           | ON            | TR75A  | None listed                   |
| 2610-00-260-7354 | INNER TUBE,PNEUMATIC | 10.00-15           | ON            | TR444  | Low bed Trlr 40 T, 25 T       |
| 2610-00-260-7347 | INNER TUBE,PNEUMATIC | 08.25-15           | ON            | TR442  | 15K Forklift                  |
| 2610-00-262-1948 | INNER TUBE,PNEUMATIC | 07.50-10           | OFF           | TR150  | Forklift 6k                   |
| 2610-00-266-6659 | INNER TUBE,PNEUMATIC | 09.50/9.00-16      | OFF           | TR15CW | None listed                   |
| 2610-00-266-6665 | INNER TUBE,PNEUMATIC | 11.00-22           | ON            | TR444  | None listed                   |
| 2610-00-269-7329 | INNER TUBE,PNEUMATIC | 07.50-15           | ON            | TR441  | Forklift 6k                   |
|                  |                      |                    |               |        | Roller, Pneu, Vari Pres Sp    |
|                  |                      |                    |               |        | Trlr Flat bed 6 T             |
| 2610-00-269-7332 | INNER TUBE,PNEUMATIC | 07.00-16           | OFF           | TR15   | Dolly Set Lift 2 1/2 T        |

**Inner Tube Listing by NSN - TEAM TIRE CATALOG**

**Jan 05**

| <b>NSN</b>       | <b>Item Name</b>     | <b>Size</b>    | <b>On/Off Center</b> | <b>Valve</b> | <b>Known Applications</b>     |
|------------------|----------------------|----------------|----------------------|--------------|-------------------------------|
| 2610-00-269-7332 | INNER TUBE,PNEUMATIC | 07.00-16       | OFF                  | TR15         | Trlr Amphibious 1 1/2 T       |
| 2610-00-269-7346 | INNER TUBE,PNEUMATIC | 07.00-20       | ON                   | TR440        | None Listed                   |
| 2610-00-269-7347 | INNER TUBE,PNEUMATIC | 07.50-20       | ON                   | TR441        | Roller Vibratory              |
| 2610-00-269-7353 | INNER TUBE,PNEUMATIC | 04.10/3.50-5   | ON                   | TR87         | None Listed                   |
| 2610-00-269-7373 | INNER TUBE,PNEUMATIC | 06.50/7.60-16  | OFF                  | TR15         | None Listed                   |
| 2610-00-269-7377 | INNER TUBE,PNEUMATIC | 06.50-16       | OFF                  | TR150        | Tractor Wheeled               |
|                  |                      |                |                      |              | Tractor Warehouse             |
|                  |                      |                |                      |              | Forklift 4k                   |
| 2610-00-269-7378 | INNER TUBE,PNEUMATIC | 07.00-16       | OFF                  | TR150        | None Listed                   |
| 2610-00-269-7383 | INNER TUBE,PNEUMATIC | 09.00-20       | ON                   | TR443        | Distributor, Bit, Trlr, MTD   |
|                  |                      |                |                      |              | 2 1/2 Ton Truck               |
|                  |                      |                |                      |              | Trlr Van 6 T                  |
| 2610-00-269-7390 | INNER TUBE,PNEUMATIC | 11.00/12.00-24 | ON                   | TR444        | None Listed                   |
| 2610-00-269-7395 | INNER TUBE,PNEUMATIC | 18.40-28       | OFF                  | TR218A       | None listed                   |
| 2610-00-269-7408 | INNER TUBE,PNEUMATIC | 16.90/14.00-28 | OFF                  | TR218A       | None listed                   |
| 2610-00-269-7760 | INNER TUBE,PNEUMATIC | 07.50-16       | OFF                  | TR15CW       | Compressor, Rotary, Trlr, MTD |
| 2610-00-288-3927 | INNER TUBE,PNEUMATIC | 07.50-15       | ON                   | TR150        | Forklift 15k/6k               |
|                  |                      |                |                      |              | Crane Warehouse               |
|                  |                      |                |                      |              | None Listed                   |
| 2610-00-350-1964 | INNER TUBE,PNEUMATIC | 06.50-20       | ON                   | TR440        | None Listed                   |
| 2610-00-350-9975 | INNER TUBE,PNEUMATIC | 06.00-16       | OFF                  | TR15         | None listed                   |
| 2610-00-405-4365 | INNER TUBE,PNEUMATIC | 07.50-10       | OFF                  | TR135        | None Listed                   |
| 2610-00-405-4366 | INNER TUBE,PNEUMATIC | 09.00-10       | OFF                  | TR135        | None listed                   |
| 2610-00-405-4372 | INNER TUBE,PNEUMATIC | 05.70/5.00-8   | OFF                  | TR87A        | None Listed                   |
| 2610-00-405-4374 | INNER TUBE,PNEUMATIC | 08.20/7.00-15  | ON                   | TR440        | Forklift 6k                   |
| 2610-00-424-9885 | INNER TUBE,PNEUMATIC | 07.00/7.50-14  | OFF                  | TR13CW       | None Listed                   |
| 2610-00-424-9890 | INNER TUBE,PNEUMATIC | 08.75-16.5     | OFF                  | TR15CW       | None listed                   |
| 2610-00-424-9895 | INNER TUBE,PNEUMATIC | 09.50-16.5     | OFF                  | TR15CW       | None Listed                   |
| 2610-00-424-9898 | INNER TUBE,PNEUMATIC | 10.00-16.5     | OFF                  | TR15CW       | None listed                   |
| 2610-00-424-9914 | INNER TUBE,PNEUMATIC | 15.00-22.5     | OFF                  | TR70         | None listed                   |
| 2610-00-444-7575 | INNER TUBE,PNEUMATIC | 06.90/6.00-9   | ON                   | TR135        | Forklift 4k                   |
| 2610-00-476-6474 | INNER TUBE,PNEUMATIC | 20.50-25       | ON                   | AD4          | None listed                   |

## Inner Tube Listing by NSN - TEAM TIRE CATALOG

Jan 05

| NSN              | Item Name            | Size           | On/Off Center | Valve         | Known Applications     |
|------------------|----------------------|----------------|---------------|---------------|------------------------|
| 2610-00-489-2554 | INNER TUBE,PNEUMATIC | 06.50-10       | OFF           | TR135         | Forklift 4k, SRT       |
| 2610-00-497-6930 | INNER TUBE,PNEUMATIC | 06.90/6.00-9   | OFF           | TR87S         | None Listed            |
| 2610-00-528-7676 | INNER TUBE,PNEUMATIC | 12.4/11-28     | OFF           | TR218A        | None listed            |
| 2610-00-528-7685 | INNER TUBE,PNEUMATIC | 14.90-24       | OFF           | TR218A        | None listed            |
| 2610-00-528-7701 | INNER TUBE,PNEUMATIC | 23.10-26       | OFF           | TR218A        | Vibratory Roller, SP   |
| 2610-00-528-7709 | INNER TUBE,PNEUMATIC | 04.80/4.00-8   | ON            | TR13CW        | Cargo Trlr 3 1/2 T     |
| 2610-00-528-7712 | INNER TUBE,PNEUMATIC | 07.50-15       | ON            | TR443         | Forklift 6k            |
| 2610-00-528-7759 | INNER TUBE,PNEUMATIC | 06.00-16       | OFF           | TR15CW        | None Listed            |
| 2610-00-528-7760 | INNER TUBE,PNEUMATIC | 05.90/6.40-15  | OFF           | TR15CW        | None Listed            |
| 2610-00-528-7783 | INNER TUBE,PNEUMATIC | 06.50-10       | OFF           | TR15CW        | Forklift 4k            |
| 2610-00-528-7789 | INNER TUBE,PNEUMATIC | 06.90/6.00-9   | OFF           | TR13CW        | None Listed            |
| 2610-00-528-7798 | INNER TUBE,PNEUMATIC | 05.70/5.00-8   | OFF           | TR13CW        | None Listed            |
| 2610-00-528-7829 | INNER TUBE,PNEUMATIC | 16.90-24       | OFF           | TR218A        | None listed            |
| 2610-00-528-7831 | INNER TUBE,PNEUMATIC | 15.50-38       | OFF           | TR218         | None listed            |
| 2610-00-528-7850 | INNER TUBE,PNEUMATIC | 08.25-20       | ON            | TR442         | Truck Forklift         |
| 2610-00-555-5666 | INNER TUBE,PNEUMATIC | 07.00-15       | ON            | TR441         | Forklift 4k, SRT       |
| 2610-00-555-5676 | INNER TUBE,PNEUMATIC | 06.70-15       | ON            | TR15CW        | None Listed            |
| 2610-00-555-5678 | INNER TUBE,PNEUMATIC | 11.00-15       | ON            | TR444         | Crusher Roller         |
|                  |                      |                |               |               | Crusher Jaws           |
|                  |                      |                |               |               | Low bed Trlr 25 T      |
| 2610-00-555-6611 | INNER TUBE,PNEUMATIC | 7.50/8.25-16   | OFF           | TR15          | None Listed            |
| 2610-00-555-6613 | INNER TUBE,PNEUMATIC | 13.00/14.00-24 | OFF           | TR218A/TR220A | Crane Truck MTD        |
|                  |                      |                |               |               | Ramp, Mobile Loading   |
| 2610-00-555-6614 | INNER TUBE,PNEUMATIC | 06.50/7.60-16  | OFF           | TR15          | None Listed            |
| 2610-00-569-0817 | INNER TUBE,PNEUMATIC | 07.50-10       | OFF           | TR15CW        | None Listed            |
| 2610-00-591-2857 | INNER TUBE,PNEUMATIC | 26-2.125       | ON            | TR1           | None listed            |
| 2610-00-591-2859 | INNER TUBE,PNEUMATIC | 07.50-10       | ON            | TR440         | Forklift 6k            |
| 2610-00-591-2865 | INNER TUBE,PNEUMATIC | 07.00/8.25-15  | OFF           | TR13          | Pump Unit, Centrifugal |
|                  |                      |                |               |               | Pump Assembly, FL      |
| 2610-00-721-9279 | INNER TUBE,PNEUMATIC | 04.10/3.50-4   | OFF           | TR87/87A      | None Listed            |
| 2610-00-729-4583 | INNER TUBE,PNEUMATIC | F-13           | OFF           | TR13          | None listed            |
| 2610-00-729-4589 | INNER TUBE,PNEUMATIC | 06.50-13       | OFF           | TR13          | None Listed            |

## Inner Tube Listing by NSN - TEAM TIRE CATALOG

Jan 05

| NSN              | Item Name            | Size               | On/Off Center | Valve        | Known Applications            |
|------------------|----------------------|--------------------|---------------|--------------|-------------------------------|
| 2610-00-764-4421 | INNER TUBE,PNEUMATIC | 02.80/2.50-4       | ON            | TR87         | None Listed                   |
| 2610-00-889-9174 | INNER TUBE,PNEUMATIC | 04.80/4.00-8       | OFF           | TR87         | None listed                   |
| 2610-00-975-4826 | INNER TUBE,PNEUMATIC | 07.50-15           | OFF           | TR15CW       | None Listed                   |
| 2610-00-999-3901 | INNER TUBE,PNEUMATIC | 09.50-8            | OFF           | TR13         | 20 T Dump Truck               |
| 2610-00-999-3903 | INNER TUBE,PNEUMATIC | 23.00/8.50-12      | OFF           | TR13CW       | None Listed                   |
| 2610-01-109-4887 | INNER TUBE,PNEUMATIC | 15.5-25            | ON            | TR-J-11756   | None listed                   |
| 2610-01-165-0567 | INNER TUBE,PNEUMATIC | 16.00R20           | ON            | TR576        | HEMTT                         |
| 2610-01-174-7717 | INNER TUBE,PNEUMATIC | 06.50-10           | OFF           | TR150CW      | Forklift 4k, GED              |
| 2610-01-174-7718 | INNER TUBE,PNEUMATIC | 08.15/28/9.00-15   | ON            | TR442        | Forklift 4k, GED              |
| 2610-01-244-5869 | INNER TUBE,PNEUMATIC | 06.50-10           | OFF           | TR135/TR13CW | Lder Scoop Type 2 SEC, 2.5 YD |
| 2610-01-264-3165 | INNER TUBE,PNEUMATIC | 06.50-10           | ON            | TR150A       | Forklift 6k                   |
| 2610-01-331-3520 | INNER TUBE,PNEUMATIC | 11.00/12.00R-24    | ON            | TR444        | Prime Mover 6k                |
| 2610-01-364-4097 | INNER TUBE,PNEUMATIC | 14.00R24           | ON            | TR445        | Prime Mover 8x6               |
| 2610-01-365-8690 | INNER TUBE,PNEUMATIC | 09.00-16           | ON            | TR15CW       | None listed                   |
| 2610-01-392-1401 | INNER TUBE,PNEUMATIC | 18X7-8(140-8)      | OFF           | TR87         | None Listed                   |
| 2610-01-412-4635 | INNER TUBE,PNEUMATIC | 14.00R20           | ON            | TR445        | Truck, Cargo, 5T with water   |
| 2610-01-432-7663 | INNER TUBE,PNEUMATIC | 07.00/7.50/8.25R16 |               | TR440        | None Listed                   |
| 2610-01-452-2934 | INNER TUBE,PNEUMATIC | 04.80/4.00-8       | OFF           | TR13         | None Listed                   |
| 2610-01-476-6072 | INNER TUBE,PNEUMATIC | 12.00R20           | ON            | TR444        | None Listed                   |

| Inner Tube Listing by Size - TEAM TIRE CATALOG |                      |                    |               |              |                               | Jan-05 |
|--|----------------------|--------------------|---------------|--------------|-------------------------------|--------|
| NSN  | Item Name            | Size               | On/Off Center | Valve        | Known Applications            |        |
| 2610-00-764-4421                               | INNER TUBE,PNEUMATIC | 02.80/2.50-4       | ON            | TR87         | None listed                   |        |
| 2610-00-051-9110                               | INNER TUBE,PNEUMATIC | 03.40/3.00-5       | ON            | TR87         | Dolly Set, Lift Trans         |        |
| 2610-00-721-9279                               | INNER TUBE,PNEUMATIC | 04.10/3.50-4       | OFF           | TR87/87A     | None listed                   |        |
| 2610-00-269-7353                               | INNER TUBE,PNEUMATIC | 04.10/3.50-5       | ON            | TR87         | None listed                   |        |
| 2610-00-051-9114                               | INNER TUBE,PNEUMATIC | 04.10/3.50-6       | OFF           | TR87         | None listed                   |        |
| 2610-00-528-7709                               | INNER TUBE,PNEUMATIC | 04.80/4.00-8       | ON            | TR13CW       | Cargo Trlr 3 1/2 T            |        |
| 2610-00-889-9174                               | INNER TUBE,PNEUMATIC | 04.80/4.00-8       | OFF           | TR87         | None listed                   |        |
| 2610-01-452-2934                               | INNER TUBE,PNEUMATIC | 04.80/4.00-8       | OFF           | TR13         | None listed                   |        |
| 2610-00-177-6891                               | INNER TUBE,PNEUMATIC | 05.20/5.60/6.00-14 | OFF           | TR13         | None listed                   |        |
| 2610-00-089-5996                               | INNER TUBE,PNEUMATIC | 05.30/4.50-6       | OFF           | TR87         | None listed                   |        |
| 2610-00-405-4372                               | INNER TUBE,PNEUMATIC | 05.70/5.00-8       | OFF           | TR87A        | None listed                   |        |
| 2610-00-528-7798                               | INNER TUBE,PNEUMATIC | 05.70/5.00-8       | OFF           | TR13CW       | None listed                   |        |
| 2610-00-528-7760                               | INNER TUBE,PNEUMATIC | 05.90/6.40-15      | OFF           | TR15CW       | None listed                   |        |
| 2610-00-350-9975                               | INNER TUBE,PNEUMATIC | 06.00-16           | OFF           | TR15         | None listed                   |        |
| 2610-00-528-7759                               | INNER TUBE,PNEUMATIC | 06.00-16           | OFF           | TR15CW       | None listed                   |        |
| 2610-00-489-2554                               | INNER TUBE,PNEUMATIC | 06.50-10           | OFF           | TR135        | Forklift 4k, SRT              |        |
| 2610-00-528-7783                               | INNER TUBE,PNEUMATIC | 06.50-10           | OFF           | TR15CW       | Forklift 4k                   |        |
| 2610-01-174-7717                               | INNER TUBE,PNEUMATIC | 06.50-10           | OFF           | TR150CW      | Forklift 4k, GED              |        |
| 2610-01-244-5869                               | INNER TUBE,PNEUMATIC | 06.50-10           | OFF           | TR135/TR13CW | Lder Scoop Type 2 SEC, 2.5 YD |        |
| 2610-01-264-3165                               | INNER TUBE,PNEUMATIC | 06.50-10           | ON            | TR150A       | Forklift 6k                   |        |
| 2610-00-729-4589                               | INNER TUBE,PNEUMATIC | 06.50-13           | OFF           | TR13         | None listed                   |        |
| 2610-00-269-7377                               | INNER TUBE,PNEUMATIC | 06.50-16           | OFF           | TR150        | Tractor Wheeled               |        |
|  |                      |                    |               |              | Tractor Warehouse             |        |
|  |                      |                    |               |              | Forklift 4k                   |        |
| 2610-00-269-7373                               | INNER TUBE,PNEUMATIC | 06.50/7.60-16      | OFF           | TR15         | None listed                   |        |
| 2610-00-555-6614                               | INNER TUBE,PNEUMATIC | 06.50/7.60-16      | OFF           | TR15         | None listed                   |        |
| 2610-00-350-1964                               | INNER TUBE,PNEUMATIC | 06.50-20           | ON            | TR440        | None listed                   |        |
| 2610-00-555-5676                               | INNER TUBE,PNEUMATIC | 06.70-15           | ON            | TR15CW       | None listed                   |        |
| 2610-00-089-5997                               | INNER TUBE,PNEUMATIC | 06.90/6.00-9       | OFF           | TR135        | Spreader Aggregate Towed      |        |
|  |                      |                    |               |              | Forklift 4k                   |        |
|  |                      |                    |               |              | Ramp, Mobile, Loading         |        |
| 2610-00-444-7575                               | INNER TUBE,PNEUMATIC | 06.90/6.00-9       | ON            | TR135        | Forklift 4k                   |        |

| Inner Tube Listing by Size - TEAM TIRE CATALOG |                      |                    |               |        |                               | Jan-05 |
|--|----------------------|--------------------|---------------|--------|-------------------------------|--------|
| NSN  | Item Name            | Size               | On/Off Center | Valve  | Known Applications            |        |
| 2610-00-497-6930                               | INNER TUBE,PNEUMATIC | 06.90/6.00-9       | OFF           | TR87S  | None listed                   |        |
| 2610-00-528-7789                               | INNER TUBE,PNEUMATIC | 06.90/6.00-9       | OFF           | TR13CW | None listed                   |        |
| 2610-01-432-7663                               | INNER TUBE,PNEUMATIC | 07.00/7.50/8.25R16 |               | TR440  | None listed                   |        |
| 2610-00-424-9885                               | INNER TUBE,PNEUMATIC | 07.00/7.50-14      | OFF           | TR13CW | None listed                   |        |
| 2610-00-051-9224                               | INNER TUBE,PNEUMATIC | 07.00/8.20-15      | ON            | TR150  | None listed                   |        |
| 2610-00-591-2865                               | INNER TUBE,PNEUMATIC | 07.00/8.25-15      | OFF           | TR13   | Pump Unit, Centrifugal        |        |
|  |                      |                    |               |        | Pump Assembly, FL             |        |
| 2610-00-204-3016                               | INNER TUBE,PNEUMATIC | 07.00-12           | ON            | TR440  | Forklift 4k, 6k               |        |
|  |                      |                    |               |        | Scraper, Trk, ELV, SP, 9kd    |        |
|  |                      |                    |               |        | Type 1 Scraper                |        |
| 2610-00-051-9204                               | INNER TUBE,PNEUMATIC | 07.00-15           | OFF           | TR15   | Water Distribution            |        |
|  |                      |                    |               |        | Water Storage                 |        |
|  |                      |                    |               |        | Hoseline Outfit               |        |
| 2610-00-555-5666                               | INNER TUBE,PNEUMATIC | 07.00-15           | ON            | TR441  | Forklift 4k, SRT              |        |
| 2610-00-269-7332                               | INNER TUBE,PNEUMATIC | 07.00-16           | OFF           | TR15   | Dolly Set Lift 2 1/2 T        |        |
|  |                      |                    |               |        | Trlr Amphibious 1 1/2 T       |        |
| 2610-00-269-7378                               | INNER TUBE,PNEUMATIC | 07.00-16           | OFF           | TR150  | None listed                   |        |
| 2610-00-269-7346                               | INNER TUBE,PNEUMATIC | 07.00-20           | ON            | TR440  | None listed                   |        |
| 2610-00-177-6892                               | INNER TUBE,PNEUMATIC | 07.35-14/G-14      | OFF           | TR13   | None listed                   |        |
| 2610-00-061-0501                               | INNER TUBE,PNEUMATIC | 07.50/8.25-14      | OFF           | TR13   | None listed                   |        |
| 2610-00-173-5230                               | INNER TUBE,PNEUMATIC | 07.50/8.25-16      | OFF           | TR150  | None listed                   |        |
| 2610-00-204-2074                               | INNER TUBE,PNEUMATIC | 07.50/8.25-16      | OFF           | TR135  | Compressor, Rotary, Trlr, MTD |        |
| 2610-00-262-1948                               | INNER TUBE,PNEUMATIC | 07.50-10           | OFF           | TR150  | Forklift 6k                   |        |
| 2610-00-405-4365                               | INNER TUBE,PNEUMATIC | 07.50-10           | OFF           | TR135  | None listed                   |        |
| 2610-00-569-0817                               | INNER TUBE,PNEUMATIC | 07.50-10           | OFF           | TR15CW | None listed                   |        |
| 2610-00-591-2859                               | INNER TUBE,PNEUMATIC | 07.50-10           | ON            | TR440  | Forklift 6k                   |        |
| 2610-00-051-9210                               | INNER TUBE,PNEUMATIC | 07.50-15           | OFF           | TR135  | None listed                   |        |
| 2610-00-269-7329                               | INNER TUBE,PNEUMATIC | 07.50-15           | ON            | TR441  | Forklift 6k                   |        |
|  |                      |                    |               |        | Roller, Pneu, Vari Pres Sp    |        |
|  |                      |                    |               |        | Trlr Flat bed 6 T             |        |
| 2610-00-288-3927                               | INNER TUBE,PNEUMATIC | 07.50-15           | ON            | TR150  | Forklift 15k/6k               |        |
|  |                      |                    |               |        | Crane Warehouse               |        |

| Inner Tube Listing by Size - TEAM TIRE CATALOG |                      |                  |               |        |                               | Jan-05 |
|--|----------------------|------------------|---------------|--------|-------------------------------|--------|
| NSN  | Item Name            | Size             | On/Off Center | Valve  | Known Applications            |        |
|  |                      |                  |               |        | None listed                   |        |
| 2610-00-528-7712                               | INNER TUBE,PNEUMATIC | 07.50-15         | ON            | TR443  | Forklift 6k                   |        |
| 2610-00-975-4826                               | INNER TUBE,PNEUMATIC | 07.50-15         | OFF           | TR15CW | None listed                   |        |
| 2610-00-269-7760                               | INNER TUBE,PNEUMATIC | 07.50-16         | OFF           | TR15CW | Compressor, Rotary, Trlr, MTD |        |
| 2610-00-555-6611                               | INNER TUBE,PNEUMATIC | 07.50/8.25-16    | OFF           | TR15   | Ktires                        |        |
| 2610-00-260-7346                               | INNER TUBE,PNEUMATIC | 07.50-17         | ON            | TR75A  | None listed                   |        |
| 2610-00-227-0354                               | INNER TUBE,PNEUMATIC | 07.50-20         | OFF           | TR15CW | Crane Warehouse               |        |
| 2610-00-269-7347                               | INNER TUBE,PNEUMATIC | 07.50-20         | ON            | TR441  | Roller Vibratory              |        |
| 2610-01-174-7718                               | INNER TUBE,PNEUMATIC | 08.15/28/9.00-15 | ON            | TR442  | Forklift 4k, GED              |        |
| 2610-00-405-4374                               | INNER TUBE,PNEUMATIC | 08.20/7.00-15    | ON            | TR440  | Forklift 6k                   |        |
| 2610-00-260-7347                               | INNER TUBE,PNEUMATIC | 08.25-15         | ON            | TR442  | 15K Forklift                  |        |
| 2610-00-029-0557                               | INNER TUBE,PNEUMATIC | 08.25R15         | ON            | TR442  | Forklift 6k, 15 k             |        |
| 2610-00-528-7850                               | INNER TUBE,PNEUMATIC | 08.25-20         | ON            | TR442  | Truck, Forklift               |        |
| 2610-00-095-1708                               | INNER TUBE,PNEUMATIC | 08.25R20         | ON            | TR442  | Truck, Forklift               |        |
| 2610-00-424-9890                               | INNER TUBE,PNEUMATIC | 08.75-16.5       | OFF           | TR15CW | None listed                   |        |
| 2610-00-405-4366                               | INNER TUBE,PNEUMATIC | 09.00-10         | OFF           | TR135  | None listed                   |        |
| 2610-00-051-9216                               | INNER TUBE,PNEUMATIC | 09.00-15         | ON            | TR443  | Lowbed Trlr 60 T              |        |
| 2610-01-365-8690                               | INNER TUBE,PNEUMATIC | 09.00-16         | ON            | TR15CW | None listed                   |        |
| 2610-00-269-7383                               | INNER TUBE,PNEUMATIC | 09.00-20         | ON            | TR443  | Distributor, Bit, Trlr, MTD   |        |
|  |                      |                  |               |        | 2 1/2 T Truck                 |        |
|  |                      |                  |               |        | Trlr Van 6 T                  |        |
| 2610-00-029-0559                               | INNER TUBE,PNEUMATIC | 09.00R20         | ON            | TR443  | Distributor, Bit, TRLR, MTD   |        |
|  |                      |                  |               |        | Conveyor Belt                 |        |
| 2610-00-999-3901                               | INNER TUBE,PNEUMATIC | 09.50-8          | OFF           | TR13   | 20 T Dump Truck               |        |
| 2610-00-051-9266                               | INNER TUBE,PNEUMATIC | 09.50/9.00-16    | ON            | TR440  | Trlr Chassis 3/4 T            |        |
|  |                      |                  |               |        | Spreader Aggregate Towed      |        |
| 2610-00-266-6659                               | INNER TUBE,PNEUMATIC | 09.50/9.00-16    | OFF           | TR15CW | None listed                   |        |
| 2610-00-424-9895                               | INNER TUBE,PNEUMATIC | 09.50-16.5       | OFF           | TR15CW | None listed                   |        |
| 2610-00-260-7353                               | INNER TUBE,PNEUMATIC | 09.50-24         | OFF           | TR218A | None listed                   |        |
| 2610-00-260-7354                               | INNER TUBE,PNEUMATIC | 10.00-15         | ON            | TR444  | Low bed Trlr 40 T, 25 T       |        |
| 2610-00-052-7969                               | INNER TUBE,PNEUMATIC | 10.00R15         | ON            | TR444  | Semi Trlr Lowbed              |        |
|  |                      |                  |               |        | Crusher Roller                |        |

| Inner Tube Listing by Size - TEAM TIRE CATALOG |                      |                 |               |               |                         | Jan-05 |
|--|----------------------|-----------------|---------------|---------------|-------------------------|--------|
| NSN  | Item Name            | Size            | On/Off Center | Valve         | Known Applications      |        |
|  |                      |                 |               |               | Crusher Jaws            |        |
| 2610-00-424-9898                               | INNER TUBE,PNEUMATIC | 10.00-16.5      | OFF           | TR15CW        | None listed             |        |
| 2610-00-260-7345                               | INNER TUBE,PNEUMATIC | 10.00-20        | ON            | TR444         | Trlr, Van, elec, TAC    |        |
| 2610-00-260-7345                               | INNER TUBE,PNEUMATIC | 10.00-20        | ON            | TR444         | Trlr Flat bed 34 T      |        |
|  |                      |                 |               |               | Tank, Storage, Asphalt  |        |
| 2610-00-029-0562                               | INNER TUBE,PNEUMATIC | 10.00R20        | ON            | TR444         | Prime Mover 5T, 6x4     |        |
| 2610-00-260-7342                               | INNER TUBE,PNEUMATIC | 10.00-22        | ON            | TR444         | Distributor Water Tank  |        |
| 2610-00-555-5678                               | INNER TUBE,PNEUMATIC | 11.00-15        | ON            | TR444         | Crusher Roller          |        |
|  |                      |                 |               |               | Crusher Jaws            |        |
|  |                      |                 |               |               | Low bed Trlr 25 T       |        |
| 2610-00-051-9450                               | INNER TUBE,PNEUMATIC | 11.00-20        | ON            | TR444         | Trlr TAC 22 1/2 T       |        |
|  |                      |                 |               |               | Trlr Lowbed 12 T        |        |
| 2610-00-029-0563                               | INNER TUBE,PNEUMATIC | 11.00R20        | ON            | TR444         | Trlr TAC 22 1/2 T       |        |
|  |                      |                 |               |               | Trlr Flat bed 34 T      |        |
| 2610-00-266-6665                               | INNER TUBE,PNEUMATIC | 11.00-22        | ON            | TR444         | None listed             |        |
| 2610-00-051-9578                               | INNER TUBE,PNEUMATIC | 11.00-24        | ON            | TR444         | Primer Mover 5T 6x4     |        |
| 2610-00-051-9588                               | INNER TUBE,PNEUMATIC | 11.00/12.00-24  | OFF           | TR218a        | None listed             |        |
| 2610-00-269-7390                               | INNER TUBE,PNEUMATIC | 11.00/12.00-24  | ON            | TR444         | None listed             |        |
| 2610-01-331-3520                               | INNER TUBE,PNEUMATIC | 11.00/12.00R-24 | ON            | TR444         | Prime Mover 6k          |        |
|  |                      |                 |               |               | 5T Dump Truck           |        |
|  |                      |                 |               |               | Concrete Mobile Trk 8x6 |        |
| 2610-00-051-9454                               | INNER TUBE,PNEUMATIC | 12.00-20        | ON            | TR444         | Tractor YD / 5T Wrecker |        |
|  |                      |                 |               |               | Dump Truck 20 T         |        |
|  |                      |                 |               |               | Lowbed Trlr 60 T        |        |
| 2610-01-476-6072                               | INNER TUBE,PNEUMATIC | 12.00R20        | ON            | TR444         | None listed             |        |
| 2610-00-528-7676                               | INNER TUBE,PNEUMATIC | 12.4/11-28      | OFF           | TR218A        | None listed             |        |
| 2610-00-051-9460                               | INNER TUBE,PNEUMATIC | 13.00-20        | ON            | TR445         | Dust Collecting Machine |        |
| 2610-00-051-9594                               | INNER TUBE,PNEUMATIC | 13.00-24        | ON            | TR445         | None listed             |        |
| 2610-00-555-6613                               | INNER TUBE,PNEUMATIC | 13.00/14.00-24  | OFF           | TR218A/TR220A | Crane Truck MTD         |        |
| 2610-00-555-6613                               | INNER TUBE,PNEUMATIC | 13.00/14.00-24  | OFF           | TR218A/TR220A | Ramp, Mobile Loading    |        |
| 2610-00-051-9464                               | INNER TUBE,PNEUMATIC | 14.00-20        | ON            | TR445         | MDT Crane Shovel        |        |
|  |                      |                 |               |               | Prime Mover 5T          |        |

| Inner Tube Listing by Size - TEAM TIRE CATALOG |                      |                |               |            |                             | Jan-05 |
|--|----------------------|----------------|---------------|------------|-----------------------------|--------|
| NSN  | Item Name            | Size           | On/Off Center | Valve      | Known Applications          |        |
| 2610-01-412-4635                               | INNER TUBE,PNEUMATIC | 14.00R20       | ON            | TR445      | Truck, Cargo, 5T with water |        |
| 2610-00-051-9602                               | INNER TUBE,PNEUMATIC | 14.00-24       | ON            | TR445      | Lowbed Trlr 55 T            |        |
|  |                      |                |               |            | Lowbed Trlr 55 T            |        |
| 2610-01-364-4097                               | INNER TUBE,PNEUMATIC | 14.00R24       | ON            | TR445      | Prime Mover 8x6             |        |
| 2610-00-528-7685                               | INNER TUBE,PNEUMATIC | 14.90-24       | OFF           | TR218A     | None listed                 |        |
| 2610-00-424-9914                               | INNER TUBE,PNEUMATIC | 15.00-22.5     | OFF           | TR70       | None listed                 |        |
| 2610-01-109-4887                               | INNER TUBE,PNEUMATIC | 15.5-25        | ON            | TR-J-11756 | None listed                 |        |
| 2610-00-528-7831                               | INNER TUBE,PNEUMATIC | 15.50-38       | OFF           | TR218      | None listed                 |        |
| 2610-01-165-0567                               | INNER TUBE,PNEUMATIC | 16.00R20       | ON            | TR576      | HEMTT                       |        |
| 2610-00-051-9610                               | INNER TUBE,PNEUMATIC | 16.00-24       | ON            | AD4        | None listed                 |        |
| 2610-00-269-7408                               | INNER TUBE,PNEUMATIC | 16.90/14.00-28 | OFF           | TR218A     | None listed                 |        |
| 2610-00-528-7829                               | INNER TUBE,PNEUMATIC | 16.90-24       | OFF           | TR218A     | None listed                 |        |
| 2610-00-051-9676                               | INNER TUBE,PNEUMATIC | 16.90/4.00-30  | OFF           | TR218a     | None listed                 |        |
| 2610-00-269-7395                               | INNER TUBE,PNEUMATIC | 18.40-28       | OFF           | TR218A     | None listed                 |        |
| 2610-01-392-1401                               | INNER TUBE,PNEUMATIC | 18X7-8(140-8)  | OFF           | TR87       | None listed                 |        |
| 2610-00-476-6474                               | INNER TUBE,PNEUMATIC | 20.50-25       | ON            | AD4        | None listed                 |        |
| 2610-00-177-7096                               | INNER TUBE,PNEUMATIC | 23.00/8.50-12  | OFF           | TR13CW     | None listed                 |        |
| 2610-00-999-3903                               | INNER TUBE,PNEUMATIC | 23.00/8.50-12  | OFF           | TR13CW     | None listed                 |        |
| 2610-00-528-7701                               | INNER TUBE,PNEUMATIC | 23.10-26       | OFF           | TR218A     | Vibratory Roller, SP        |        |
| 2610-00-591-2857                               | INNER TUBE,PNEUMATIC | 26-2.125       | ON            | TR1        | None listed                 |        |
| 2610-00-729-4583                               | INNER TUBE,PNEUMATIC | F-13           | OFF           | TR13       | None listed                 |        |

| NSN              | DESCRIPTION           | TIRE & RIM ASSOCIATION # |
|------------------|-----------------------|--------------------------|
| 2640-00-004-8297 | VALVE CORE            | NONE                     |
| 2640-00-021-8295 | VALVE,PNEUMATIC TIRE  | TR-753-03                |
| 2640-00-050-0827 | VALVE EXTENSION, TIRE | NONE                     |
| 2640-00-050-1229 | VALVE CORE            | TR-C-1                   |
| 2640-00-050-1235 | CAP, PNEUMATIC VALVE  | TR-VC-3                  |
| 2640-00-052-0851 | VALVE, PNEUMATIC TIRE | TR-15                    |
| 2640-00-052-0918 | VALVE, PNEUMATIC TIRE | TR-J-1175                |
| 2640-00-060-3543 | VALVE CORE            | TR-C-1                   |
| 2640-00-060-3550 | CAP, PNEUMATIC VALVE  | TR-VC-2                  |
| 2640-00-114-5071 | VALVE EXTENSION, TIRE | NONE                     |
| 2640-00-141-8502 | ADAPTER, PNEUMATIC    | NONE                     |
| 2640-00-174-1784 | VALVE EXTENSION, TIRE | NONE                     |
| 2640-00-182-4848 | VALVE, PNEUMATIC TIRE | TR-760-03                |
| 2640-00-200-1934 | VALVE EXTENSION, TIRE | NONE                     |
| 2640-00-240-2061 | VALVE CORE            |                          |
| 2640-00-240-2062 | VALVE CORE            |                          |

| NSN              | DESCRIPTION           | TIRE & RIM ASSOCIATION # |
|------------------|-----------------------|--------------------------|
| 2640-00-240-2063 | VALVE CORE            | NONE                     |
| 2640-00-242-7617 | VALVE EXTENSION, TIRE | TR-EXT-7                 |
| 2640-00-242-7618 | VALVE EXTENSION, TIRE | NONE                     |
| 2640-00-242-7619 | VALVE EXTENSION, TIRE | NONE                     |
| 2640-00-244-0442 | VALVE EXTENSION, TIRE | NONE                     |
| 2640-00-250-2473 | VALVE EXTENSION, TIRE | NONE                     |
| 2640-00-250-2474 | VALVE EXTENSION, TIRE | NONE                     |
| 2640-00-255-9346 | CAP, PNEUMATIC VALVE  | TR-VC-3                  |
| 2640-00-267-2982 | CAP, PNEUMATIC VALVE  | TR-VC-6                  |
| 2640-00-269-7448 | VALVE EXTENSION, TIRE | NONE                     |
| 2640-00-319-5832 | VALVE EXTENSION, TIRE | NONE                     |
| 2640-00-325-2737 | VALVE, PNEUMATIC TIRE | NONE                     |
| 2640-00-338-2705 | VALVE EXTENSION, TIRE | TR-5007                  |
| 2640-00-408-4800 | HOLDER, TIRE VALVE    | NONE                     |
| 2640-00-507-9260 | CAP, PNEUMATIC VALVE  | NONE                     |
| 2640-00-511-3544 | VALVE, PNEUMATIC TIRE | TR-718-03                |

| NSN              | DESCRIPTION           | TIRE & RIM ASSOCIATION # |
|------------------|-----------------------|--------------------------|
| 2640-00-537-2251 | VALVE CORE            | TR-C-2                   |
| 2640-00-554-0694 | VALVE, PNEUMATIC TIRE | TR-705-03                |
| 2640-00-555-2821 | VALVE, PNEUMATIC TIRE | TR-570                   |
| 2640-00-555-2822 | VALVE, PNEUMATIC TIRE | TR-571                   |
| 2640-00-555-2823 | VALVE, PNEUMATIC TIRE | TR-572                   |
| 2640-00-555-2824 | VALVE, PNEUMATIC TIRE | TR-573                   |
| 2640-00-555-2825 | VALVE, PNEUMATIC TIRE | TR-618                   |
| 2640-00-555-2827 | VALVE, PNEUMATIC TIRE | TR-622A                  |
| 2640-00-555-2829 | VALVE, PNEUMATIC TIRE | TR-501                   |
| 2640-00-555-2834 | VALVE, PNEUMATIC TIRE | TR-418                   |
| 2640-00-555-2836 | VALVE, PNEUMATIC TIRE | TR-423                   |
| 2640-00-555-2837 | VALVE, PNEUMATIC TIRE | TR-425                   |
| 2640-00-555-2838 | VALVE, PNEUMATIC TIRE | TR-500                   |
| 2640-00-555-2839 | VALVE, PNEUMATIC TIRE | TR-413                   |
| 2640-00-555-2840 | VALVE, PNEUMATIC TIRE | TR-414                   |
| 2640-00-555-2841 | VALVE, PNEUMATIC TIRE | TR-415                   |

| NSN              | DESCRIPTION           | TIRE & RIM ASSOCIATION # |
|------------------|-----------------------|--------------------------|
| 2640-00-555-2842 | VALVE, PNEUMATIC TIRE | TR-416                   |
| 2640-00-555-2843 | VALVE, PNEUMATIC TIRE | TR-J-650                 |
| 2640-00-555-2844 | VALVE, PNEUMATIC TIRE | TR-J-651                 |
| 2640-00-555-2846 | VALVE, PNEUMATIC TIRE | NONE                     |
| 2640-00-555-9773 | VALVE, PNEUMATIC TIRE | TR-J-691                 |
| 2640-00-560-1607 | VALVE, PNEUMATIC TIRE | NONE                     |
| 2640-00-568-8712 | VALVE, PNEUMATIC TIRE | TR-756-03                |
| 2640-00-591-6488 | VALVE CORE            | TR-C-1                   |
| 2640-00-596-3985 | VALVE EXTENSION, TIRE | NONE                     |
| 2640-00-608-0931 | VALVE, PNEUMATIC TIRE | TR-505-A                 |
| 2640-00-628-4742 | VALVE, PNEUMATIC TIRE | TR-725-03                |
| 2640-00-678-8616 | CAP, PNEUMATIC VALVE  | TR-VC-7                  |
| 2640-00-719-6512 | VALVE, PNEUMATIC TIRE | TR-740-03                |
| 2640-00-726-7640 | VALVE, PNEUMATIC TIRE | TR-739-03                |
| 2640-00-726-7896 | VALVE, PNEUMATIC TIRE | TR-752-03                |
| 2640-00-729-6081 | VALVE, PNEUMATIC TIRE | TR-515                   |

| NSN              | DESCRIPTION                | TIRE & RIM ASSOCIATION # |
|------------------|----------------------------|--------------------------|
| 2640-00-756-1595 | VALVE CORE                 |                          |
| 2640-00-758-6274 | VALVE ADAPTER, TIRE        | NONE                     |
| 2640-00-762-4640 | VALVE EXTENSION, TIRE      | NONE                     |
| 2640-00-774-6448 | CAP, PNEUMATIC VALVE       | TR-VC-4                  |
| 2640-00-779-2565 | ADAPTER, TIRE VALVE        | TR-AD-1                  |
| 2640-00-780-4200 | CAP, PNEUMATIC VALVE       |                          |
| 2640-00-810-5861 | VALVE CORE                 | TR-C-4                   |
| 2640-00-813-7478 | VALVE, PNEUMATIC TIRE      | TR-762-03                |
| 2640-00-825-0261 | VALVE, PNEUMATIC TIRE      | TR-717-03                |
| 2640-00-827-9219 | CAP, PNEUMATIC VALVE       | TR-VC-3                  |
| 2640-00-857-2891 | VALVE, PNEUMATIC TIRE      | TR-717-02                |
| 2640-00-859-0382 | NUT, VALVE STEM, PNEUMATIC | TR-HN-1                  |
| 2640-00-869-7945 | VALVE, PNEUMATIC TIRE      | TR-725/725-02            |
| 2640-00-914-4658 | VALVE, PNEUMATIC TIRE      | TR-J-655                 |
| 2640-00-917-2603 | VALVE EXTENSION, TIRE      |                          |
| 2640-00-994-5773 | VALVE SPUD, PNEUMATIC      | TR-SP-4000               |

| NSN              | DESCRIPTION           | TIRE & RIM ASSOCIATION # |
|------------------|-----------------------|--------------------------|
| 2640-00-994-5774 | VALVE SPUD, PNEUMATIC | TR-SP-2                  |
| 2640-00-995-3138 | VALVE, PNEUMATIC TIRE | TR-J-760                 |
| 2640-00-999-7886 | VALVE, PNEUMATIC TIRE | TR-575                   |
| 2640-01-053-7310 | VALVE SPUD, PNEUMATIC | TR-HS-2                  |
| 2640-01-093-2842 | VALVE, PNEUMATIC TIRE | TR-78-A                  |
| 2640-01-098-2029 | CAP, PNEUMATIC VALVE  | TR-VC-8                  |
| 2640-01-103-3631 | VALVE, PNEUMATIC TIRE | TR-VS-1045-2-03          |
| 2640-01-111-5467 | VALVE CORE            | TR-C-1                   |
| 2640-01-130-8066 | VALVE, PNEUMATIC TIRE | TR-570                   |
| 2640-01-136-8736 | VALVE, PNEUMATIC TIRE | NONE                     |
| 2640-01-144-1573 | VALVE, PNEUMATIC TIRE |                          |
| 2640-01-160-9907 | VALVE, PNEUMATIC TIRE | NONE                     |
| 2640-01-169-4703 | CAP, PNEUMATIC VALVE  | NONE                     |
| 2640-01-169-9892 | VALVE CORE            | NONE                     |
| 2640-01-281-8343 | VALVE, PNEUMATIC TIRE | TR-574-29-E              |
| 2640-01-302-1388 | VALVE, PNEUMATIC TIRE | TR-600-HP                |

| NSN              | DESCRIPTION           | TIRE & RIM ASSOCIATION # |
|------------------|-----------------------|--------------------------|
| 2640-01-321-7725 | VALVE, PNEUMATIC TIRE | TR-570-C-14              |
| 2640-01-323-2632 | VALVE, PNEUMATIC TIRE | TR-600                   |
| 2640-01-335-4583 | VALVE, PNEUMATIC TIRE | NONE                     |
| 2640-01-343-7546 | VALVE, PNEUMATIC TIRE | NONE                     |
| 2640-01-354-9424 | VALVE, PNEUMATIC TIRE | TR-VS-1086               |
| 2640-01-356-9095 | VALVE, PNEUMATIC TIRE | TR-J-669-03              |
| 2640-01-356-9103 | VALVE SPUD, PNEUMATIC | TR-SP-2                  |
| 2640-01-367-5015 | VALVE, PNEUMATIC TIRE | TR-VS-1090               |
| 2640-01-383-3754 | VALVE, PNEUMATIC TIRE | NONE                     |
| 2640-01-386-2514 | VALVE, PNEUMATIC TIRE |                          |
| 2640-01-419-6205 | VALVE STEM ASSEMBLY   | TR-01/TR-VC-8            |
| 2640-01-422-0419 | VALVE CORE            | TR-C-2                   |
| 2640-01-429-7813 | VALVE, PNEUMATIC TIRE | NONE                     |
| 2640-01-431-5122 | VALVE CORE            | NONE                     |
| 2640-01-440-6660 | VALVE EXTENSION, TIRE | NONE                     |
| 2640-01-441-2388 | VALVE, PNEUMATIC TIRE | TR-501                   |

| NSN              | DESCRIPTION               | TIRE & RIM ASSOCIATION # |
|------------------|---------------------------|--------------------------|
| 2640-01-442-0367 | VALVE ASSEMBLY, PNEUMATIC | TR-761-03                |
| 2640-01-444-6175 | VALVE, PNEUMATIC TIRE     | TR-571-C-126             |
| 2640-01-511-7584 | VALVE EXTENSION TIRE      | NONE                     |
| 2640-01-518-4510 | VALVE EXTENSION TIRE      | NONE                     |
| 2640-01-519-1201 | VALVE, PNEUMATIC TIRE     | TR-J4000-6               |
| 2610-01-522-2413 | VALVE, PNEUMATIC TIRE     | TR-572-E19               |

**SOLID TIRES BY SIZE****TEAM TIRE CATALOG****Jan-05**

| SIZE          | TIRE DESCRIPTION                      | NSN           | KNOWN END ARTICLE APPLICATIONS            |
|---------------|---------------------------------------|---------------|---|
| 6.90/6.00X9   | Industrial Fork, Rock Reg.            | 2630000609912 |   |
| 7.00x12       | Industrial Fork, Rock Reg.            | 2630000609916 |   |
| 10x5x6.50     | Industrial Fork, Smooth               | 2630000520482 |   |
| 10x6x6.50     | Industrial Fork, Smooth               | 2630002426513 |   |
| 10.50x5x5     | Industrial Materiel Handling, Smooth  | 2630009036341 |   |
| 10.5x3.5x8    | Industrial Fork, Smooth               | 2630011160322 |   |
| 14x4.50x8     | Industrial Fork, Rock Reg.            | 2630013621883 | Trk Fork, M491 Hyster                     |
| 14x4.50x8     | Industrial Utility Trailer, Grooved   | 2630002949001 | 4k Fork/4k Elec/2k Elec/2k Fork           |
| 15x5x11.25    | Industrial Fork, Grip Regular         | 2630010225616 | Trk Fork, Elec. 4k                        |
| 15.50x5x10    | Industrial Fork, Smooth               | 2630002948967 | Trk, Fork, 4k EMD                         |
| 16x10x11      | Industrial Forklift, Rib              | 2630014433466 | Industrial Forklift, Rib                  |
| 16x5x10.50    | Industrial Fork, Rock Regular         | 2630005546293 | Trk, Fork, 2k                             |
| 16x5x10.50    | Industrial Fork, Smooth               | 2630013133287 | Trk, Fork, 4k                             |
| 16x6x10.50    | Industrial Utility Trailer, Grooved   | 2630005546292 | Trk Fork, 2k/M553 Trk Wrecker, 10 Ton     |
| 16.25x5x11.25 | Industrial Utility Fork, Rock Regular | 2630005287630 | Trk Fork Elec. 2k/Trk Fork 2k/Trk Fork 4k |

**SOLID TIRES BY SIZE****TEAM TIRE CATALOG****Jan-05**

| SIZE           | TIRE DESCRIPTION                     | NSN           | KNOWN END ARTICLE APPLICATIONS                                  |
|----------------|--------------------------------------|---------------|---|
| 16.25x6x11.25  | Industrial Fork, Rock Regular        | 2630002948971 | Trk, Fork Elec. 6k/Trk Fork Elec. 4k                            |
| 16.25x6x11.25  | Industrial Fork, Smooth              | 2630011454348 | Trk Fork Elec. 4k   |
| 16.25x7x11.25  | Industrial Fork, Rock Regular        | 2630002948989 | Trk Fork, Elec. 4k/Trk,Fork Elec. SRT                           |
| 16.25x7x11.25  | Over The Road Forklift, Smooth       | 2630011497758 | Trk Fork, 6k  |
| 17x7x12.125    | Indust. Tractor, Drive Whl Grip Reg. | 2630010280194 | Trk Fork, 4k  |
| 17.25x6x12.125 | Industrial Fork, Rock Regular        | 2630002621953 | Trk Fork, 6k  |
| 18x5x12.125    | Industrial Fork, Rock Regular        | 2630005546294 | Trk Fork, 4k/Trk Fork, 2k                                       |
| 18x6x12.125    | Industrial Fork, Rock Regular        | 2630013621882 | Trk Fork, M491 Hyster   |
| 18x6x12.125    | Industrial Fork, Rock Regular        | 2630008115602 | Trk Fork, 6k/Trk Fork, Elec, 6k/Trk Fork Elec, 2k               |
| 18x7x12.125    | Industrial Forklift, Smooth          | 2630002948974 | Trk Fork, 4k RT/ Trk Fork Elec, 4k/ Trk Fork 4k                 |
| 18x7x12.125    | Indust. Material Handling Grip Reg.  | 2630007829597 | Trk Fork, 40k   |
| 18x7x12.125    | Industrial Fork, Rock Regular        | 2630007345393 | Trk Fork, 4k  |
| 18x8x12.125    | Industrial Forklift, Grooved         | 2630002948978 | Trk Fork, 4k,EMD/Trk Fork, Elec. 4k/ Trk Fork 4k/ Trk Fork, SRT |
| 18x8x12.125    | Industrial Forklift, Smooth          | 2630011479975 | Trk Fork, Elec. 4k  |

**SOLID TIRES BY SIZE****TEAM TIRE CATALOG***Jan-05*

| SIZE        | TIRE DESCRIPTION                      | NSN           | KNOWN END ARTICLE APPLICATIONS                  |
|-------------|---------------------------------------|---------------|---|
| 18x8x12.125 | Industrial Forklift, Smooth           | 2630011357509 | Trk Fork, 4k EMD                                |
| 18x9x12.125 | Industrial Forklift, Smooth           | 2630011417472 | Trk Fork Elec, SRT                              |
| 18x9x12.125 | Industrial Forklift, Grooved          | 2630005546295 | Trk Fork, 4k/Trk Fork Elec, 4k/Trk Fork 4k, SRT |
| 21x7x15     | Industrial Material Handling, Nonskid | 2630000520548 |   |
| 21x8x15     | Industrial Forklift, Rock Regular     | 2630002948990 |   |
| 22x10x16    | Industrial Forklift, Smooth           | 2630002949085 |   |
| 16x10x11    | Industrial Forklift, Rib              | 2630014433466 | Industrial Forklift, Rib                        |

***Flap Listing by Size******TEAM TIRE CATALOG******Jan. 05***

| NSN              | FLAP SIZE                      | TIRE SIZE  | NSN              | FLAP SIZE                        | TIRE SIZE                        |
|------------------|--------------------------------|--|------------------|----------------------------------|----------------------------------|
| 2640-00-235-9869 | 5.70/5.00-8                    | 5.70/5.00-8.5  | 2640-00-208-7541 | 16-9.00                          | 9.00-16                          |
| 2640-00-421-9689 | 8-15.00                        | 10.00-15.00  | 2640-00-147-5160 | 20-9.00                          | 9.00-20                          |
| 2640-00-535-7509 | 9-6.00                         | 6.00-9   | 2640-01-416-8178 | 20R14.00                         | 14.00R20                         |
| 2640-00-797-0509 | 9-6.00                         | 6.00-9   | 2640-00-158-5617 | 20R10.00<br>20R11.00             | 10.00R20<br>11.00R20             |
| 2640-00-472-8645 | 10-6.50<br>10-7.50             | 6.50/9.00/10<br>6.50/9.00-10                                   |                  | 20R12.00                         | 12.00R20                         |
| 2640-00-861-3484 | 10-7.50<br>10-9.00             | 7.50/9.00-10<br>7.50/9.00-10                                   | 2640-01-171-2730 | 24R9.00<br>24R9.00               | 13.00-24<br>14.00-24             |
| 2640-01-254-5392 | 15R7.50<br>15R8.00<br>15R10.00 | 7.50/8.00/10.00-15<br>7.50/8.00/10.00-15<br>7.50/8.00/10.00-15 | 2640-00-138-8290 | 24R10.00<br>24R11.00<br>24R12.00 | 10.00R24<br>11.00R24<br>12.00R24 |
| 2640-01-176-4797 | 15R20.00                       | 16.00R20   |                  |                                  |                                  |
| 2640-00-696-0466 | 16-6.50<br>16-7.00<br>16-7.50  | 6.50-16<br>7.00-16<br>7.50-16                                  |                  |                                  |                                  |

## TIRE ASSEMBLIES

| <u>Vehicle System</u>                 | <u>NSN</u>       | <u>Tire NSN</u>  |
|---------------------------------------|------------------|------------------|
| <b>HETS/HEAVY TRUCKS</b>              |                  |                  |
| M977 HEMTT w/o CTIS                   | 2530-01-477-1660 | 2610-01-334-2694 |
| M1070/74/75 PLS/HET Truck w CTIS      | 2530-01-506-2715 | 2610-01-334-2694 |
| M1000 HET Trailer                     | 2530-01-506-5762 | 2610-01-323-4813 |
| M747 Radial/Radial                    | 2530-01-506-5921 | 2610-01-332-8985 |
| M989A1 Trailer                        | 2530-01-506-7324 | 2610-01-452-0605 |
| M989 Trailer                          | 2530-01-506-7325 | 2610-00-840-9270 |
| M117 Armored Security Vehicle (ASV)   | 2530-01-478-0593 | 2610-01-214-1344 |
| <b>MED TACTICAL VEHICLES</b>          |                  |                  |
| M1083/84/85 FMTV                      | 2530-01-500-4619 | 2610-01-356-9098 |
| M923A1 & M939A1/A2                    | 2530-01-506-7243 | 2610-01-214-1344 |
| M818/M926/M939 w/o ABS, M939 FOV      | 2530-01-506-7244 | 2610-00-262-8653 |
| M939 with ABS                         | 2530-01-506-8319 | 2610-01-473-3997 |
| <b>LINE HAUL TRACTORS</b>             |                  |                  |
| M915A2 (Front)                        | 2530-01-506-4125 | 2610-01-045-3688 |
| M915A3                                | 2530-01-506-4128 | 2610-01-481-5378 |
| M915A4/A2 (Rear)                      | 2530-01-506-4129 | 2610-00-163-0420 |
| M917A1 Front                          | 2530-01-506-4131 | 2610-01-436-3332 |
| M917A1 Rear                           | 2530-01-506-4132 | 2610-01-436-3334 |
| M916A1/A2 Rear                        | 2530-01-506-4133 | 2610-01-436-3334 |
| M920                                  | 2530-01-506-4136 | 2610-01-332-1564 |
| <b>HMMWV AND LT TACTICAL</b>          |                  |                  |
| HMMWV Radial / M1101 Trailer          | 2530-01-493-5859 | 2610-01-333-7632 |
| M35A2/M200A1 Trlr/M149A2/M105A2/      |                  |                  |
| M373A2/M332/M313/M750                 | 2530-01-506-5910 | 2610-00-262-8677 |
| M35A3                                 | 2530-01-506-5915 | 2610-01-397-6976 |
| <b>TRAILERS</b>                       |                  |                  |
| M1076 PLS Trailer                     | 2530-01-500-4991 | 2610-01-357-8333 |
| M871A2 Trailer Bias / M969A1          | 2530-01-506-5049 | 2610-00-204-4091 |
| M871A2 Trailer Radial                 | 2530-01-506-5053 | 2610-01-281-0675 |
| M860A1 Trailer (Patriot)              | 2530-01-506-7315 | 2610-01-500-4505 |
| M870 Trailer                          | 2530-01-506-7646 | 2610-01-325-1934 |
| M1062 Trailer                         | 2530-01-506-7648 | 2610-01-045-3688 |
| M172A1 Trailer                        | 2530-01-506-7650 | 2610-01-325-1934 |
| M872 Trailer                          | 2530-01-506-7651 | 2610-00-060-9960 |
| M872A2 Trailer                        | 2530-01-506-8580 | 2610-00-060-9960 |
| M129A4 Semitrailer                    | 2530-01-514-7903 | 2610-01-045-3688 |
| M1061A1                               | 2530-01-514-7909 | 2610-01-204-4488 |
| <b>CONSTRUCTION/MHE</b>               |                  |                  |
| 10K ATLAS Forklift - Right            | 2530-01-446-1035 | 2610-01-459-0440 |
| 10K ATLAS Forklift - Left             | 2530-01-514-8514 | 2610-01-459-0440 |
| 4K RTFL (JI CASE M4K right side only) | 2530-01-506-6873 | 2610-01-320-0460 |
| 6k Forklift (RTL 10 only)             | 2530-01-506-6882 | 2610-00-726-5164 |
| M10A 10K (right side)                 | 2530-01-506-6884 | 2610-00-726-5168 |
| 50K RTCH (Caterpillar)                | 2530-01-506-6885 | 2610-01-114-3732 |
| 6KVRRTFL- (Right Side)                | 2530-01-518-3656 | 2610-00-726-5164 |
| 6KVRRTFL - (Left Side)                | 2530-01-518-3659 | 2610-00-726-5164 |
| M878A2 Yard Tractor                   | 2530-01-514-5105 | 2610-01-507-3633 |

**PLY RATING  
And  
LOAD RANGE TABLE**

| <b>PLY RATING</b> | <b>LOAD RANGE</b> |
|-------------------|-------------------|
| 2                 | A                 |
| 4                 | B                 |
| 6                 | C                 |
| 8                 | D                 |
| 10                | E                 |
| 12                | F                 |
| 14                | G                 |
| 16                | H                 |
| 18                | J                 |
| 20                | L                 |
| 22                | M                 |
| 24                | N                 |